

Příloha A - měření před instalací Opb

Datum [dd:mm:rrrr]	Čas [hh:mm:ss]	Délka [dm]	Rychlost [km/h]	Kategorie [-]	Odstup [s]	Směr
25.5.2015	18:03:09	58	35	2	25,5	+
25.5.2015	18:03:41	88	34	3	25,5	+
25.5.2015	18:04:35	65	34	3	25,5	+
25.5.2015	18:04:37	61	51	3	1,2	+
25.5.2015	18:05:00	58	66	2	22,6	+
25.5.2015	18:06:46	53	33	2	25,5	+
25.5.2015	18:07:00	82	23	3	12,4	+
25.5.2015	18:07:29	23	51	2	25,5	+
25.5.2015	18:07:30	38	45	2	0,4	+
25.5.2015	18:08:02	84	39	3	25,5	+
25.5.2015	18:09:06	66	64	3	25,5	+
25.5.2015	18:09:42	13	48	1	25,5	+
25.5.2015	18:09:44	57	43	2	0,7	+
25.5.2015	18:11:21	48	64	2	25,5	+
25.5.2015	18:11:39	59	46	2	17,8	+
25.5.2015	18:11:53	50	71	2	13,5	+
25.5.2015	18:12:02	58	70	2	8,6	+
25.5.2015	18:12:22	60	52	2	18,9	+
25.5.2015	18:15:00	224	41	4	25,5	+
25.5.2015	18:15:41	84	43	3	25,5	+
25.5.2015	18:15:42	25	32	2	0,5	+
25.5.2015	18:16:52	26	51	2	25,5	+
25.5.2015	18:18:11	56	45	2	25,5	+
25.5.2015	18:18:44	65	45	3	25,5	+
25.5.2015	18:20:21	17	66	1	25,5	+
25.5.2015	18:20:21	44	62	2	0,3	+
25.5.2015	18:21:07	34	30	2	25,5	+
25.5.2015	18:21:21	31	51	2	13,4	+
26.5.2015	19:17:09	43	40	2	25,5	+
26.5.2015	19:17:13	44	44	2	2,5	+
26.5.2015	19:18:37	23	13	2	25,5	+
26.5.2015	19:20:38	60	48	2	25,5	+
26.5.2015	19:20:44	54	61	2	5	+
26.5.2015	19:21:20	31	45	2	25,5	+
26.5.2015	19:21:23	33	44	2	2	+
26.5.2015	19:21:54	36	46	2	25,5	+
26.5.2015	19:23:20	52	47	2	25,5	+
26.5.2015	19:24:22	31	22	2	25,5	+
26.5.2015	19:24:59	11	16	1	25,5	+
26.5.2015	19:26:27	43	46	2	25,5	+
26.5.2015	19:30:38	48	42	2	25,5	+
26.5.2015	19:33:19	49	29	2	25,5	+
26.5.2015	19:33:37	40	43	2	16,8	+
26.5.2015	19:34:37	44	49	2	25,5	+
26.5.2015	19:35:11	23	13	2	25,5	+
26.5.2015	19:36:54	66	45	3	25,5	+
26.5.2015	19:37:07	39	50	2	12,7	+
26.5.2015	19:37:32	42	46	2	23,7	+

Příloha A - měření před instalací Opb

26.5.2015	19:38:32	48	33	2	25,5	+
26.5.2015	19:38:47	39	48	2	14,8	+
26.5.2015	19:40:25	35	49	2	25,5	+
26.5.2015	19:42:15	40	58	2	25,5	+
26.5.2015	19:42:49	42	46	2	25,5	+
26.5.2015	19:43:36	53	39	2	25,5	+
26.5.2015	19:44:51	29	11	2	25,5	+
26.5.2015	19:44:59	33	42	2	7,3	+
26.5.2015	19:47:25	43	37	2	25,5	+
26.5.2015	19:47:26	27	62	2	1,6	+
26.5.2015	19:47:53	32	14	2	24,9	+
26.5.2015	19:51:49	30	25	2	25,5	+
26.5.2015	19:53:24	38	67	2	25,5	+
26.5.2015	19:55:45	39	18	2	25,5	+
26.5.2015	19:55:57	45	58	2	11,1	+
26.5.2015	19:56:36	41	28	2	25,5	+
26.5.2015	19:57:54	47	29	2	25,5	+
26.5.2015	19:58:10	26	13	2	14,1	+
26.5.2015	20:00:19	36	49	2	25,5	+
26.5.2015	20:00:26	44	25	2	5,9	+
26.5.2015	20:01:21	54	32	2	25,5	+
26.5.2015	20:05:06	52	31	2	25,5	+
26.5.2015	20:05:26	43	30	2	19,3	+
26.5.2015	20:06:05	22	21	2	25,5	+
26.5.2015	20:06:47	40	43	2	25,5	+
26.5.2015	20:06:56	56	27	2	8,5	+
26.5.2015	20:07:36	42	47	2	25,5	+
26.5.2015	20:10:12	39	43	2	25,5	+
26.5.2015	20:11:06	54	57	2	25,5	+
26.5.2015	20:14:59	46	36	2	25,5	+
26.5.2015	20:17:04	30	49	2	25,5	+
26.5.2015	20:17:26	48	33	2	21,7	+
26.5.2015	20:17:36	38	49	2	9,3	+
26.5.2015	20:20:38	42	31	2	25,5	+
26.5.2015	20:20:51	47	50	2	12,7	+
26.5.2015	20:22:28	12	11	1	25,5	+
26.5.2015	20:23:47	50	26	2	25,5	+
26.5.2015	20:24:30	84	47	3	25,5	+
26.5.2015	20:24:54	14	48	1	24,1	+
26.5.2015	20:24:55	38	39	2	0,6	+
26.5.2015	20:25:06	39	46	2	10,7	+
26.5.2015	20:26:24	14	15	1	25,5	+
26.5.2015	20:27:57	40	37	2	25,5	+
26.5.2015	20:29:54	44	39	2	25,5	+
26.5.2015	20:31:03	42	64	2	25,5	+
26.5.2015	20:35:09	63	47	3	25,5	+
26.5.2015	20:37:28	53	40	2	25,5	+
26.5.2015	20:39:45	42	47	2	25,5	+
26.5.2015	20:44:29	43	44	2	25,5	+
26.5.2015	20:44:54	49	28	2	23,6	+

Příloha A - měření před instalací Opb

26.5.2015	20:44:59	30	54	2	4,6	+
26.5.2015	20:48:01	44	32	2	25,5	+
26.5.2015	20:52:21	74	45	3	25,5	+
26.5.2015	20:57:51	48	30	2	25,5	+
26.5.2015	21:01:21	43	45	2	25,5	+
26.5.2015	21:03:02	41	42	2	25,5	+
26.5.2015	21:04:36	44	31	2	25,5	+
26.5.2015	21:05:54	39	53	2	25,5	+
26.5.2015	21:15:04	44	25	2	25,5	+
26.5.2015	21:16:43	37	33	2	25,5	+
26.5.2015	21:17:22	72	48	3	25,5	+
26.5.2015	21:20:02	39	49	2	25,5	+
26.5.2015	21:24:42	37	53	2	25,5	+
26.5.2015	21:25:02	35	14	2	18,5	+
26.5.2015	21:25:56	45	35	2	25,5	+
26.5.2015	21:33:32	43	49	2	25,5	+
26.5.2015	21:39:26	47	41	2	25,5	+
26.5.2015	21:40:29	46	43	2	25,5	+
26.5.2015	21:40:41	38	51	2	12	+
26.5.2015	21:42:46	42	39	2	25,5	+
26.5.2015	21:43:51	44	38	2	25,5	+
26.5.2015	21:47:55	57	51	2	25,5	+
26.5.2015	21:49:27	54	34	2	25,5	+
26.5.2015	21:49:28	44	38	2	0,7	+
26.5.2015	21:49:43	43	42	2	14,9	+
26.5.2015	21:50:47	52	24	2	25,5	+
26.5.2015	21:52:13	47	48	2	25,5	+
26.5.2015	21:52:30	49	26	2	16,7	+
26.5.2015	21:53:18	43	51	2	25,5	+
26.5.2015	21:53:41	48	46	2	21,7	+
26.5.2015	21:54:16	42	39	2	25,5	+
26.5.2015	22:01:47	49	24	2	25,5	+
26.5.2015	22:08:51	41	59	2	25,5	+
26.5.2015	22:12:36	39	41	2	25,5	+
26.5.2015	22:16:07	44	26	2	25,5	+
26.5.2015	22:21:39	42	38	2	25,5	+
26.5.2015	22:22:17	156	39	4	25,5	+
26.5.2015	22:26:05	60	45	2	25,5	+
26.5.2015	22:34:43	42	45	2	25,5	+
26.5.2015	22:39:19	58	36	2	25,5	+
26.5.2015	22:45:25	35	34	2	25,5	+
26.5.2015	22:47:08	58	69	2	25,5	+
28.5.2015	6:01:01	38	33	2	25,5	+
28.5.2015	6:03:28	21	12	2	25,5	+
28.5.2015	6:04:37	38	53	2	25,5	+
28.5.2015	6:07:39	37	52	2	25,5	+
28.5.2015	6:09:09	23	48	2	25,5	+
28.5.2015	6:09:18	30	61	2	8,9	+
28.5.2015	6:11:27	60	15	2	25,5	+
28.5.2015	6:14:58	12	15	1	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	6:15:04	16	9	1	5,3	+
28.5.2015	6:16:27	37	38	2	25,5	+
28.5.2015	6:19:21	34	42	2	25,5	+
28.5.2015	6:19:36	55	44	2	13,9	+
28.5.2015	6:20:34	28	45	2	25,5	+
28.5.2015	6:21:35	47	30	2	25,5	+
28.5.2015	6:27:24	59	56	2	25,5	+
28.5.2015	6:27:28	39	50	2	3,1	+
28.5.2015	6:28:12	57	44	2	25,5	+
28.5.2015	6:28:22	37	48	2	9,7	+
28.5.2015	6:28:24	33	46	2	1,6	+
28.5.2015	6:29:43	45	30	2	25,5	+
28.5.2015	6:32:00	38	53	2	25,5	+
28.5.2015	6:32:18	32	53	2	10,7	+
28.5.2015	6:32:50	20	8	1	25,5	+
28.5.2015	6:32:53	21	9	2	1,8	+
28.5.2015	6:33:00	55	43	2	6,5	+
28.5.2015	6:37:09	34	47	2	25,5	+
28.5.2015	6:37:25	31	58	2	16,3	+
28.5.2015	6:38:04	36	71	2	25,5	+
28.5.2015	6:41:37	33	45	2	25,5	+
28.5.2015	6:42:14	32	54	2	25,5	+
28.5.2015	6:44:14	38	52	2	25,5	+
28.5.2015	6:44:19	30	13	2	4,2	+
28.5.2015	6:44:23	27	10	2	2,4	+
28.5.2015	6:46:06	36	44	2	25,5	+
28.5.2015	6:46:22	34	44	2	15,3	+
28.5.2015	6:46:47	46	31	2	24,8	+
28.5.2015	6:47:18	76	31	3	25,5	+
28.5.2015	6:47:21	51	29	2	1,9	+
28.5.2015	6:48:15	40	46	2	25,5	+
28.5.2015	6:48:41	33	45	2	25,4	+
28.5.2015	6:48:43	43	30	2	1,3	+
28.5.2015	6:49:21	37	53	2	25,5	+
28.5.2015	6:51:03	38	35	2	25,5	+
28.5.2015	6:51:10	34	54	2	5,7	+
28.5.2015	6:51:31	38	47	2	20,6	+
28.5.2015	6:51:43	40	47	2	11,8	+
28.5.2015	6:51:55	31	44	2	10,9	+
28.5.2015	6:52:27	35	53	2	25,5	+
28.5.2015	6:54:06	33	58	2	25,5	+
28.5.2015	6:54:10	42	47	2	3,1	+
28.5.2015	6:54:39	30	66	2	25,5	+
28.5.2015	6:54:59	33	53	2	19,4	+
28.5.2015	6:55:09	38	50	2	8,8	+
28.5.2015	6:55:21	34	53	2	12	+
28.5.2015	6:55:54	54	43	2	25,5	+
28.5.2015	6:56:59	12	14	1	25,5	+
28.5.2015	6:58:40	34	53	2	25,5	+
28.5.2015	6:58:57	39	64	2	16,6	+

Příloha A - měření před instalací Opb

28.5.2015	7:00:31	44	52	2	25,5	+
28.5.2015	7:00:33	44	51	2	1,1	+
28.5.2015	7:00:41	40	51	2	7,3	+
28.5.2015	7:01:05	42	58	2	24,2	+
28.5.2015	7:01:09	36	51	2	3,5	+
28.5.2015	7:02:20	33	48	2	25,5	+
28.5.2015	7:02:26	64	68	3	5,2	+
28.5.2015	7:02:35	36	43	2	8,7	+
28.5.2015	7:02:39	38	50	2	3,1	+
28.5.2015	7:03:18	38	63	2	25,5	+
28.5.2015	7:03:27	37	35	2	8,5	+
28.5.2015	7:04:48	51	39	2	25,5	+
28.5.2015	7:06:51	35	48	2	25,5	+
28.5.2015	7:07:41	38	48	2	25,5	+
28.5.2015	7:08:44	37	61	2	25,5	+
28.5.2015	7:09:03	44	30	2	18,2	+
28.5.2015	7:09:23	46	32	2	18,9	+
28.5.2015	7:09:29	40	49	2	5,5	+
28.5.2015	7:09:35	35	48	2	5,3	+
28.5.2015	7:11:12	37	45	2	25,5	+
28.5.2015	7:12:07	56	47	2	25,5	+
28.5.2015	7:14:27	37	67	2	25,5	+
28.5.2015	7:14:40	56	41	2	12,7	+
28.5.2015	7:14:44	40	57	2	2,8	+
28.5.2015	7:15:31	146	35	4	25,5	+
28.5.2015	7:15:59	42	31	2	25,5	+
28.5.2015	7:16:01	31	47	2	0,6	+
28.5.2015	7:16:02	34	50	2	1	+
28.5.2015	7:16:09	37	43	2	6,3	+
28.5.2015	7:17:15	31	54	2	25,5	+
28.5.2015	7:17:19	44	36	2	2,4	+
28.5.2015	7:17:27	43	25	2	7,9	+
28.5.2015	7:17:33	40	47	2	4,9	+
28.5.2015	7:18:30	38	43	2	25,5	+
28.5.2015	7:18:47	37	31	2	17	+
28.5.2015	7:19:41	36	62	2	25,5	+
28.5.2015	7:20:31	88	47	3	25,5	+
28.5.2015	7:20:47	38	31	2	14,8	+
28.5.2015	7:20:48	34	34	2	0,8	+
28.5.2015	7:21:11	37	54	2	22	+
28.5.2015	7:21:47	37	48	2	25,5	+
28.5.2015	7:21:58	48	35	2	10,1	+
28.5.2015	7:22:09	57	29	2	10,1	+
28.5.2015	7:22:16	52	32	2	5,1	+
28.5.2015	7:22:34	45	42	2	17,8	+
28.5.2015	7:23:13	41	47	2	25,5	+
28.5.2015	7:23:36	41	57	2	22	+
28.5.2015	7:25:53	37	34	2	25,5	+
28.5.2015	7:26:16	38	39	2	21,7	+
28.5.2015	7:27:02	34	46	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	7:27:48	42	50	2	25,5	+
28.5.2015	7:27:55	44	35	2	6,6	+
28.5.2015	7:28:46	56	42	2	25,5	+
28.5.2015	7:28:50	38	46	2	2,8	+
28.5.2015	7:29:43	42	37	2	25,5	+
28.5.2015	7:30:42	44	30	2	25,5	+
28.5.2015	7:30:43	39	39	2	0,7	+
28.5.2015	7:30:50	39	58	2	6	+
28.5.2015	7:31:09	35	46	2	18	+
28.5.2015	7:31:11	36	56	2	1,8	+
28.5.2015	7:31:26	41	38	2	14,3	+
28.5.2015	7:32:32	47	29	2	25,5	+
28.5.2015	7:32:43	30	59	2	9,9	+
28.5.2015	7:33:23	40	48	2	25,5	+
28.5.2015	7:34:18	38	45	2	25,5	+
28.5.2015	7:34:35	22	54	2	16,8	+
28.5.2015	7:34:49	46	46	2	13,1	+
28.5.2015	7:35:02	43	31	2	12,2	+
28.5.2015	7:35:07	41	60	2	4,5	+
28.5.2015	7:35:52	40	51	2	25,5	+
28.5.2015	7:35:55	35	58	2	1,8	+
28.5.2015	7:36:56	33	48	2	25,5	+
28.5.2015	7:36:58	55	39	2	1,3	+
28.5.2015	7:37:12	39	28	2	12,5	+
28.5.2015	7:38:17	49	29	2	25,5	+
28.5.2015	7:38:41	53	41	2	23	+
28.5.2015	7:38:54	56	15	2	10,9	+
28.5.2015	7:38:59	37	38	2	4,3	+
28.5.2015	7:39:01	23	35	2	1,6	+
28.5.2015	7:40:09	43	33	2	25,5	+
28.5.2015	7:40:45	34	51	2	25,5	+
28.5.2015	7:40:47	40	48	2	1,6	+
28.5.2015	7:41:03	64	38	3	15,8	+
28.5.2015	7:41:06	31	39	2	1,4	+
28.5.2015	7:41:22	40	44	2	16,1	+
28.5.2015	7:41:25	45	43	2	1,8	+
28.5.2015	7:41:32	41	29	2	6,1	+
28.5.2015	7:42:18	35	50	2	25,5	+
28.5.2015	7:42:27	39	48	2	9,1	+
28.5.2015	7:43:49	38	41	2	25,5	+
28.5.2015	7:44:03	36	28	2	12,9	+
28.5.2015	7:44:07	36	44	2	3,2	+
28.5.2015	7:44:21	37	62	2	13,7	+
28.5.2015	7:44:26	41	50	2	4,5	+
28.5.2015	7:45:26	31	53	2	25,5	+
28.5.2015	7:45:29	36	48	2	2,8	+
28.5.2015	7:45:35	36	48	2	5,6	+
28.5.2015	7:47:36	38	29	2	25,5	+
28.5.2015	7:48:15	42	48	2	25,5	+
28.5.2015	7:48:28	42	42	2	12	+

Příloha A - měření před instalací Opb

28.5.2015	7:49:01	38	43	2	25,5	+
28.5.2015	7:49:18	118	47	3	15,6	+
28.5.2015	7:49:36	46	34	2	17,4	+
28.5.2015	7:50:09	40	49	2	25,5	+
28.5.2015	7:50:47	39	64	2	25,5	+
28.5.2015	7:51:25	48	34	2	25,5	+
28.5.2015	7:52:21	39	42	2	25,5	+
28.5.2015	7:52:24	38	47	2	2,2	+
28.5.2015	7:52:33	20	17	1	8,8	+
28.5.2015	7:52:42	48	45	2	7,7	+
28.5.2015	7:53:16	37	57	2	25,5	+
28.5.2015	7:53:30	37	51	2	13,3	+
28.5.2015	7:54:21	36	84	2	25,5	+
28.5.2015	7:54:26	45	49	2	3,6	+
28.5.2015	7:54:41	70	42	3	14,3	+
28.5.2015	7:55:23	36	52	2	25,5	+
28.5.2015	7:56:59	38	50	2	25,5	+
28.5.2015	7:58:16	40	48	2	25,5	+
28.5.2015	7:58:21	38	46	2	4,8	+
28.5.2015	7:58:24	42	47	2	2,1	+
28.5.2015	7:58:27	36	48	2	2,5	+
28.5.2015	7:58:58	41	63	2	25,5	+
28.5.2015	7:59:43	33	51	2	25,5	+
28.5.2015	8:00:54	44	47	2	25,5	+
28.5.2015	8:00:56	37	54	2	2,3	+
28.5.2015	8:01:00	36	70	2	3,5	+
28.5.2015	8:01:17	33	51	2	16,4	+
28.5.2015	8:01:29	46	34	2	10,8	+
28.5.2015	8:02:28	37	60	2	25,5	+
28.5.2015	8:02:50	25	13	2	20,5	+
28.5.2015	8:02:54	28	11	2	3,1	+
28.5.2015	8:03:33	41	34	2	25,5	+
28.5.2015	8:04:33	34	53	2	25,5	+
28.5.2015	8:05:14	36	56	2	25,5	+
28.5.2015	8:05:22	37	52	2	7,3	+
28.5.2015	8:07:34	38	49	2	25,5	+
28.5.2015	8:07:38	31	55	2	3,5	+
28.5.2015	8:07:41	42	52	2	2,3	+
28.5.2015	8:07:47	34	52	2	5,3	+
28.5.2015	8:08:43	58	19	2	25,5	+
28.5.2015	8:10:41	36	50	2	25,5	+
28.5.2015	8:13:06	39	62	2	25,5	+
28.5.2015	8:13:55	35	43	2	25,5	+
28.5.2015	8:14:04	30	37	2	8,2	+
28.5.2015	8:14:20	38	41	2	15,5	+
28.5.2015	8:14:49	46	42	2	25,5	+
28.5.2015	8:15:00	29	59	2	9,9	+
28.5.2015	8:15:22	33	50	2	21,4	+
28.5.2015	8:16:03	35	51	2	25,5	+
28.5.2015	8:17:36	37	58	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	8:17:51	55	50	2	14,4	+
28.5.2015	8:17:54	31	57	2	2,4	+
28.5.2015	8:17:56	14	8	1	1,1	+
28.5.2015	8:18:09	27	46	2	12,8	+
28.5.2015	8:18:57	47	30	2	25,5	+
28.5.2015	8:19:59	37	34	2	25,5	+
28.5.2015	8:20:14	33	49	2	14,3	+
28.5.2015	8:20:19	40	49	2	4,9	+
28.5.2015	8:20:42	37	44	2	22,2	+
28.5.2015	8:20:43	39	47	2	1,1	+
28.5.2015	8:21:32	37	58	2	25,5	+
28.5.2015	8:21:58	42	61	2	25,5	+
28.5.2015	8:22:13	47	34	2	13,8	+
28.5.2015	8:22:20	45	20	2	5,9	+
28.5.2015	8:22:28	36	42	2	7,3	+
28.5.2015	8:22:38	41	45	2	10,2	+
28.5.2015	8:22:40	37	44	2	1,5	+
28.5.2015	8:22:53	43	44	2	12	+
28.5.2015	8:22:59	19	55	1	5,5	+
28.5.2015	8:24:01	29	52	2	25,5	+
28.5.2015	8:24:39	41	29	2	25,5	+
28.5.2015	8:24:40	38	38	2	0,6	+
28.5.2015	8:24:48	38	50	2	7,4	+
28.5.2015	8:26:22	38	41	2	25,5	+
28.5.2015	8:26:34	31	13	2	11,2	+
28.5.2015	8:28:14	41	45	2	25,5	+
28.5.2015	8:28:38	62	41	3	23,4	+
28.5.2015	8:28:40	42	40	2	1,9	+
28.5.2015	8:28:42	40	41	2	0,6	+
28.5.2015	8:28:55	26	51	2	13,5	+
28.5.2015	8:29:01	36	41	2	5	+
28.5.2015	8:29:20	16	16	1	18,2	+
28.5.2015	8:30:17	29	46	2	25,5	+
28.5.2015	8:30:22	24	12	2	3,4	+
28.5.2015	8:31:03	35	64	2	25,5	+
28.5.2015	8:32:09	53	35	2	25,5	+
28.5.2015	8:32:15	41	45	2	5,4	+
28.5.2015	8:33:04	61	50	3	25,5	+
28.5.2015	8:33:05	36	55	2	0,8	+
28.5.2015	8:34:32	41	32	2	25,5	+
28.5.2015	8:34:54	39	43	2	21,6	+
28.5.2015	8:35:07	40	45	2	12,9	+
28.5.2015	8:35:44	35	50	2	25,5	+
28.5.2015	8:35:53	39	43	2	8,4	+
28.5.2015	8:38:29	42	37	2	25,5	+
28.5.2015	8:39:42	39	32	2	25,5	+
28.5.2015	8:39:50	32	44	2	7,5	+
28.5.2015	8:40:29	35	45	2	25,5	+
28.5.2015	8:40:54	38	34	2	23,8	+
28.5.2015	8:41:02	38	52	2	8,3	+

Příloha A - měření před instalací Opb

28.5.2015	8:42:12	46	35	2	25,5	+
28.5.2015	8:43:16	28	69	2	25,5	+
28.5.2015	8:44:15	39	37	2	25,5	+
28.5.2015	8:44:33	41	37	2	17,7	+
28.5.2015	8:44:38	44	23	2	3,1	+
28.5.2015	8:44:45	45	16	2	5,4	+
28.5.2015	8:44:48	19	8	1	1,7	+
28.5.2015	8:44:51	21	10	2	2,4	+
28.5.2015	8:45:18	58	40	2	25,5	+
28.5.2015	8:46:11	35	58	2	25,5	+
28.5.2015	8:46:42	43	28	2	25,5	+
28.5.2015	8:46:57	45	29	2	14,6	+
28.5.2015	8:47:38	34	55	2	25,5	+
28.5.2015	8:48:13	35	39	2	25,5	+
28.5.2015	8:48:17	43	36	2	2,7	+
28.5.2015	8:49:41	30	59	2	25,5	+
28.5.2015	8:49:46	45	33	2	3,4	+
28.5.2015	8:51:17	32	51	2	25,5	+
28.5.2015	8:51:33	108	25	3	13,8	+
28.5.2015	8:53:26	37	49	2	25,5	+
28.5.2015	8:54:08	51	48	2	25,5	+
28.5.2015	8:55:06	63	32	3	25,5	+
28.5.2015	8:55:15	37	38	2	8,8	+
28.5.2015	8:55:19	47	30	2	2,9	+
28.5.2015	8:55:33	59	38	2	12,9	+
28.5.2015	8:56:39	28	10	2	25,5	+
28.5.2015	8:57:12	40	64	2	25,5	+
28.5.2015	8:57:20	48	12	2	5,7	+
28.5.2015	8:58:52	31	44	2	25,5	+
28.5.2015	8:59:44	46	52	2	25,5	+
28.5.2015	9:00:00	36	37	2	25,5	+
28.5.2015	9:00:02	41	34	2	1,1	+
28.5.2015	9:00:36	16	16	1	25,5	+
28.5.2015	9:01:14	37	51	2	25,5	+
28.5.2015	9:01:23	40	45	2	8,3	+
28.5.2015	9:03:31	35	58	2	25,5	+
28.5.2015	9:03:35	36	57	2	3,2	+
28.5.2015	9:04:49	42	44	2	25,5	+
28.5.2015	9:05:06	43	32	2	15,6	+
28.5.2015	9:06:52	69	40	3	25,5	+
28.5.2015	9:06:58	41	50	2	6,1	+
28.5.2015	9:07:36	39	34	2	25,5	+
28.5.2015	9:07:40	45	34	2	3,6	+
28.5.2015	9:08:01	65	56	3	20	+
28.5.2015	9:10:18	34	66	2	25,5	+
28.5.2015	9:13:00	35	49	2	25,5	+
28.5.2015	9:13:37	36	43	2	25,5	+
28.5.2015	9:15:16	36	65	2	25,5	+
28.5.2015	9:15:28	41	42	2	11,4	+
28.5.2015	9:17:39	20	42	1	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	9:17:46	42	19	2	5,7	+
28.5.2015	9:18:53	67	47	3	25,5	+
28.5.2015	9:19:02	35	55	2	8	+
28.5.2015	9:20:13	37	58	2	25,5	+
28.5.2015	9:20:46	38	31	2	25,5	+
28.5.2015	9:21:14	37	36	2	25,5	+
28.5.2015	9:21:16	36	37	2	1,7	+
28.5.2015	9:21:42	36	33	2	24,6	+
28.5.2015	9:23:52	38	54	2	25,5	+
28.5.2015	9:28:27	74	42	3	25,5	+
28.5.2015	9:28:29	31	46	2	1,6	+
28.5.2015	9:28:48	33	16	2	18,2	+
28.5.2015	9:32:53	35	63	2	25,5	+
28.5.2015	9:34:28	35	50	2	25,5	+
28.5.2015	9:34:46	42	46	2	17,9	+
28.5.2015	9:34:49	30	13	2	1,8	+
28.5.2015	9:35:11	49	33	2	20,6	+
28.5.2015	9:35:42	55	39	2	25,5	+
28.5.2015	9:36:49	45	34	2	25,5	+
28.5.2015	9:36:57	45	35	2	7,2	+
28.5.2015	9:37:19	34	55	2	21,5	+
28.5.2015	9:39:34	43	38	2	25,5	+
28.5.2015	9:40:30	23	54	2	25,5	+
28.5.2015	9:40:34	56	43	2	3,2	+
28.5.2015	9:40:58	35	49	2	23,4	+
28.5.2015	9:41:16	40	28	2	17,2	+
28.5.2015	9:41:31	41	39	2	13,9	+
28.5.2015	9:42:47	41	44	2	25,5	+
28.5.2015	9:43:09	42	44	2	21,9	+
28.5.2015	9:43:21	66	49	3	10,6	+
28.5.2015	9:43:25	38	60	2	4,2	+
28.5.2015	9:44:36	26	47	2	25,5	+
28.5.2015	9:45:24	39	29	2	25,5	+
28.5.2015	9:46:04	47	23	2	25,5	+
28.5.2015	9:46:12	44	44	2	7	+
28.5.2015	9:46:36	44	65	2	23,8	+
28.5.2015	9:47:32	41	33	2	25,5	+
28.5.2015	9:48:26	24	61	2	25,5	+
28.5.2015	9:49:16	35	28	2	25,5	+
28.5.2015	9:52:35	40	42	2	25,5	+
28.5.2015	9:54:20	36	59	2	25,5	+
28.5.2015	9:54:32	46	48	2	11,3	+
28.5.2015	9:54:51	61	37	3	17,3	+
28.5.2015	9:56:17	49	46	2	25,5	+
28.5.2015	9:57:33	27	62	2	25,5	+
28.5.2015	9:59:35	41	57	2	25,5	+
28.5.2015	10:00:26	37	41	2	25,5	+
28.5.2015	10:02:23	59	54	2	25,5	+
28.5.2015	10:02:57	11	11	1	25,5	+
28.5.2015	10:03:20	54	46	2	21,6	+

Příloha A - měření před instalací Opb

28.5.2015	10:06:20	53	28	2	25,5	+
28.5.2015	10:08:37	37	45	2	25,5	+
28.5.2015	10:08:52	70	49	3	14,5	+
28.5.2015	10:09:35	136	36	4	25,5	+
28.5.2015	10:10:28	40	46	2	25,5	+
28.5.2015	10:10:56	47	25	2	25,5	+
28.5.2015	10:12:00	36	56	2	25,5	+
28.5.2015	10:12:06	54	39	2	5,8	+
28.5.2015	10:14:18	34	40	2	25,5	+
28.5.2015	10:15:31	40	58	2	25,5	+
28.5.2015	10:22:58	39	67	2	25,5	+
28.5.2015	10:23:45	43	22	2	25,5	+
28.5.2015	10:24:07	47	28	2	21,5	+
28.5.2015	10:25:54	33	54	2	25,5	+
28.5.2015	10:27:33	58	49	2	25,5	+
28.5.2015	10:27:44	40	52	2	9,6	+
28.5.2015	10:28:35	33	58	2	25,5	+
28.5.2015	10:29:05	39	41	2	25,5	+
28.5.2015	10:30:22	37	62	2	25,5	+
28.5.2015	10:32:07	40	59	2	25,5	+
28.5.2015	10:32:34	32	55	2	25,5	+
28.5.2015	10:33:08	15	11	1	25,5	+
28.5.2015	10:34:51	42	40	2	25,5	+
28.5.2015	10:35:05	41	49	2	14,2	+
28.5.2015	10:38:45	59	56	2	25,5	+
28.5.2015	10:42:14	35	53	2	25,5	+
28.5.2015	10:42:48	21	40	2	25,5	+
28.5.2015	10:44:25	11	16	1	25,5	+
28.5.2015	10:46:47	38	47	2	25,5	+
28.5.2015	10:49:23	49	49	2	25,5	+
28.5.2015	10:49:38	36	55	2	13,8	+
28.5.2015	10:51:47	39	36	2	25,5	+
28.5.2015	10:52:06	45	28	2	18,1	+
28.5.2015	10:52:31	11	15	1	25	+
28.5.2015	10:54:19	44	29	2	25,5	+
28.5.2015	10:59:05	47	31	2	25,5	+
28.5.2015	10:59:45	36	48	2	25,5	+
28.5.2015	11:00:16	32	59	2	25,5	+
28.5.2015	11:00:57	44	31	2	25,5	+
28.5.2015	11:01:34	39	51	2	25,5	+
28.5.2015	11:02:44	42	40	2	25,5	+
28.5.2015	11:03:18	34	35	2	25,5	+
28.5.2015	11:04:22	37	46	2	25,5	+
28.5.2015	11:05:00	32	55	2	25,5	+
28.5.2015	11:05:38	32	39	2	25,5	+
28.5.2015	11:10:16	42	33	2	25,5	+
28.5.2015	11:11:47	27	23	2	25,5	+
28.5.2015	11:12:02	27	42	2	14,3	+
28.5.2015	11:13:13	24	42	2	25,5	+
28.5.2015	11:13:33	28	22	2	19,2	+

Příloha A - měření před instalací Opb

28.5.2015	11:14:11	33	42	2	25,5	+
28.5.2015	11:15:56	15	47	1	25,5	+
28.5.2015	11:16:56	20	59	1	25,5	+
28.5.2015	11:20:52	22	40	2	25,5	+
28.5.2015	11:22:09	29	43	2	25,5	+
28.5.2015	11:22:17	27	36	2	6,7	+
28.5.2015	11:24:41	33	27	2	25,5	+
28.5.2015	11:25:20	23	56	2	25,5	+
28.5.2015	11:27:51	65	41	3	25,5	+
28.5.2015	11:28:00	32	42	2	7,8	+
28.5.2015	11:28:02	14	49	1	1,4	+
28.5.2015	11:28:09	57	38	2	6,5	+
28.5.2015	11:28:19	30	41	2	9,9	+
28.5.2015	11:28:35	18	21	1	15,6	+
28.5.2015	11:28:53	31	55	2	17,1	+
28.5.2015	11:32:03	25	35	2	25,5	+
28.5.2015	11:33:12	33	60	2	25,5	+
28.5.2015	11:33:37	38	43	2	24,7	+
28.5.2015	11:34:23	25	43	2	25,5	+
28.5.2015	11:37:09	15	27	1	25,5	+
28.5.2015	11:37:31	11	26	1	21,5	+
28.5.2015	11:37:56	25	46	2	24,7	+
28.5.2015	11:38:32	23	35	2	25,5	+
28.5.2015	11:39:12	24	45	2	25,5	+
28.5.2015	11:40:25	33	44	2	25,5	+
28.5.2015	11:41:33	22	27	2	25,5	+
28.5.2015	11:43:55	30	14	2	25,5	+
28.5.2015	11:45:17	30	16	2	25,5	+
28.5.2015	11:47:15	36	21	2	25,5	+
28.5.2015	11:47:20	48	16	2	3,4	+
28.5.2015	11:47:45	40	26	2	23,6	+
28.5.2015	11:49:29	36	32	2	25,5	+
28.5.2015	11:50:55	47	21	2	25,5	+
28.5.2015	11:53:08	50	24	2	25,5	+
28.5.2015	11:53:28	55	21	2	18,5	+
28.5.2015	11:53:31	11	42	1	2,8	+
28.5.2015	11:53:48	50	29	2	16,4	+
28.5.2015	11:55:49	20	33	1	25,5	+
28.5.2015	12:01:13	16	16	1	25,5	+
28.5.2015	12:01:31	17	35	1	17,2	+
28.5.2015	12:01:32	24	26	2	0,7	+
28.5.2015	12:06:39	39	39	2	25,5	+
28.5.2015	12:08:19	50	24	2	25,5	+
28.5.2015	12:09:14	44	32	2	25,5	+
28.5.2015	12:15:01	30	47	2	25,5	+
28.5.2015	12:15:07	27	29	2	5,1	+
28.5.2015	12:17:08	28	26	2	25,5	+
28.5.2015	12:17:54	33	24	2	25,5	+
28.5.2015	12:18:03	48	47	2	8,6	+
28.5.2015	12:19:29	52	39	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	12:20:31	30	20	2	25,5	+
28.5.2015	12:22:20	23	56	2	25,5	+
28.5.2015	12:22:44	30	25	2	22,6	+
28.5.2015	12:22:45	21	40	2	0,6	+
28.5.2015	12:23:13	43	75	2	25,5	+
28.5.2015	12:24:33	24	49	2	25,5	+
28.5.2015	12:26:50	27	44	2	25,5	+
28.5.2015	12:27:23	25	38	2	25,5	+
28.5.2015	12:28:26	20	49	1	25,5	+
28.5.2015	12:29:03	26	56	2	25,5	+
28.5.2015	12:31:25	38	34	2	25,5	+
28.5.2015	12:31:28	54	36	2	2	+
28.5.2015	12:32:45	57	45	2	25,5	+
28.5.2015	12:32:49	23	41	2	3,3	+
28.5.2015	12:33:12	52	38	2	22,4	+
28.5.2015	12:34:08	23	46	2	25,5	+
28.5.2015	12:35:08	37	43	2	25,5	+
28.5.2015	12:35:27	29	44	2	19,2	+
28.5.2015	12:35:30	31	31	2	1,4	+
28.5.2015	12:37:28	25	57	2	25,5	+
28.5.2015	12:37:35	27	54	2	6,4	+
28.5.2015	12:37:57	35	35	2	21,6	+
28.5.2015	12:40:39	27	49	2	25,5	+
28.5.2015	12:40:52	27	51	2	12,5	+
28.5.2015	12:44:29	27	42	2	25,5	+
28.5.2015	12:44:33	30	49	2	3,9	+
28.5.2015	12:45:52	24	43	2	25,5	+
28.5.2015	12:45:56	27	41	2	4	+
28.5.2015	12:48:01	24	40	2	25,5	+
28.5.2015	12:48:54	24	34	2	25,5	+
28.5.2015	12:50:39	24	48	2	25,5	+
28.5.2015	12:55:24	38	24	2	25,5	+
28.5.2015	12:55:30	120	42	3	4,8	+
28.5.2015	12:57:12	24	51	2	25,5	+
28.5.2015	12:59:56	28	51	2	25,5	+
28.5.2015	13:00:43	25	49	2	25,5	+
28.5.2015	13:02:04	23	40	2	25,5	+
28.5.2015	13:03:33	26	48	2	25,5	+
28.5.2015	13:04:02	23	40	2	25,5	+
28.5.2015	13:06:11	27	35	2	25,5	+
28.5.2015	13:06:43	26	33	2	25,5	+
28.5.2015	13:10:33	34	29	2	25,5	+
28.5.2015	13:10:42	27	44	2	9,4	+
28.5.2015	13:13:33	27	42	2	25,5	+
28.5.2015	13:14:00	126	33	4	24,7	+
28.5.2015	13:14:12	43	47	2	11,3	+
28.5.2015	13:14:19	29	50	2	7,1	+
28.5.2015	13:14:35	67	33	3	14,3	+
28.5.2015	13:14:37	24	39	2	2,2	+
28.5.2015	13:15:39	28	47	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	13:16:06	24	55	2	25,5	+
28.5.2015	13:16:51	26	48	2	25,5	+
28.5.2015	13:17:17	23	43	2	24,9	+
28.5.2015	13:18:50	24	61	2	25,5	+
28.5.2015	13:19:49	22	51	2	25,5	+
28.5.2015	13:19:56	33	45	2	7,1	+
28.5.2015	13:20:53	50	33	2	25,5	+
28.5.2015	13:21:35	18	33	1	25,5	+
28.5.2015	13:21:37	15	32	1	1,6	+
28.5.2015	13:22:00	30	38	2	22,4	+
28.5.2015	13:23:02	44	40	2	25,5	+
28.5.2015	13:25:03	31	26	2	25,5	+
28.5.2015	13:26:49	24	49	2	25,5	+
28.5.2015	13:28:13	14	18	1	25,5	+
28.5.2015	13:29:24	21	43	2	25,5	+
28.5.2015	13:29:35	14	26	1	10,4	+
28.5.2015	13:29:44	29	34	2	7,8	+
28.5.2015	13:29:56	33	45	2	11,9	+
28.5.2015	13:32:04	25	35	2	25,5	+
28.5.2015	13:32:38	11	44	1	25,5	+
28.5.2015	13:33:32	29	48	2	25,5	+
28.5.2015	13:34:10	29	26	2	25,5	+
28.5.2015	13:34:31	26	50	2	2,7	+
28.5.2015	13:34:36	19	54	1	4,4	+
28.5.2015	13:39:01	29	45	2	25,5	+
28.5.2015	13:39:06	29	49	2	4,5	+
28.5.2015	13:39:39	29	46	2	25,5	+
28.5.2015	13:39:59	45	42	2	18,4	+
28.5.2015	13:40:46	28	58	2	25,5	+
28.5.2015	13:42:04	29	64	2	25,5	+
28.5.2015	13:42:07	130	33	4	1,6	+
28.5.2015	13:43:27	22	58	2	25,5	+
28.5.2015	13:43:53	23	45	2	25,5	+
28.5.2015	13:44:17	23	64	2	22,7	+
28.5.2015	13:45:13	24	47	2	25,5	+
28.5.2015	13:45:34	50	48	2	20,7	+
28.5.2015	13:47:22	25	40	2	25,5	+
28.5.2015	13:47:57	35	43	2	25,5	+
28.5.2015	13:48:26	24	27	2	25,5	+
28.5.2015	13:48:27	19	32	1	0,5	+
28.5.2015	13:48:46	22	58	2	18,6	+
28.5.2015	13:49:19	28	32	2	25,5	+
28.5.2015	13:49:25	33	26	2	5,5	+
28.5.2015	13:50:37	32	26	2	25,5	+
28.5.2015	13:52:10	59	21	2	25,5	+
28.5.2015	13:56:53	28	25	2	25,5	+
28.5.2015	13:58:21	30	49	2	25,5	+
28.5.2015	14:01:33	42	26	2	25,5	+
28.5.2015	14:02:10	34	39	2	25,5	+
28.5.2015	14:02:18	40	43	2	7	+

Příloha A - měření před instalací Opb

28.5.2015	14:04:14	60	50	2	25,5	+
28.5.2015	14:04:38	20	54	1	23,2	+
28.5.2015	14:04:44	22	50	2	6	+
28.5.2015	14:04:58	29	43	2	13,6	+
28.5.2015	14:04:59	19	43	1	0,2	+
28.5.2015	14:06:35	31	40	2	25,5	+
28.5.2015	14:08:35	44	51	2	25,5	+
28.5.2015	14:08:56	21	54	2	20,8	+
28.5.2015	14:09:23	25	43	2	25,5	+
28.5.2015	14:10:57	28	28	2	25,5	+
28.5.2015	14:12:23	24	62	2	25,5	+
28.5.2015	14:12:41	28	47	2	17,4	+
28.5.2015	14:13:52	25	56	2	25,5	+
28.5.2015	14:13:56	27	31	2	3	+
28.5.2015	14:14:43	30	16	2	25,5	+
28.5.2015	14:15:13	45	31	2	25,5	+
28.5.2015	14:15:38	33	25	2	24,3	+
28.5.2015	14:16:58	34	41	2	25,5	+
28.5.2015	14:17:01	43	35	2	2,7	+
28.5.2015	14:17:06	35	13	2	3,2	+
28.5.2015	14:18:51	64	51	3	25,5	+
28.5.2015	14:19:56	49	36	2	25,5	+
28.5.2015	14:19:59	24	45	2	2,6	+
28.5.2015	14:21:58	51	38	2	25,5	+
28.5.2015	14:22:25	20	55	1	25,5	+
28.5.2015	14:23:39	23	49	2	25,5	+
28.5.2015	14:26:24	28	42	2	25,5	+
28.5.2015	14:26:34	26	35	2	10,2	+
28.5.2015	14:28:46	63	32	3	25,5	+
28.5.2015	14:28:50	28	35	2	3,7	+
28.5.2015	14:30:09	38	26	2	25,5	+
28.5.2015	14:30:26	38	54	2	16,1	+
28.5.2015	14:31:16	22	32	2	25,5	+
28.5.2015	14:31:19	27	45	2	2,9	+
28.5.2015	14:33:06	59	48	2	25,5	+
28.5.2015	14:33:41	27	32	2	25,5	+
28.5.2015	14:34:59	28	43	2	25,5	+
28.5.2015	14:35:33	27	40	2	25,5	+
28.5.2015	14:35:41	32	34	2	7,6	+
28.5.2015	14:35:51	14	42	1	10	+
28.5.2015	14:38:19	26	44	2	25,5	+
28.5.2015	14:39:53	17	28	1	25,5	+
28.5.2015	14:40:02	15	47	1	8,8	+
28.5.2015	14:41:40	28	41	2	25,5	+
28.5.2015	14:46:28	34	43	2	25,5	+
28.5.2015	14:48:06	164	39	4	25,5	+
28.5.2015	14:49:32	23	16	2	25,5	+
28.5.2015	14:52:36	34	63	2	25,5	+
28.5.2015	14:53:14	38	52	2	25,5	+
28.5.2015	14:53:25	30	46	2	10,5	+

Příloha A - měření před instalací Opb

28.5.2015	14:57:23	68	33	3	25,5	+
28.5.2015	14:57:31	88	37	3	7,3	+
28.5.2015	14:57:39	37	41	2	7,7	+
28.5.2015	14:59:28	46	56	2	25,5	+
28.5.2015	14:59:34	29	50	2	5,5	+
28.5.2015	15:01:03	41	28	2	25,5	+
28.5.2015	15:01:15	46	38	2	11,3	+
28.5.2015	15:01:26	20	46	1	10	+
28.5.2015	15:01:27	12	23	1	0,6	+
28.5.2015	15:02:29	38	30	2	25,5	+
28.5.2015	15:03:17	62	25	3	25,5	+
28.5.2015	15:04:57	35	57	2	25,5	+
28.5.2015	15:05:04	38	63	2	7,2	+
28.5.2015	15:07:05	88	33	3	25,5	+
28.5.2015	15:11:05	37	52	2	25,5	+
28.5.2015	15:15:12	134	37	4	25,5	+
28.5.2015	15:15:24	30	53	2	11,5	+
28.5.2015	15:17:45	45	34	2	25,5	+
28.5.2015	15:18:06	66	46	3	19,6	+
28.5.2015	15:18:08	39	45	2	1,3	+
28.5.2015	15:18:10	41	53	2	1,9	+
28.5.2015	15:19:28	44	42	2	25,5	+
28.5.2015	15:19:46	52	30	2	17,6	+
28.5.2015	15:21:01	47	49	2	25,5	+
28.5.2015	15:21:55	51	41	2	25,5	+
28.5.2015	15:22:24	60	31	2	25,5	+
28.5.2015	15:22:29	32	48	2	4,2	+
28.5.2015	15:23:16	37	47	2	25,5	+
28.5.2015	15:24:26	40	48	2	25,5	+
28.5.2015	15:25:00	39	51	2	25,5	+
28.5.2015	15:25:39	49	26	2	25,5	+
28.5.2015	15:26:21	36	59	2	25,5	+
28.5.2015	15:27:35	36	65	2	25,5	+
28.5.2015	15:27:50	16	64	1	15,2	+
28.5.2015	15:27:52	39	64	2	1,5	+
28.5.2015	15:28:03	35	74	2	11	+
28.5.2015	15:28:32	40	54	2	25,5	+
28.5.2015	15:28:58	39	45	2	25,5	+
28.5.2015	15:29:30	34	44	2	25,5	+
28.5.2015	15:30:11	36	55	2	25,5	+
28.5.2015	15:30:19	35	47	2	7,9	+
28.5.2015	15:30:39	41	45	2	18,8	+
28.5.2015	15:34:41	38	28	2	25,5	+
28.5.2015	15:36:05	42	43	2	25,5	+
28.5.2015	15:36:30	48	34	2	23,5	+
28.5.2015	15:36:38	46	52	2	7,3	+
28.5.2015	15:37:05	34	51	2	25,5	+
28.5.2015	15:37:28	37	51	2	22,2	+
28.5.2015	15:38:54	46	66	2	25,5	+
28.5.2015	15:41:21	34	58	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	15:42:45	47	37	2	25,5	+
28.5.2015	15:43:37	29	48	2	25,5	+
28.5.2015	15:44:15	38	30	2	25,5	+
28.5.2015	15:46:02	28	51	2	25,5	+
28.5.2015	15:47:23	31	14	2	25,5	+
28.5.2015	15:47:56	17	25	1	25,5	+
28.5.2015	15:48:07	41	34	2	10,2	+
28.5.2015	15:50:42	37	28	2	25,5	+
28.5.2015	15:50:56	63	36	3	12,8	+
28.5.2015	15:52:21	34	46	2	25,5	+
28.5.2015	15:52:51	48	47	2	25,5	+
28.5.2015	15:53:48	41	52	2	25,5	+
28.5.2015	15:54:22	49	26	2	25,5	+
28.5.2015	15:54:38	35	33	2	14,5	+
28.5.2015	15:54:49	31	45	2	10,8	+
28.5.2015	15:55:34	19	50	1	25,5	+
28.5.2015	15:56:00	24	42	2	25,5	+
28.5.2015	15:57:39	37	50	2	25,5	+
28.5.2015	15:58:23	43	49	2	25,5	+
28.5.2015	16:02:36	96	54	3	25,5	+
28.5.2015	16:04:17	38	45	2	25,5	+
28.5.2015	16:04:58	34	48	2	25,5	+
28.5.2015	16:06:10	48	38	2	25,5	+
28.5.2015	16:06:15	41	32	2	3,8	+
28.5.2015	16:06:17	30	58	2	2,1	+
28.5.2015	16:06:29	60	46	2	10,5	+
28.5.2015	16:06:32	42	46	2	2,3	+
28.5.2015	16:07:22	41	42	2	25,5	+
28.5.2015	16:07:29	42	29	2	6,4	+
28.5.2015	16:08:09	43	57	2	25,5	+
28.5.2015	16:08:22	65	49	3	11,9	+
28.5.2015	16:08:42	37	49	2	19,4	+
28.5.2015	16:10:37	64	17	3	25,5	+
28.5.2015	16:10:45	41	45	2	7,3	+
28.5.2015	16:11:40	48	51	2	25,5	+
28.5.2015	16:12:04	44	39	2	23,9	+
28.5.2015	16:14:05	13	36	1	25,5	+
28.5.2015	16:18:11	33	48	2	25,5	+
28.5.2015	16:19:01	42	35	2	25,5	+
28.5.2015	16:20:46	45	28	2	25,5	+
28.5.2015	16:21:19	18	22	1	25,5	+
28.5.2015	16:21:36	42	30	2	16,3	+
28.5.2015	16:22:13	38	32	2	25,5	+
28.5.2015	16:22:22	35	43	2	7,7	+
28.5.2015	16:23:38	45	19	2	25,5	+
28.5.2015	16:24:12	42	35	2	25,5	+
28.5.2015	16:24:25	36	36	2	12,1	+
28.5.2015	16:25:14	38	48	2	25,5	+
28.5.2015	16:25:54	37	42	2	25,5	+
28.5.2015	16:26:20	39	34	2	25,2	+

Příloha A - měření před instalací Opb

28.5.2015	16:26:33	51	40	2	11,8	+
28.5.2015	16:26:50	42	43	2	16,8	+
28.5.2015	16:27:36	55	23	2	25,5	+
28.5.2015	16:27:56	88	41	3	18,3	+
28.5.2015	16:27:57	26	51	2	0,8	+
28.5.2015	16:30:00	67	47	3	25,5	+
28.5.2015	16:30:32	39	34	2	25,5	+
28.5.2015	16:32:22	45	53	2	25,5	+
28.5.2015	16:34:28	44	45	2	25,5	+
28.5.2015	16:36:29	40	35	2	25,5	+
28.5.2015	16:36:48	43	35	2	18,7	+
28.5.2015	16:37:39	42	30	2	25,5	+
28.5.2015	16:38:35	42	47	2	25,5	+
28.5.2015	16:38:50	43	44	2	14	+
28.5.2015	16:39:10	51	55	2	19,3	+
28.5.2015	16:40:09	43	53	2	25,5	+
28.5.2015	16:41:24	32	30	2	25,5	+
28.5.2015	16:41:37	38	34	2	12,3	+
28.5.2015	16:43:07	37	65	2	25,5	+
28.5.2015	16:43:37	33	41	2	25,5	+
28.5.2015	16:44:26	40	58	2	25,5	+
28.5.2015	16:44:50	39	30	2	23,2	+
28.5.2015	16:46:07	39	38	2	25,5	+
28.5.2015	16:48:24	37	59	2	25,5	+
28.5.2015	16:48:32	24	64	2	7,2	+
28.5.2015	16:48:39	43	57	2	7	+
28.5.2015	16:49:34	31	54	2	25,5	+
28.5.2015	16:51:25	43	42	2	25,5	+
28.5.2015	16:51:29	37	47	2	2,6	+
28.5.2015	16:53:29	30	51	2	25,5	+
28.5.2015	16:54:38	46	38	2	25,5	+
28.5.2015	16:55:19	39	56	2	25,5	+
28.5.2015	16:57:51	61	30	3	25,5	+
28.5.2015	16:58:59	44	35	2	25,5	+
28.5.2015	16:59:02	51	38	2	1,4	+
28.5.2015	16:59:30	34	44	2	25,5	+
28.5.2015	17:00:12	40	32	2	25,5	+
28.5.2015	17:01:22	45	38	2	25,5	+
28.5.2015	17:03:15	42	49	2	25,5	+
28.5.2015	17:03:29	25	49	2	14	+
28.5.2015	17:03:33	41	45	2	3,7	+
28.5.2015	17:07:12	76	41	3	25,5	+
28.5.2015	17:08:19	46	34	2	25,5	+
28.5.2015	17:09:05	34	48	2	25,5	+
28.5.2015	17:09:18	37	51	2	12,2	+
28.5.2015	17:10:32	42	33	2	25,5	+
28.5.2015	17:11:38	63	46	3	25,5	+
28.5.2015	17:11:40	39	42	2	0,9	+
28.5.2015	17:11:59	34	51	2	18,5	+
28.5.2015	17:12:50	35	49	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	17:13:57	36	47	2	25,5	+
28.5.2015	17:14:09	41	25	2	10,9	+
28.5.2015	17:14:17	40	33	2	7,4	+
28.5.2015	17:14:19	34	32	2	1,5	+
28.5.2015	17:14:49	28	61	2	25,5	+
28.5.2015	17:15:29	43	28	2	25,5	+
28.5.2015	17:15:32	46	28	2	1,5	+
28.5.2015	17:16:48	14	28	1	25,5	+
28.5.2015	17:16:52	35	46	2	3,9	+
28.5.2015	17:16:56	45	28	2	2,6	+
28.5.2015	17:17:33	38	37	2	25,5	+
28.5.2015	17:18:13	48	35	2	25,5	+
28.5.2015	17:18:45	32	40	2	25,5	+
28.5.2015	17:21:06	44	51	2	25,5	+
28.5.2015	17:21:13	44	38	2	5,8	+
28.5.2015	17:21:59	16	25	1	25,5	+
28.5.2015	17:22:05	64	36	3	4,9	+
28.5.2015	17:22:30	37	63	2	24,3	+
28.5.2015	17:23:15	37	47	2	25,5	+
28.5.2015	17:23:28	48	46	2	12,3	+
28.5.2015	17:23:46	43	34	2	17,3	+
28.5.2015	17:24:04	27	55	2	17,5	+
28.5.2015	17:26:17	30	56	2	25,5	+
28.5.2015	17:26:20	41	54	2	2,5	+
28.5.2015	17:30:49	38	42	2	25,5	+
28.5.2015	17:31:32	86	31	3	25,5	+
28.5.2015	17:32:27	36	30	2	25,5	+
28.5.2015	17:33:00	146	41	4	25,5	+
28.5.2015	17:34:54	36	54	2	25,5	+
28.5.2015	17:36:02	29	55	2	25,5	+
28.5.2015	17:36:13	34	52	2	10,6	+
28.5.2015	17:36:54	26	59	2	25,5	+
28.5.2015	17:37:00	46	33	2	5,8	+
28.5.2015	17:39:08	57	30	2	25,5	+
28.5.2015	17:39:24	34	41	2	15,1	+
28.5.2015	17:40:44	41	58	2	25,5	+
28.5.2015	17:41:01	38	46	2	16,4	+
28.5.2015	17:41:26	29	45	2	24,4	+
28.5.2015	17:42:16	41	28	2	25,5	+
28.5.2015	17:43:18	34	48	2	25,5	+
28.5.2015	17:45:22	47	27	2	25,5	+
28.5.2015	17:45:51	37	45	2	25,5	+
28.5.2015	17:46:28	46	37	2	25,5	+
28.5.2015	17:46:41	38	46	2	11,9	+
28.5.2015	17:46:55	49	31	2	13,1	+
28.5.2015	17:46:59	35	36	2	3	+
28.5.2015	17:47:02	38	49	2	2,7	+
28.5.2015	17:47:16	37	60	2	13,9	+
28.5.2015	17:47:24	38	11	2	5,6	+
28.5.2015	17:47:31	44	35	2	6,4	+

Příloha A - měření před instalací Opb

28.5.2015	17:48:06	55	29	2	25,5	+
28.5.2015	17:48:25	46	45	2	17,6	+
28.5.2015	17:49:57	41	34	2	25,5	+
28.5.2015	17:50:06	41	61	2	8,7	+
28.5.2015	17:52:06	27	53	2	25,5	+
28.5.2015	17:53:07	45	28	2	25,5	+
28.5.2015	17:53:25	53	28	2	16,7	+
28.5.2015	17:53:49	11	50	1	23,2	+
28.5.2015	17:53:54	40	43	2	4,4	+
28.5.2015	17:54:11	34	45	2	16,5	+
28.5.2015	17:55:09	36	35	2	25,5	+
28.5.2015	17:55:42	39	55	2	25,5	+
28.5.2015	17:56:57	31	40	2	25,5	+
28.5.2015	17:57:55	44	46	2	25,5	+
28.5.2015	17:58:09	26	56	2	14,2	+
28.5.2015	17:58:40	37	61	2	25,5	+
28.5.2015	18:00:40	50	32	2	25,5	+
28.5.2015	18:01:02	33	56	2	21,9	+
28.5.2015	18:01:15	64	56	3	11,8	+
28.5.2015	18:03:22	32	46	2	25,5	+
28.5.2015	18:03:49	40	34	2	25,5	+
28.5.2015	18:05:28	30	36	2	25,5	+
28.5.2015	18:05:29	13	31	1	0,4	+
28.5.2015	18:06:21	34	40	2	25,5	+
28.5.2015	18:06:23	34	40	2	1,4	+
28.5.2015	18:06:29	36	40	2	6	+
28.5.2015	18:07:27	57	23	2	25,5	+
28.5.2015	18:07:30	47	26	2	1,4	+
28.5.2015	18:07:43	43	33	2	12,2	+
28.5.2015	18:08:27	50	30	2	25,5	+
28.5.2015	18:10:04	45	37	2	25,5	+
28.5.2015	18:10:06	13	42	1	1,1	+
28.5.2015	18:10:07	31	40	2	0,5	+
28.5.2015	18:10:15	110	16	3	4,8	+
28.5.2015	18:10:17	52	25	2	1,1	+
28.5.2015	18:10:19	47	38	2	1,1	+
28.5.2015	18:10:25	32	47	2	5,4	+
28.5.2015	18:10:34	41	36	2	8,3	+
28.5.2015	18:12:21	43	26	2	25,5	+
28.5.2015	18:13:02	51	36	2	25,5	+
28.5.2015	18:13:05	35	46	2	1,7	+
28.5.2015	18:13:20	67	32	3	14,5	+
28.5.2015	18:13:23	34	17	2	1,5	+
28.5.2015	18:15:08	65	33	3	25,5	+
28.5.2015	18:15:10	37	37	2	0,6	+
28.5.2015	18:15:37	38	50	2	25,5	+
28.5.2015	18:15:47	35	45	2	9,2	+
28.5.2015	18:16:37	41	42	2	25,5	+
28.5.2015	18:17:02	35	43	2	24,9	+
28.5.2015	18:17:30	35	55	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	18:17:54	39	32	2	23,2	+
28.5.2015	18:18:29	19	9	1	25,5	+
28.5.2015	18:18:50	45	42	2	19,7	+
28.5.2015	18:19:52	38	42	2	25,5	+
28.5.2015	18:21:02	39	49	2	25,5	+
28.5.2015	18:21:14	44	47	2	11,5	+
28.5.2015	18:22:50	34	48	2	25,5	+
28.5.2015	18:22:55	35	47	2	4,1	+
28.5.2015	18:26:43	40	44	2	25,5	+
28.5.2015	18:26:47	33	45	2	3	+
28.5.2015	18:27:01	45	53	2	13,8	+
28.5.2015	18:27:55	88	18	3	25,5	+
28.5.2015	18:28:16	35	46	2	21,3	+
28.5.2015	18:28:55	17	31	1	25,5	+
28.5.2015	18:30:32	35	47	2	25,5	+
28.5.2015	18:32:57	57	53	2	25,5	+
28.5.2015	18:33:08	40	62	2	10,2	+
28.5.2015	18:34:18	42	35	2	25,5	+
28.5.2015	18:34:21	35	58	2	2	+
28.5.2015	18:36:59	40	53	2	25,5	+
28.5.2015	18:39:51	37	59	2	25,5	+
28.5.2015	18:40:23	37	49	2	25,5	+
28.5.2015	18:41:24	23	24	2	25,5	+
28.5.2015	18:43:56	43	30	2	25,5	+
28.5.2015	18:44:04	50	29	2	7	+
28.5.2015	18:44:38	36	50	2	25,5	+
28.5.2015	18:45:23	38	48	2	25,5	+
28.5.2015	18:45:37	40	56	2	13,3	+
28.5.2015	18:46:26	32	49	2	25,5	+
28.5.2015	18:46:35	43	48	2	8,2	+
28.5.2015	18:47:57	31	54	2	25,5	+
28.5.2015	18:49:15	37	48	2	25,5	+
28.5.2015	18:49:49	43	33	2	25,5	+
28.5.2015	18:51:18	33	61	2	25,5	+
28.5.2015	18:52:06	35	54	2	25,5	+
28.5.2015	18:53:42	28	33	2	25,5	+
28.5.2015	18:54:08	43	24	2	25,1	+
28.5.2015	18:55:02	36	46	2	25,5	+
28.5.2015	18:55:31	33	43	2	25,5	+
28.5.2015	18:56:42	46	35	2	25,5	+
28.5.2015	18:57:21	49	57	2	25,5	+
28.5.2015	18:57:25	39	36	2	3,1	+
28.5.2015	18:57:30	25	57	2	4,5	+
28.5.2015	18:57:47	49	31	2	16,3	+
28.5.2015	18:58:09	37	58	2	21,5	+
28.5.2015	19:00:03	42	33	2	25,5	+
28.5.2015	19:03:03	38	41	2	25,5	+
28.5.2015	19:03:10	41	33	2	6,4	+
28.5.2015	19:03:21	33	66	2	9,7	+
28.5.2015	19:04:01	36	46	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	19:04:21	31	44	2	19,9	+
28.5.2015	19:06:33	37	44	2	25,5	+
28.5.2015	19:06:51	37	27	2	17	+
28.5.2015	19:07:10	39	47	2	18,1	+
28.5.2015	19:07:18	38	63	2	8	+
28.5.2015	19:07:31	41	43	2	11,9	+
28.5.2015	19:08:06	39	38	2	25,5	+
28.5.2015	19:09:14	41	53	2	25,5	+
28.5.2015	19:10:44	42	27	2	25,5	+
28.5.2015	19:11:25	36	54	2	25,5	+
28.5.2015	19:12:27	36	38	2	25,5	+
28.5.2015	19:14:03	45	53	2	25,5	+
28.5.2015	19:15:33	30	54	2	25,5	+
28.5.2015	19:17:10	38	41	2	25,5	+
28.5.2015	19:18:56	86	51	3	25,5	+
28.5.2015	19:19:32	44	43	2	25,5	+
28.5.2015	19:21:55	35	58	2	25,5	+
28.5.2015	19:24:08	44	29	2	25,5	+
28.5.2015	19:24:10	42	47	2	1,8	+
28.5.2015	19:24:23	32	54	2	12	+
28.5.2015	19:25:22	45	33	2	25,5	+
28.5.2015	19:26:33	40	41	2	25,5	+
28.5.2015	19:27:12	44	36	2	25,5	+
28.5.2015	19:27:21	58	28	2	8	+
28.5.2015	19:27:41	39	44	2	19,1	+
28.5.2015	19:27:53	37	29	2	11,3	+
28.5.2015	19:28:28	46	28	2	25,5	+
28.5.2015	19:31:09	44	39	2	25,5	+
28.5.2015	19:31:13	46	29	2	3,3	+
28.5.2015	19:31:15	32	42	2	1,5	+
28.5.2015	19:31:40	45	41	2	24	+
28.5.2015	19:31:45	47	34	2	3,6	+
28.5.2015	19:32:33	37	38	2	25,5	+
28.5.2015	19:33:34	53	37	2	25,5	+
28.5.2015	19:37:42	56	36	2	25,5	+
28.5.2015	19:37:54	41	26	2	10,8	+
28.5.2015	19:38:39	38	48	2	25,5	+
28.5.2015	19:41:08	52	26	2	25,5	+
28.5.2015	19:42:56	39	37	2	25,5	+
28.5.2015	19:44:20	44	41	2	25,5	+
28.5.2015	19:46:01	37	43	2	25,5	+
28.5.2015	19:48:33	21	13	2	25,5	+
28.5.2015	19:50:32	22	33	2	25,5	+
28.5.2015	19:50:41	37	41	2	8,7	+
28.5.2015	19:51:03	34	56	2	21,5	+
28.5.2015	19:52:37	72	32	3	25,5	+
28.5.2015	19:56:26	31	56	2	25,5	+
28.5.2015	19:57:36	17	26	1	25,5	+
28.5.2015	19:59:09	61	49	3	25,5	+
28.5.2015	20:01:49	39	43	2	25,5	+

Příloha A - měření před instalací Opb

28.5.2015	20:02:03	48	28	2	12,7	+
28.5.2015	20:02:58	39	47	2	25,5	+
28.5.2015	20:03:42	37	35	2	25,5	+
28.5.2015	20:06:59	47	36	2	25,5	+
28.5.2015	20:07:28	33	56	2	25,5	+
28.5.2015	20:07:43	57	56	2	14,2	+
28.5.2015	20:07:48	31	52	2	5,2	+
28.5.2015	20:08:10	50	53	2	20,7	+
28.5.2015	20:10:27	44	42	2	25,5	+
28.5.2015	20:13:10	48	27	2	25,5	+
28.5.2015	20:13:32	56	39	2	21,6	+
28.5.2015	20:15:10	32	54	2	25,5	+
28.5.2015	20:19:04	40	43	2	25,5	+
28.5.2015	20:19:16	60	22	2	10,1	+
28.5.2015	20:20:19	52	26	2	25,5	+
28.5.2015	20:24:03	37	43	2	25,5	+
28.5.2015	20:24:06	43	42	2	2	+
28.5.2015	20:26:23	38	55	2	25,5	+
28.5.2015	20:28:43	36	36	2	25,5	+
28.5.2015	20:30:01	33	46	2	25,5	+
28.5.2015	20:31:15	43	45	2	25,5	+
28.5.2015	20:34:16	38	40	2	25,5	+
28.5.2015	20:34:43	45	34	2	25,5	+
28.5.2015	20:34:48	41	38	2	4,7	+
28.5.2015	20:39:03	148	37	4	25,5	+
28.5.2015	20:39:05	45	36	2	2	+
28.5.2015	20:39:55	76	49	3	25,5	+
28.5.2015	20:40:42	45	47	2	25,5	+
28.5.2015	20:41:18	40	37	2	25,5	+
28.5.2015	20:43:28	47	26	2	25,5	+
28.5.2015	20:43:51	29	38	2	22,7	+
28.5.2015	20:46:58	36	54	2	25,5	+
28.5.2015	20:47:41	40	37	2	25,5	+
28.5.2015	20:48:22	36	12	2	25,5	+
28.5.2015	20:51:03	44	31	2	25,5	+
28.5.2015	20:52:39	48	35	2	25,5	+
28.5.2015	20:53:04	43	46	2	23,9	+
28.5.2015	20:54:10	32	62	2	25,5	+
28.5.2015	20:57:00	49	29	2	25,5	+
28.5.2015	20:58:59	59	32	2	25,5	+
28.5.2015	21:02:34	45	33	2	25,5	+
28.5.2015	21:02:55	39	62	2	20,1	+
28.5.2015	21:06:05	51	34	2	25,5	+
28.5.2015	21:06:42	37	41	2	25,5	+
28.5.2015	21:08:18	40	31	2	25,5	+
28.5.2015	21:11:25	38	42	2	25,5	+
28.5.2015	21:12:39	86	45	3	25,5	+
28.5.2015	21:14:47	41	25	2	25,5	+
28.5.2015	21:18:25	36	58	2	25,5	+
28.5.2015	21:18:47	37	47	2	21	+

Příloha A - měření před instalací Opb

28.5.2015	21:19:40	39	40	2	25,5	+
28.5.2015	21:23:50	43	35	2	25,5	+
28.5.2015	21:25:43	40	60	2	25,5	+
28.5.2015	21:32:58	41	36	2	25,5	+
28.5.2015	21:37:05	34	47	2	25,5	+
28.5.2015	21:38:54	45	27	2	25,5	+
28.5.2015	21:39:57	31	52	2	25,5	+
28.5.2015	21:42:50	40	48	2	25,5	+
28.5.2015	21:47:44	45	28	2	25,5	+
28.5.2015	21:49:00	44	28	2	25,5	+
28.5.2015	21:49:55	43	39	2	25,5	+
28.5.2015	21:50:03	43	41	2	7,4	+
28.5.2015	21:51:18	34	60	2	25,5	+
28.5.2015	21:52:16	45	30	2	25,5	+
28.5.2015	21:55:57	47	34	2	25,5	+
28.5.2015	21:57:57	39	45	2	25,5	+
28.5.2015	21:58:41	40	30	2	25,5	+
28.5.2015	22:01:07	45	32	2	25,5	+
28.5.2015	22:01:23	48	35	2	14,9	+
28.5.2015	22:02:31	41	45	2	25,5	+
28.5.2015	22:07:58	39	41	2	25,5	+
28.5.2015	22:10:27	35	54	2	25,5	+
28.5.2015	22:20:11	45	47	2	25,5	+
28.5.2015	22:23:52	38	44	2	25,5	+
28.5.2015	22:27:37	46	36	2	25,5	+
28.5.2015	22:31:16	38	35	2	25,5	+
28.5.2015	22:34:52	40	44	2	25,5	+
28.5.2015	22:35:30	38	55	2	25,5	+
28.5.2015	22:40:11	42	36	2	25,5	+
28.5.2015	22:40:15	39	49	2	3,2	+
28.5.2015	22:42:19	39	36	2	25,5	+
28.5.2015	22:46:30	43	43	2	25,5	+
28.5.2015	22:46:40	38	46	2	9,5	+
28.5.2015	22:46:46	60	45	2	4,7	+
28.5.2015	22:52:02	41	45	2	25,5	+
28.5.2015	22:58:08	60	42	2	25,5	+
28.5.2015	22:59:39	45	28	2	25,5	+
28.5.2015	23:01:49	33	55	2	25,5	+
28.5.2015	23:03:36	44	30	2	25,5	+
28.5.2015	23:03:54	45	49	2	17,1	+
28.5.2015	23:10:55	59	43	2	25,5	+
28.5.2015	23:14:49	54	39	2	25,5	+
28.5.2015	23:21:51	38	45	2	25,5	+
28.5.2015	23:32:57	42	43	2	25,5	+
28.5.2015	23:36:36	57	50	2	25,5	+
28.5.2015	23:40:24	37	39	2	25,5	+
28.5.2015	23:45:32	49	28	2	25,5	+
28.5.2015	23:56:09	47	21	2	25,5	+
28.5.2015	23:57:16	32	42	2	25,5	+
29.5.2015	0:05:30	46	28	2	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	0:13:44	45	40	2	25,5	+
29.5.2015	0:16:57	42	34	2	25,5	+
29.5.2015	0:32:39	15	13	1	25,5	+
29.5.2015	0:41:42	38	67	2	25,5	+
29.5.2015	0:46:56	48	39	2	25,5	+
29.5.2015	0:47:21	54	40	2	24,3	+
29.5.2015	0:51:32	50	37	2	25,5	+
29.5.2015	0:58:35	44	46	2	25,5	+
29.5.2015	1:10:45	45	51	2	25,5	+
29.5.2015	1:22:15	42	42	2	25,5	+
29.5.2015	1:25:04	53	33	2	25,5	+
29.5.2015	1:32:47	41	42	2	25,5	+
29.5.2015	1:52:19	48	46	2	25,5	+
29.5.2015	1:57:28	39	52	2	25,5	+
29.5.2015	1:59:00	48	30	2	25,5	+
29.5.2015	2:14:27	47	27	2	25,5	+
29.5.2015	2:20:03	35	55	2	25,5	+
29.5.2015	2:42:20	44	46	2	25,5	+
29.5.2015	2:42:53	88	51	3	25,5	+
29.5.2015	2:47:30	39	42	2	25,5	+
29.5.2015	2:47:31	17	38	1	0,3	+
29.5.2015	2:58:32	74	45	3	25,5	+
29.5.2015	3:21:26	62	52	3	25,5	+
29.5.2015	3:49:12	54	53	2	25,5	+
29.5.2015	3:51:51	47	36	2	25,5	+
29.5.2015	3:54:07	56	46	2	25,5	+
29.5.2015	3:56:40	76	42	3	25,5	+
29.5.2015	3:56:49	44	57	2	8,8	+
29.5.2015	4:16:51	29	61	2	25,5	+
29.5.2015	4:21:13	38	58	2	25,5	+
29.5.2015	4:32:24	86	45	3	25,5	+
29.5.2015	4:33:57	41	45	2	25,5	+
29.5.2015	4:40:06	61	73	3	25,5	+
29.5.2015	4:59:16	31	83	2	25,5	+
29.5.2015	5:01:45	32	50	2	25,5	+
29.5.2015	5:01:57	36	63	2	12,2	+
29.5.2015	5:04:21	32	45	2	25,5	+
29.5.2015	5:15:30	49	44	2	25,5	+
29.5.2015	5:19:44	66	52	3	25,5	+
29.5.2015	5:19:50	29	13	2	4,9	+
29.5.2015	5:22:17	36	53	2	25,5	+
29.5.2015	5:22:31	37	46	2	13,2	+
29.5.2015	5:23:09	32	51	2	25,5	+
29.5.2015	5:25:32	74	58	3	25,5	+
29.5.2015	5:29:41	34	54	2	25,5	+
29.5.2015	5:41:48	45	43	2	25,5	+
29.5.2015	5:45:31	80	27	3	25,5	+
29.5.2015	5:45:47	28	51	2	15,8	+
29.5.2015	5:46:13	46	70	2	24,6	+
29.5.2015	5:46:57	44	44	2	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	5:47:39	38	64	2	25,5	+
29.5.2015	5:48:48	27	55	2	25,5	+
29.5.2015	5:49:15	42	49	2	25,5	+
29.5.2015	5:51:18	35	46	2	25,5	+
29.5.2015	5:59:24	39	56	2	25,5	+
29.5.2015	6:01:39	39	44	2	25,5	+
29.5.2015	6:01:48	41	47	2	8	+
29.5.2015	6:03:07	37	55	2	25,5	+
29.5.2015	6:06:59	39	47	2	25,5	+
29.5.2015	6:07:50	42	50	2	25,5	+
29.5.2015	6:13:30	34	60	2	25,5	+
29.5.2015	6:14:47	36	48	2	25,5	+
29.5.2015	6:16:26	12	54	1	25,5	+
29.5.2015	6:16:55	33	54	2	25,5	+
29.5.2015	6:18:14	35	51	2	25,5	+
29.5.2015	6:20:30	65	44	3	25,5	+
29.5.2015	6:20:36	39	46	2	5,7	+
29.5.2015	6:21:21	37	45	2	25,5	+
29.5.2015	6:22:44	54	48	2	25,5	+
29.5.2015	6:22:48	55	54	2	3,7	+
29.5.2015	6:23:44	38	54	2	25,5	+
29.5.2015	6:24:35	31	50	2	25,5	+
29.5.2015	6:29:13	43	50	2	25,5	+
29.5.2015	6:31:27	41	38	2	25,5	+
29.5.2015	6:31:57	26	46	2	25,5	+
29.5.2015	6:34:12	38	15	2	25,5	+
29.5.2015	6:36:56	31	13	2	25,5	+
29.5.2015	6:37:37	36	55	2	25,5	+
29.5.2015	6:39:04	38	51	2	25,5	+
29.5.2015	6:39:09	49	65	2	3,8	+
29.5.2015	6:39:45	69	19	3	25,5	+
29.5.2015	6:41:46	59	44	2	25,5	+
29.5.2015	6:42:14	41	18	2	25,5	+
29.5.2015	6:43:24	38	26	2	25,5	+
29.5.2015	6:44:19	38	54	2	25,5	+
29.5.2015	6:45:17	48	58	2	25,5	+
29.5.2015	6:47:10	43	23	2	25,5	+
29.5.2015	6:48:37	46	37	2	25,5	+
29.5.2015	6:48:47	44	33	2	9,1	+
29.5.2015	6:49:01	32	48	2	13,4	+
29.5.2015	6:50:11	40	50	2	25,5	+
29.5.2015	6:50:17	11	14	1	5,7	+
29.5.2015	6:50:49	38	51	2	25,5	+
29.5.2015	6:50:50	38	48	2	0,6	+
29.5.2015	6:51:13	44	56	2	22,9	+
29.5.2015	6:51:25	43	30	2	10,8	+
29.5.2015	6:52:06	35	40	2	25,5	+
29.5.2015	6:52:06	14	34	1	0,3	+
29.5.2015	6:54:15	40	58	2	25,5	+
29.5.2015	6:54:34	38	48	2	19	+

Příloha A - měření před instalací Opb

29.5.2015	6:54:48	42	42	2	13	+
29.5.2015	6:55:00	42	48	2	12	+
29.5.2015	6:55:03	38	55	2	1,8	+
29.5.2015	6:55:14	34	48	2	11,2	+
29.5.2015	6:55:22	38	40	2	6,6	+
29.5.2015	6:55:24	44	44	2	1,6	+
29.5.2015	6:55:40	39	49	2	15,3	+
29.5.2015	6:55:50	43	47	2	9,7	+
29.5.2015	6:55:57	39	51	2	6,8	+
29.5.2015	6:56:28	38	44	2	25,5	+
29.5.2015	6:58:37	33	63	2	25,5	+
29.5.2015	6:59:29	92	45	3	25,5	+
29.5.2015	6:59:55	35	51	2	25,5	+
29.5.2015	7:00:31	44	52	2	25,5	+
29.5.2015	7:00:33	44	51	2	1,1	+
29.5.2015	7:00:41	40	51	2	7,3	+
29.5.2015	7:01:05	42	58	2	24,2	+
29.5.2015	7:01:09	36	51	2	3,5	+
29.5.2015	7:02:20	33	48	2	25,5	+
29.5.2015	7:02:26	64	68	3	5,2	+
29.5.2015	7:02:35	36	43	2	8,7	+
29.5.2015	7:02:39	38	50	2	3,1	+
29.5.2015	7:03:18	38	63	2	25,5	+
29.5.2015	7:03:27	37	35	2	8,5	+
29.5.2015	7:04:48	51	39	2	25,5	+
29.5.2015	7:06:51	35	48	2	25,5	+
29.5.2015	7:07:41	38	48	2	25,5	+
29.5.2015	7:08:44	37	61	2	25,5	+
29.5.2015	7:09:03	44	30	2	18,2	+
29.5.2015	7:09:23	46	32	2	18,9	+
29.5.2015	7:09:29	40	49	2	5,5	+
29.5.2015	7:09:35	35	48	2	5,3	+
29.5.2015	7:11:12	37	45	2	25,5	+
29.5.2015	7:12:07	56	47	2	25,5	+
29.5.2015	7:14:27	37	67	2	25,5	+
29.5.2015	7:14:40	56	41	2	12,7	+
29.5.2015	7:14:44	40	57	2	2,8	+
29.5.2015	7:15:31	146	35	4	25,5	+
29.5.2015	7:15:59	42	31	2	25,5	+
29.5.2015	7:16:01	31	47	2	0,6	+
29.5.2015	7:16:02	34	50	2	1	+
29.5.2015	7:16:09	37	43	2	6,3	+
29.5.2015	7:17:15	31	54	2	25,5	+
29.5.2015	7:17:19	44	36	2	2,4	+
29.5.2015	7:17:27	43	25	2	7,9	+
29.5.2015	7:17:33	40	47	2	4,9	+
29.5.2015	7:18:30	38	43	2	25,5	+
29.5.2015	7:18:47	37	31	2	17	+
29.5.2015	7:19:41	36	62	2	25,5	+
29.5.2015	7:20:31	88	47	3	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	7:20:47	38	31	2	14,8	+
29.5.2015	7:20:48	34	34	2	0,8	+
29.5.2015	7:21:11	37	54	2	22	+
29.5.2015	7:21:47	37	48	2	25,5	+
29.5.2015	7:21:58	48	35	2	10,1	+
29.5.2015	7:22:09	57	29	2	10,1	+
29.5.2015	7:22:16	52	32	2	5,1	+
29.5.2015	7:22:34	45	42	2	17,8	+
29.5.2015	7:23:13	41	47	2	25,5	+
29.5.2015	7:23:36	41	57	2	22	+
29.5.2015	7:25:53	37	34	2	25,5	+
29.5.2015	7:26:16	38	39	2	21,7	+
29.5.2015	7:27:02	34	46	2	25,5	+
29.5.2015	7:27:48	42	50	2	25,5	+
29.5.2015	7:27:55	44	35	2	6,6	+
29.5.2015	7:28:46	56	42	2	25,5	+
29.5.2015	7:28:50	38	46	2	2,8	+
29.5.2015	7:29:43	42	37	2	25,5	+
29.5.2015	7:30:42	44	30	2	25,5	+
29.5.2015	7:30:43	39	39	2	0,7	+
29.5.2015	7:30:50	39	58	2	6	+
29.5.2015	7:31:09	35	46	2	18	+
29.5.2015	7:31:11	36	56	2	1,8	+
29.5.2015	7:31:26	41	38	2	14,3	+
29.5.2015	7:32:32	47	29	2	25,5	+
29.5.2015	7:32:43	30	59	2	9,9	+
29.5.2015	7:33:23	40	48	2	25,5	+
29.5.2015	7:34:18	38	45	2	25,5	+
29.5.2015	7:34:35	22	54	2	16,8	+
29.5.2015	7:34:49	46	46	2	13,1	+
29.5.2015	7:35:02	43	31	2	12,2	+
29.5.2015	7:35:07	41	60	2	4,5	+
29.5.2015	7:35:52	40	51	2	25,5	+
29.5.2015	7:35:55	35	58	2	1,8	+
29.5.2015	7:36:56	33	48	2	25,5	+
29.5.2015	7:36:58	55	39	2	1,3	+
29.5.2015	7:37:12	39	28	2	12,5	+
29.5.2015	7:38:17	49	29	2	25,5	+
29.5.2015	7:38:41	53	41	2	23	+
29.5.2015	7:38:54	56	15	2	10,9	+
29.5.2015	7:38:59	37	38	2	4,3	+
29.5.2015	7:39:01	23	35	2	1,6	+
29.5.2015	7:40:09	43	33	2	25,5	+
29.5.2015	7:40:45	34	51	2	25,5	+
29.5.2015	7:40:47	40	48	2	1,6	+
29.5.2015	7:41:03	64	38	3	15,8	+
29.5.2015	7:41:06	31	39	2	1,4	+
29.5.2015	7:41:22	40	44	2	16,1	+
29.5.2015	7:41:25	45	43	2	1,8	+
29.5.2015	7:41:32	41	29	2	6,1	+

Příloha A - měření před instalací Opb

29.5.2015	7:42:18	35	50	2	25,5	+
29.5.2015	7:42:27	39	48	2	9,1	+
29.5.2015	7:43:49	38	41	2	25,5	+
29.5.2015	7:44:03	36	28	2	12,9	+
29.5.2015	7:44:07	36	44	2	3,2	+
29.5.2015	7:44:21	37	62	2	13,7	+
29.5.2015	7:44:26	41	50	2	4,5	+
29.5.2015	7:45:26	31	53	2	25,5	+
29.5.2015	7:45:29	36	48	2	2,8	+
29.5.2015	7:45:35	36	48	2	5,6	+
29.5.2015	7:47:36	38	29	2	25,5	+
29.5.2015	7:48:15	42	48	2	25,5	+
29.5.2015	7:48:28	42	42	2	12	+
29.5.2015	7:49:01	38	43	2	25,5	+
29.5.2015	7:49:18	118	47	3	15,6	+
29.5.2015	7:49:36	46	34	2	17,4	+
29.5.2015	7:50:09	40	49	2	25,5	+
29.5.2015	7:50:47	39	64	2	25,5	+
29.5.2015	7:51:25	48	34	2	25,5	+
29.5.2015	7:52:21	39	42	2	25,5	+
29.5.2015	7:52:24	38	47	2	2,2	+
29.5.2015	7:52:33	20	17	1	8,8	+
29.5.2015	7:52:42	48	45	2	7,7	+
29.5.2015	7:53:16	37	57	2	25,5	+
29.5.2015	7:53:30	37	51	2	13,3	+
29.5.2015	7:54:21	36	84	2	25,5	+
29.5.2015	7:54:26	45	49	2	3,6	+
29.5.2015	7:54:41	70	42	3	14,3	+
29.5.2015	7:55:23	36	52	2	25,5	+
29.5.2015	7:56:59	38	50	2	25,5	+
29.5.2015	7:58:16	40	48	2	25,5	+
29.5.2015	7:58:21	38	46	2	4,8	+
29.5.2015	7:58:24	42	47	2	2,1	+
29.5.2015	7:58:27	36	48	2	2,5	+
29.5.2015	7:58:58	41	63	2	25,5	+
29.5.2015	7:59:43	33	51	2	25,5	+
29.5.2015	8:02:31	39	52	2	25,5	+
29.5.2015	8:02:53	39	39	2	21,3	+
29.5.2015	8:02:56	36	47	2	2,6	+
29.5.2015	8:03:45	49	51	2	25,5	+
29.5.2015	8:04:27	31	60	2	25,5	+
29.5.2015	8:05:08	38	47	2	25,5	+
29.5.2015	8:05:57	44	31	2	25,5	+
29.5.2015	8:06:07	29	49	2	9	+
29.5.2015	8:06:59	40	36	2	25,5	+
29.5.2015	8:07:24	38	43	2	25	+
29.5.2015	8:07:31	33	48	2	6,6	+
29.5.2015	8:07:41	40	28	2	8,6	+
29.5.2015	8:08:22	61	37	3	25,5	+
29.5.2015	8:08:34	47	36	2	10,9	+

Příloha A - měření před instalací Opb

29.5.2015	8:08:37	46	31	2	2,6	+
29.5.2015	8:08:47	42	57	2	9	+
29.5.2015	8:08:49	32	56	2	1,6	+
29.5.2015	8:09:08	35	64	2	18,3	+
29.5.2015	8:09:46	23	61	2	25,5	+
29.5.2015	8:10:57	82	28	3	25,5	+
29.5.2015	8:11:08	62	31	3	9,4	+
29.5.2015	8:13:02	41	52	2	25,5	+
29.5.2015	8:16:08	39	38	2	25,5	+
29.5.2015	8:16:51	33	39	2	25,5	+
29.5.2015	8:17:52	43	26	2	25,5	+
29.5.2015	8:18:50	46	44	2	25,5	+
29.5.2015	8:19:04	42	30	2	13,7	+
29.5.2015	8:19:18	30	45	2	13,3	+
29.5.2015	8:20:35	35	60	2	25,5	+
29.5.2015	8:21:41	38	49	2	25,5	+
29.5.2015	8:22:52	46	54	2	25,5	+
29.5.2015	8:23:13	45	48	2	19,7	+
29.5.2015	8:23:49	48	31	2	25,5	+
29.5.2015	8:23:55	39	44	2	5,5	+
29.5.2015	8:24:11	39	38	2	15	+
29.5.2015	8:25:37	48	31	2	25,5	+
29.5.2015	8:26:02	39	34	2	24,4	+
29.5.2015	8:26:10	38	42	2	7	+
29.5.2015	8:26:25	44	44	2	14,3	+
29.5.2015	8:26:27	33	48	2	1,2	+
29.5.2015	8:27:57	15	14	1	25,5	+
29.5.2015	8:35:22	46	39	2	25,5	+
29.5.2015	8:35:42	40	28	2	19,2	+
29.5.2015	8:36:00	42	64	2	17,8	+
29.5.2015	8:36:18	48	34	2	17,1	+
29.5.2015	8:36:23	39	53	2	3,9	+
29.5.2015	8:37:52	34	54	2	25,5	+
29.5.2015	8:38:10	33	47	2	17,5	+
29.5.2015	8:38:36	39	50	2	24,9	+
29.5.2015	8:38:52	27	59	2	15,3	+
29.5.2015	8:39:28	41	46	2	25,5	+
29.5.2015	8:41:50	11	65	1	25,5	+
29.5.2015	8:42:00	18	19	1	9,2	+
29.5.2015	8:42:56	98	34	3	25,5	+
29.5.2015	8:43:20	33	48	2	23,4	+
29.5.2015	8:44:40	39	42	2	25,5	+
29.5.2015	8:44:41	17	39	1	0,3	+
29.5.2015	8:44:50	41	47	2	8,6	+
29.5.2015	8:46:28	33	70	2	25,5	+
29.5.2015	8:47:51	40	49	2	25,5	+
29.5.2015	8:49:03	36	47	2	25,5	+
29.5.2015	8:49:16	42	55	2	12	+
29.5.2015	8:50:20	48	30	2	25,5	+
29.5.2015	8:51:46	50	40	2	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	8:51:48	40	43	2	1,3	+
29.5.2015	8:53:10	40	53	2	25,5	+
29.5.2015	8:54:04	27	20	2	25,5	+
29.5.2015	8:55:27	64	31	3	25,5	+
29.5.2015	8:56:34	44	46	2	25,5	+
29.5.2015	8:56:38	34	52	2	3,6	+
29.5.2015	8:56:48	42	53	2	9,3	+
29.5.2015	8:56:54	37	47	2	5,8	+
29.5.2015	8:58:28	37	42	2	25,5	+
29.5.2015	8:58:37	34	41	2	8,5	+
29.5.2015	8:59:29	45	23	2	25,5	+
29.5.2015	9:00:00	36	37	2	25,5	+
29.5.2015	9:00:02	41	34	2	1,1	+
29.5.2015	9:00:36	16	16	1	25,5	+
29.5.2015	9:01:14	37	51	2	25,5	+
29.5.2015	9:01:23	40	45	2	8,3	+
29.5.2015	9:03:31	35	58	2	25,5	+
29.5.2015	9:03:35	36	57	2	3,2	+
29.5.2015	9:04:49	42	44	2	25,5	+
29.5.2015	9:05:06	43	32	2	15,6	+
29.5.2015	9:06:52	69	40	3	25,5	+
29.5.2015	9:06:58	41	50	2	6,1	+
29.5.2015	9:07:36	39	34	2	25,5	+
29.5.2015	9:07:40	45	34	2	3,6	+
29.5.2015	9:08:01	65	56	3	20	+
29.5.2015	9:10:18	34	66	2	25,5	+
29.5.2015	9:13:00	35	49	2	25,5	+
29.5.2015	9:13:37	36	43	2	25,5	+
29.5.2015	9:15:16	36	65	2	25,5	+
29.5.2015	9:15:28	41	42	2	11,4	+
29.5.2015	9:17:39	20	42	1	25,5	+
29.5.2015	9:17:46	42	19	2	5,7	+
29.5.2015	9:18:53	67	47	3	25,5	+
29.5.2015	9:19:02	35	55	2	8	+
29.5.2015	9:20:13	37	58	2	25,5	+
29.5.2015	9:20:46	38	31	2	25,5	+
29.5.2015	9:21:14	37	36	2	25,5	+
29.5.2015	9:21:16	36	37	2	1,7	+
29.5.2015	9:21:42	36	33	2	24,6	+
29.5.2015	9:23:52	38	54	2	25,5	+
29.5.2015	9:28:27	74	42	3	25,5	+
29.5.2015	9:28:29	31	46	2	1,6	+
29.5.2015	9:28:48	33	16	2	18,2	+
29.5.2015	9:32:53	35	63	2	25,5	+
29.5.2015	9:34:28	35	50	2	25,5	+
29.5.2015	9:34:46	42	46	2	17,9	+
29.5.2015	9:34:49	30	13	2	1,8	+
29.5.2015	9:35:11	49	33	2	20,6	+
29.5.2015	9:35:42	55	39	2	25,5	+
29.5.2015	9:36:49	45	34	2	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	9:36:57	45	35	2	7,2	+
29.5.2015	9:37:19	34	55	2	21,5	+
29.5.2015	9:39:34	43	38	2	25,5	+
29.5.2015	9:40:30	23	54	2	25,5	+
29.5.2015	9:40:34	56	43	2	3,2	+
29.5.2015	9:40:58	35	49	2	23,4	+
29.5.2015	9:41:16	40	28	2	17,2	+
29.5.2015	9:41:31	41	39	2	13,9	+
29.5.2015	9:42:47	41	44	2	25,5	+
29.5.2015	9:43:09	42	44	2	21,9	+
29.5.2015	9:43:21	66	49	3	10,6	+
29.5.2015	9:43:25	38	60	2	4,2	+
29.5.2015	9:44:36	26	47	2	25,5	+
29.5.2015	9:45:24	39	29	2	25,5	+
29.5.2015	9:46:04	47	23	2	25,5	+
29.5.2015	9:46:12	44	44	2	7	+
29.5.2015	9:46:36	44	65	2	23,8	+
29.5.2015	9:47:32	41	33	2	25,5	+
29.5.2015	9:48:26	24	61	2	25,5	+
29.5.2015	9:49:16	35	28	2	25,5	+
29.5.2015	9:52:35	40	42	2	25,5	+
29.5.2015	9:54:20	36	59	2	25,5	+
29.5.2015	9:54:32	46	48	2	11,3	+
29.5.2015	9:54:51	61	37	3	17,3	+
29.5.2015	9:56:17	49	46	2	25,5	+
29.5.2015	9:57:33	27	62	2	25,5	+
29.5.2015	9:59:35	41	57	2	25,5	+
29.5.2015	10:00:04	39	47	2	25,5	+
29.5.2015	10:00:08	45	58	2	2,9	+
29.5.2015	10:03:12	35	39	2	25,5	+
29.5.2015	10:03:18	36	61	2	6	+
29.5.2015	10:04:25	54	51	2	25,5	+
29.5.2015	10:04:38	50	32	2	12,5	+
29.5.2015	10:05:15	39	41	2	25,5	+
29.5.2015	10:06:33	58	44	2	25,5	+
29.5.2015	10:08:49	67	42	3	25,5	+
29.5.2015	10:09:28	36	48	2	25,5	+
29.5.2015	10:10:23	36	45	2	25,5	+
29.5.2015	10:10:55	34	47	2	25,5	+
29.5.2015	10:11:02	41	30	2	6,3	+
29.5.2015	10:11:08	37	55	2	5,6	+
29.5.2015	10:11:47	52	48	2	25,5	+
29.5.2015	10:12:51	44	47	2	25,5	+
29.5.2015	10:15:38	46	30	2	25,5	+
29.5.2015	10:16:52	59	37	2	25,5	+
29.5.2015	10:19:08	51	43	2	25,5	+
29.5.2015	10:21:35	40	35	2	25,5	+
29.5.2015	10:21:47	33	48	2	11,3	+
29.5.2015	10:21:52	51	31	2	4,3	+
29.5.2015	10:22:15	45	28	2	21,4	+

Příloha A - měření před instalací Opb

29.5.2015	10:22:44	41	33	2	25,5	+
29.5.2015	10:22:56	37	34	2	11	+
29.5.2015	10:23:03	36	54	2	6,2	+
29.5.2015	10:23:16	34	50	2	12,5	+
29.5.2015	10:23:20	34	58	2	4,2	+
29.5.2015	10:25:56	36	42	2	25,5	+
29.5.2015	10:26:13	32	41	2	16,2	+
29.5.2015	10:26:21	86	49	3	6,7	+
29.5.2015	10:26:25	36	26	2	3,3	+
29.5.2015	10:29:38	33	46	2	25,5	+
29.5.2015	10:30:31	39	49	2	25,5	+
29.5.2015	10:32:28	55	54	2	25,5	+
29.5.2015	10:32:39	67	13	3	8,5	+
29.5.2015	10:37:14	33	53	2	25,5	+
29.5.2015	10:37:31	64	40	3	16	+
29.5.2015	10:37:51	22	58	2	20,2	+
29.5.2015	10:37:59	40	33	2	7,4	+
29.5.2015	10:38:08	55	54	2	7,9	+
29.5.2015	10:38:39	44	55	2	25,5	+
29.5.2015	10:41:46	76	38	3	25,5	+
29.5.2015	10:43:42	35	43	2	25,5	+
29.5.2015	10:43:58	56	47	2	15,1	+
29.5.2015	10:45:08	36	48	2	25,5	+
29.5.2015	10:45:38	38	43	2	25,5	+
29.5.2015	10:45:58	162	43	4	18,5	+
29.5.2015	10:46:38	51	44	2	25,5	+
29.5.2015	10:47:20	12	26	1	25,5	+
29.5.2015	10:48:02	35	60	2	25,5	+
29.5.2015	10:48:32	33	36	2	25,5	+
29.5.2015	10:50:49	44	43	2	25,5	+
29.5.2015	10:51:55	35	41	2	25,5	+
29.5.2015	10:52:16	37	29	2	19,9	+
29.5.2015	10:53:08	41	34	2	25,5	+
29.5.2015	10:53:24	30	48	2	15,3	+
29.5.2015	10:53:37	40	56	2	13	+
29.5.2015	10:54:16	40	27	2	25,5	+
29.5.2015	10:55:28	14	17	1	25,5	+
29.5.2015	10:57:55	33	51	2	25,5	+
29.5.2015	10:58:07	40	37	2	11	+
29.5.2015	10:58:51	49	45	2	25,5	+
29.5.2015	10:59:51	42	27	2	25,5	+
29.5.2015	11:00:41	63	43	3	25,5	+
29.5.2015	11:00:47	30	26	2	4,8	+
29.5.2015	11:02:11	33	41	2	25,5	+
29.5.2015	11:03:25	43	45	2	25,5	+
29.5.2015	11:03:26	59	44	2	0,9	+
29.5.2015	11:04:22	34	46	2	25,5	+
29.5.2015	11:04:27	64	37	3	4,1	+
29.5.2015	11:07:47	25	49	2	25,5	+
29.5.2015	11:08:11	82	37	3	23	+

Příloha A - měření před instalací Opb

29.5.2015	11:08:19	43	41	2	6,9	+
29.5.2015	11:08:37	37	30	2	17,6	+
29.5.2015	11:08:42	43	38	2	4,3	+
29.5.2015	11:08:58	16	26	1	15,3	+
29.5.2015	11:09:43	57	45	2	25,5	+
29.5.2015	11:10:19	47	50	2	25,5	+
29.5.2015	11:11:15	30	53	2	25,5	+
29.5.2015	11:11:42	29	51	2	25,5	+
29.5.2015	11:12:41	32	48	2	25,5	+
29.5.2015	11:13:18	49	46	2	25,5	+
29.5.2015	11:13:40	38	45	2	21,6	+
29.5.2015	11:13:41	45	51	2	0,6	+
29.5.2015	11:13:59	44	40	2	17,4	+
29.5.2015	11:14:20	34	35	2	20,7	+
29.5.2015	11:15:14	29	49	2	25,5	+
29.5.2015	11:16:06	58	34	2	25,5	+
29.5.2015	11:18:53	34	17	2	25,5	+
29.5.2015	11:20:29	51	35	2	25,5	+
29.5.2015	11:21:53	11	53	1	25,5	+
29.5.2015	11:21:59	45	41	2	4,9	+
29.5.2015	11:22:44	36	53	2	25,5	+
29.5.2015	11:24:07	54	29	2	25,5	+
29.5.2015	11:26:51	44	39	2	25,5	+
29.5.2015	11:26:52	40	40	2	0,8	+
29.5.2015	11:27:25	53	42	2	25,5	+
29.5.2015	11:27:40	37	30	2	13,8	+
29.5.2015	11:27:43	64	43	3	2,8	+
29.5.2015	11:29:24	63	45	3	25,5	+
29.5.2015	11:29:28	52	45	2	3	+
29.5.2015	11:30:37	34	45	2	25,5	+
29.5.2015	11:32:25	65	49	3	25,5	+
29.5.2015	11:32:53	47	27	2	25,5	+
29.5.2015	11:33:48	65	50	3	25,5	+
29.5.2015	11:36:43	35	43	2	25,5	+
29.5.2015	11:39:03	49	46	2	25,5	+
29.5.2015	11:41:00	41	24	2	25,5	+
29.5.2015	11:44:04	37	31	2	25,5	+
29.5.2015	11:45:21	34	50	2	25,5	+
29.5.2015	11:45:41	33	42	2	18,9	+
29.5.2015	11:48:19	40	26	2	25,5	+
29.5.2015	11:50:54	46	39	2	25,5	+
29.5.2015	11:51:26	40	28	2	25,5	+
29.5.2015	11:51:45	33	38	2	18,3	+
29.5.2015	11:52:11	33	45	2	25,5	+
29.5.2015	11:53:47	37	33	2	25,5	+
29.5.2015	11:57:49	45	49	2	25,5	+
29.5.2015	11:58:16	48	29	2	25,5	+
29.5.2015	11:58:21	34	49	2	4,5	+
29.5.2015	11:58:42	39	45	2	20,2	+
29.5.2015	11:59:04	42	43	2	20,9	+

Příloha A - měření před instalací Opb

29.5.2015	11:59:26	39	34	2	21,2	+
29.5.2015	11:59:33	42	46	2	6,8	+
29.5.2015	11:59:40	35	45	2	6,2	+
29.5.2015	11:59:44	43	42	2	3,2	+
29.5.2015	12:00:11	26	56	2	25,5	+
29.5.2015	12:02:33	36	49	2	25,5	+
29.5.2015	12:02:35	44	49	2	0,7	+
29.5.2015	12:03:46	45	54	2	25,5	+
29.5.2015	12:04:44	39	35	2	25,5	+
29.5.2015	12:04:56	34	52	2	11,5	+
29.5.2015	12:05:02	37	44	2	4,9	+
29.5.2015	12:05:54	39	33	2	25,5	+
29.5.2015	12:06:03	37	52	2	9,1	+
29.5.2015	12:06:58	36	29	2	25,5	+
29.5.2015	12:07:58	35	26	2	25,5	+
29.5.2015	12:11:44	49	34	2	25,5	+
29.5.2015	12:12:24	40	35	2	25,5	+
29.5.2015	12:12:41	40	35	2	16,4	+
29.5.2015	12:12:47	34	36	2	5,8	+
29.5.2015	12:13:52	42	32	2	25,5	+
29.5.2015	12:15:19	36	27	2	25,5	+
29.5.2015	12:15:45	38	47	2	25,5	+
29.5.2015	12:16:49	44	28	2	25,5	+
29.5.2015	12:16:50	23	36	2	0,5	+
29.5.2015	12:17:06	37	46	2	14,9	+
29.5.2015	12:17:48	46	39	2	25,5	+
29.5.2015	12:25:25	38	25	2	25,5	+
29.5.2015	12:26:29	38	47	2	25,5	+
29.5.2015	12:28:44	43	40	2	25,5	+
29.5.2015	12:29:56	96	38	3	25,5	+
29.5.2015	12:30:11	42	41	2	14,4	+
29.5.2015	12:30:26	43	36	2	14	+
29.5.2015	12:30:29	39	45	2	2,3	+
29.5.2015	12:32:09	48	31	2	25,5	+
29.5.2015	12:32:50	35	46	2	25,5	+
29.5.2015	12:32:59	70	42	3	8,3	+
29.5.2015	12:34:09	28	56	2	25,5	+
29.5.2015	12:38:42	36	47	2	25,5	+
29.5.2015	12:39:06	32	57	2	22,8	+
29.5.2015	12:40:25	12	50	1	25,5	+
29.5.2015	12:40:26	20	44	1	0,4	+
29.5.2015	12:43:43	27	39	2	25,5	+
29.5.2015	12:45:34	33	64	2	25,5	+
29.5.2015	12:46:11	45	34	2	25,5	+
29.5.2015	12:46:46	34	47	2	25,5	+
29.5.2015	12:47:03	32	50	2	16,2	+
29.5.2015	12:47:13	46	34	2	8,8	+
29.5.2015	12:48:04	33	51	2	25,5	+
29.5.2015	12:50:37	36	51	2	25,5	+
29.5.2015	12:52:19	18	31	1	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	12:53:11	33	51	2	25,5	+
29.5.2015	12:53:46	25	23	2	25,5	+
29.5.2015	12:54:29	42	41	2	25,5	+
29.5.2015	12:55:28	45	28	2	25,5	+
29.5.2015	12:56:28	42	50	2	25,5	+
29.5.2015	12:58:08	17	12	1	25,5	+
29.5.2015	12:59:21	37	55	2	25,5	+
29.5.2015	13:01:15	37	41	2	25,5	+
29.5.2015	13:01:18	37	30	2	2,3	+
29.5.2015	13:01:22	39	59	2	2,9	+
29.5.2015	13:02:22	76	42	3	25,5	+
29.5.2015	13:03:05	46	44	2	25,5	+
29.5.2015	13:03:28	39	48	2	21,9	+
29.5.2015	13:03:51	72	49	3	22,3	+
29.5.2015	13:04:03	36	43	2	11,2	+
29.5.2015	13:04:45	51	48	2	25,5	+
29.5.2015	13:06:06	37	42	2	25,5	+
29.5.2015	13:06:49	36	39	2	25,5	+
29.5.2015	13:07:06	58	52	2	15,8	+
29.5.2015	13:08:22	41	46	2	25,5	+
29.5.2015	13:08:42	44	30	2	18,5	+
29.5.2015	13:08:47	43	32	2	4,5	+
29.5.2015	13:08:48	28	36	2	0,6	+
29.5.2015	13:10:09	45	38	2	25,5	+
29.5.2015	13:12:24	42	33	2	25,5	+
29.5.2015	13:15:05	35	53	2	25,5	+
29.5.2015	13:18:12	40	42	2	25,5	+
29.5.2015	13:18:17	43	38	2	4,2	+
29.5.2015	13:20:01	35	46	2	25,5	+
29.5.2015	13:21:10	38	60	2	25,5	+
29.5.2015	13:21:41	35	56	2	25,5	+
29.5.2015	13:21:43	40	53	2	1,7	+
29.5.2015	13:24:13	74	35	3	25,5	+
29.5.2015	13:24:16	34	42	2	2,8	+
29.5.2015	13:25:17	32	41	2	25,5	+
29.5.2015	13:25:59	37	38	2	25,5	+
29.5.2015	13:28:06	39	51	2	25,5	+
29.5.2015	13:31:17	76	49	3	25,5	+
29.5.2015	13:32:07	43	43	2	25,5	+
29.5.2015	13:32:09	40	42	2	1,2	+
29.5.2015	13:32:38	43	45	2	25,5	+
29.5.2015	13:36:16	31	41	2	25,5	+
29.5.2015	13:36:50	37	67	2	25,5	+
29.5.2015	13:37:21	30	46	2	25,5	+
29.5.2015	13:38:08	53	47	2	25,5	+
29.5.2015	13:39:30	44	64	2	25,5	+
29.5.2015	13:40:37	49	31	2	25,5	+
29.5.2015	13:41:35	47	39	2	25,5	+
29.5.2015	13:44:48	46	46	2	25,5	+
29.5.2015	13:46:14	36	56	2	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	13:46:16	30	52	2	1,6	+
29.5.2015	13:47:37	42	46	2	25,5	+
29.5.2015	13:47:46	60	51	2	7,9	+
29.5.2015	13:47:58	40	38	2	11,9	+
29.5.2015	13:48:03	26	12	2	3,5	+
29.5.2015	13:52:20	72	47	3	25,5	+
29.5.2015	13:52:43	43	31	2	22,2	+
29.5.2015	13:52:45	50	32	2	1	+
29.5.2015	13:53:58	34	32	2	25,5	+
29.5.2015	13:54:17	35	48	2	18,1	+
29.5.2015	13:55:31	49	45	2	25,5	+
29.5.2015	13:56:40	37	58	2	25,5	+
29.5.2015	13:57:03	34	57	2	22,9	+
29.5.2015	13:58:43	45	43	2	25,5	+
29.5.2015	13:59:59	45	38	2	25,5	+
29.5.2015	14:03:48	35	39	2	25,5	+
29.5.2015	14:04:46	41	32	2	25,5	+
29.5.2015	14:05:08	34	54	2	21,7	+
29.5.2015	14:05:15	36	51	2	6,5	+
29.5.2015	14:10:34	37	55	2	25,5	+
29.5.2015	14:11:56	41	42	2	25,5	+
29.5.2015	14:13:31	43	34	2	25,5	+
29.5.2015	14:14:07	35	41	2	25,5	+
29.5.2015	14:15:04	33	33	2	25,5	+
29.5.2015	14:15:07	20	17	1	2,2	+
29.5.2015	14:18:17	41	38	2	25,5	+
29.5.2015	14:19:20	39	46	2	25,5	+
29.5.2015	14:21:42	46	37	2	25,5	+
29.5.2015	14:22:55	46	32	2	25,5	+
29.5.2015	14:23:20	46	31	2	24,6	+
29.5.2015	14:23:31	29	59	2	10,8	+
29.5.2015	14:23:58	40	31	2	25,5	+
29.5.2015	14:24:05	43	33	2	6,1	+
29.5.2015	14:24:10	49	45	2	4,2	+
29.5.2015	14:25:00	50	31	2	25,5	+
29.5.2015	14:26:01	39	51	2	25,5	+
29.5.2015	14:26:25	26	52	2	23,8	+
29.5.2015	14:26:35	31	61	2	9,2	+
29.5.2015	14:27:20	32	52	2	25,5	+
29.5.2015	14:27:42	30	45	2	21,1	+
29.5.2015	14:40:07	34	57	2	25,5	+
29.5.2015	14:40:48	39	54	2	25,5	+
29.5.2015	14:41:19	37	56	2	25,5	+
29.5.2015	14:41:53	35	29	2	25,5	+
29.5.2015	14:44:25	37	40	2	25,5	+
29.5.2015	14:47:20	37	30	2	25,5	+
29.5.2015	14:47:29	26	50	2	8,8	+
29.5.2015	14:48:10	37	39	2	25,5	+
29.5.2015	14:48:31	86	46	3	19,9	+
29.5.2015	14:50:15	62	45	3	25,5	+

Příloha A - měření před instalací Opb

29.5.2015	14:52:00	40	32	2	25,5	+
29.5.2015	14:52:31	41	37	2	25,5	+
29.5.2015	14:52:41	42	55	2	8,6	+
29.5.2015	14:52:58	44	42	2	16,6	+
29.5.2015	14:53:45	61	33	3	25,5	+
29.5.2015	14:54:10	37	37	2	25	+
29.5.2015	14:56:46	34	51	2	25,5	+
29.5.2015	14:56:50	26	10	2	2,7	+
29.5.2015	14:57:01	34	27	2	10,5	+
29.5.2015	14:58:15	28	47	2	25,5	+
29.5.2015	15:00:09	50	24	2	25,5	+
29.5.2015	15:00:49	40	30	2	25,5	+