

Příloha B - měření po instalaci Opb

Datum [dd:mm:rrrr]	Čas [hh:mm:ss]	Délka [dm]	Rychlost [km/h]	Kategorie [-]	Odstup [s]	Směr
22.6.2015	21:28:57	36	31	2	25,5	+
22.6.2015	21:29:01	39	22	2	4	+
22.6.2015	21:29:18	33	65	2	13,5	+
22.6.2015	21:31:13	33	51	2	25,5	+
22.6.2015	21:35:48	28	43	2	25,5	+
22.6.2015	21:35:56	42	31	2	6,5	+
22.6.2015	21:41:07	35	52	2	25,5	+
22.6.2015	21:41:58	25	46	2	25,5	+
22.6.2015	21:42:55	38	45	2	25,5	+
22.6.2015	21:42:57	36	44	2	1,9	+
22.6.2015	21:45:00	35	32	2	25,5	+
22.6.2015	21:46:40	36	54	2	25,5	+
22.6.2015	21:48:30	76	57	3	25,5	+
22.6.2015	21:49:30	36	50	2	25,5	+
22.6.2015	21:51:07	40	45	2	25,5	+
22.6.2015	21:54:01	44	21	2	25,5	+
22.6.2015	21:55:47	41	30	2	25,5	+
22.6.2015	22:00:57	43	27	2	25,5	+
22.6.2015	22:03:03	33	43	2	25,5	+
22.6.2015	22:03:29	57	41	2	24,5	+
22.6.2015	22:07:12	36	45	2	25,5	+
22.6.2015	22:08:51	37	43	2	25,5	+
22.6.2015	22:13:43	36	51	2	25,5	+
22.6.2015	22:25:14	15	10	1	25,5	+
22.6.2015	22:32:29	38	38	2	25,5	+
22.6.2015	22:35:38	45	30	2	25,5	+
22.6.2015	22:36:52	31	39	2	25,5	+
22.6.2015	22:38:28	37	51	2	25,5	+
22.6.2015	22:41:28	39	43	2	25,5	+
22.6.2015	22:42:18	42	22	2	25,5	+
22.6.2015	22:46:20	20	10	1	25,5	+
22.6.2015	22:47:29	43	24	2	25,5	+
22.6.2015	22:50:38	48	25	2	25,5	+
22.6.2015	22:51:49	41	44	2	25,5	+
22.6.2015	22:53:16	37	43	2	25,5	+
22.6.2015	22:58:16	45	27	2	25,5	+
22.6.2015	22:58:23	43	29	2	5,8	+
22.6.2015	22:59:10	62	62	3	25,5	+
22.6.2015	23:05:37	37	41	2	25,5	+
22.6.2015	23:07:46	40	55	2	25,5	+
22.6.2015	23:08:51	47	26	2	25,5	+
22.6.2015	23:15:46	41	29	2	25,5	+
22.6.2015	23:20:13	45	26	2	25,5	+
22.6.2015	23:33:52	33	63	2	25,5	+
22.6.2015	23:34:20	43	47	2	25,5	+
23.6.2015	0:22:47	41	41	2	25,5	+
23.6.2015	0:31:45	53	52	2	25,5	+
23.6.2015	0:32:29	48	21	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	0:43:47	44	28	2	25,5	+
23.6.2015	0:51:08	69	55	3	25,5	+
23.6.2015	1:51:41	51	51	2	25,5	+
23.6.2015	2:35:18	40	50	2	25,5	+
23.6.2015	2:37:36	30	56	2	25,5	+
23.6.2015	3:21:55	33	16	2	25,5	+
23.6.2015	3:28:15	34	30	2	25,5	+
23.6.2015	3:48:13	43	48	2	25,5	+
23.6.2015	3:51:36	27	53	2	25,5	+
23.6.2015	3:55:42	64	40	3	25,5	+
23.6.2015	3:58:54	46	46	2	25,5	+
23.6.2015	4:35:57	34	38	2	25,5	+
23.6.2015	4:40:09	29	51	2	25,5	+
23.6.2015	4:46:28	26	8	2	25,5	+
23.6.2015	4:57:04	16	49	1	25,5	+
23.6.2015	5:00:07	32	58	2	25,5	+
23.6.2015	5:05:06	60	56	2	25,5	+
23.6.2015	5:15:17	55	54	2	25,5	+
23.6.2015	5:15:50	60	12	2	25,5	+
23.6.2015	5:16:03	33	42	2	12,4	+
23.6.2015	5:19:49	30	50	2	25,5	+
23.6.2015	5:22:28	33	51	2	25,5	+
23.6.2015	5:24:00	53	56	2	25,5	+
23.6.2015	5:24:49	11	14	1	25,5	+
23.6.2015	5:30:26	43	61	2	25,5	+
23.6.2015	5:37:46	33	51	2	25,5	+
23.6.2015	5:43:09	37	39	2	25,5	+
23.6.2015	5:43:33	40	41	2	23,7	+
23.6.2015	5:43:36	42	35	2	2,2	+
23.6.2015	5:44:38	23	8	2	25,5	+
23.6.2015	5:46:11	32	64	2	25,5	+
23.6.2015	5:47:27	34	49	2	25,5	+
23.6.2015	5:47:50	57	41	2	22,3	+
23.6.2015	5:49:51	33	50	2	25,5	+
23.6.2015	5:51:01	34	66	2	25,5	+
23.6.2015	6:01:01	38	33	2	25,5	+
23.6.2015	6:03:28	21	12	2	25,5	+
23.6.2015	6:04:37	38	53	2	25,5	+
23.6.2015	6:07:39	37	52	2	25,5	+
23.6.2015	6:09:09	23	48	2	25,5	+
23.6.2015	6:09:18	30	61	2	8,9	+
23.6.2015	6:11:27	60	15	2	25,5	+
23.6.2015	6:16:27	37	38	2	25,5	+
23.6.2015	6:19:21	34	42	2	25,5	+
23.6.2015	6:19:36	55	44	2	13,9	+
23.6.2015	6:20:34	28	45	2	25,5	+
23.6.2015	6:21:35	47	30	2	25,5	+
23.6.2015	6:27:24	59	56	2	25,5	+
23.6.2015	6:27:28	39	50	2	3,1	+
23.6.2015	6:28:12	57	44	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	6:28:22	37	48	2	9,7	+
23.6.2015	6:28:24	33	46	2	1,6	+
23.6.2015	6:29:43	45	30	2	25,5	+
23.6.2015	6:32:00	38	53	2	25,5	+
23.6.2015	6:32:18	32	53	2	10,7	+
23.6.2015	6:32:50	41	17	2	25,5	+
23.6.2015	6:33:00	55	43	2	6,5	+
23.6.2015	6:37:09	34	47	2	25,5	+
23.6.2015	6:37:25	31	58	2	16,3	+
23.6.2015	6:38:04	36	71	2	25,5	+
23.6.2015	6:41:37	33	45	2	25,5	+
23.6.2015	6:42:14	32	54	2	25,5	+
23.6.2015	6:44:14	38	52	2	25,5	+
23.6.2015	6:44:19	47	23	2	4,2	+
23.6.2015	6:46:06	36	44	2	25,5	+
23.6.2015	6:46:22	34	44	2	15,3	+
23.6.2015	6:46:47	46	31	2	24,8	+
23.6.2015	6:47:18	76	31	3	25,5	+
23.6.2015	6:47:21	51	29	2	1,9	+
23.6.2015	6:48:15	40	46	2	25,5	+
23.6.2015	6:48:41	33	45	2	25,4	+
23.6.2015	6:48:43	43	30	2	1,3	+
23.6.2015	6:49:21	37	53	2	25,5	+
23.6.2015	6:51:03	38	35	2	25,5	+
23.6.2015	6:51:10	34	54	2	5,7	+
23.6.2015	6:51:31	38	47	2	20,6	+
23.6.2015	6:51:43	40	47	2	11,8	+
23.6.2015	6:51:55	31	44	2	10,9	+
23.6.2015	6:52:27	35	53	2	25,5	+
23.6.2015	6:54:06	33	58	2	25,5	+
23.6.2015	6:54:10	42	47	2	3,1	+
23.6.2015	6:54:39	30	66	2	25,5	+
23.6.2015	6:54:59	33	53	2	19,4	+
23.6.2015	6:55:09	38	50	2	8,8	+
23.6.2015	6:55:21	34	53	2	12	+
23.6.2015	6:55:54	54	43	2	25,5	+
23.6.2015	6:56:59	12	14	1	25,5	+
23.6.2015	6:58:40	34	53	2	25,5	+
23.6.2015	6:58:57	39	64	2	16,6	+
23.6.2015	7:00:01	32	50	2	25,5	+
23.6.2015	7:00:03	29	55	2	2,1	+
23.6.2015	7:00:21	40	39	2	17,1	+
23.6.2015	7:00:26	53	28	2	3,5	+
23.6.2015	7:01:32	35	38	2	25,5	+
23.6.2015	7:02:06	37	46	2	25,5	+
23.6.2015	7:02:19	66	36	3	11,7	+
23.6.2015	7:02:37	104	16	3	14,9	+
23.6.2015	7:03:31	39	26	2	25,5	+
23.6.2015	7:03:37	38	28	2	2,6	+
23.6.2015	7:04:11	33	42	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	7:04:37	30	57	2	25,5	+
23.6.2015	7:05:13	38	56	2	25,5	+
23.6.2015	7:06:13	55	50	2	25,5	+
23.6.2015	7:06:23	35	50	2	8,9	+
23.6.2015	7:06:49	44	46	2	25,5	+
23.6.2015	7:07:16	36	41	2	25,5	+
23.6.2015	7:07:21	37	47	2	3,9	+
23.6.2015	7:08:35	32	47	2	25,5	+
23.6.2015	7:09:33	33	46	2	25,5	+
23.6.2015	7:09:37	56	51	2	3,5	+
23.6.2015	7:11:15	38	44	2	25,5	+
23.6.2015	7:12:33	34	42	2	25,5	+
23.6.2015	7:14:17	59	44	2	25,5	+
23.6.2015	7:14:30	40	51	2	8,8	+
23.6.2015	7:14:45	45	35	2	12,3	+
23.6.2015	7:15:14	48	25	2	25,5	+
23.6.2015	7:15:18	36	42	2	3,5	+
23.6.2015	7:17:09	44	21	2	25,5	+
23.6.2015	7:17:49	33	52	2	25,5	+
23.6.2015	7:18:06	44	44	2	16,1	+
23.6.2015	7:20:37	34	52	2	25,5	+
23.6.2015	7:21:34	42	40	2	25,5	+
23.6.2015	7:21:41	36	42	2	6,3	+
23.6.2015	7:21:57	52	40	2	15,7	+
23.6.2015	7:22:12	39	44	2	14,4	+
23.6.2015	7:22:29	37	44	2	16,7	+
23.6.2015	7:23:22	31	45	2	25,5	+
23.6.2015	7:23:47	39	37	2	23,9	+
23.6.2015	7:26:19	36	39	2	25,5	+
23.6.2015	7:26:22	38	45	2	2,5	+
23.6.2015	7:26:25	32	56	2	2,3	+
23.6.2015	7:26:27	38	49	2	1,8	+
23.6.2015	7:26:31	44	47	2	3,9	+
23.6.2015	7:26:50	38	45	2	17,9	+
23.6.2015	7:27:27	37	48	2	25,5	+
23.6.2015	7:28:44	36	49	2	25,5	+
23.6.2015	7:29:07	40	25	2	22,1	+
23.6.2015	7:29:12	55	42	2	4,1	+
23.6.2015	7:29:50	29	45	2	25,5	+
23.6.2015	7:29:52	41	39	2	1,9	+
23.6.2015	7:30:27	41	29	2	25,5	+
23.6.2015	7:32:01	39	42	2	25,5	+
23.6.2015	7:32:28	42	27	2	25,5	+
23.6.2015	7:32:30	46	30	2	0,8	+
23.6.2015	7:32:50	41	33	2	17,5	+
23.6.2015	7:32:59	43	32	2	8,8	+
23.6.2015	7:33:03	38	56	2	3,3	+
23.6.2015	7:33:15	48	54	2	11,1	+
23.6.2015	7:33:34	21	11	2	15	+
23.6.2015	7:33:51	42	25	2	16,2	+

Příloha B - měření po instalaci Opb

23.6.2015	7:33:53	37	35	2	1,1	+
23.6.2015	7:34:12	38	37	2	18,4	+
23.6.2015	7:34:15	37	32	2	2,1	+
23.6.2015	7:35:04	49	55	2	25,5	+
23.6.2015	7:36:34	41	41	2	4,6	+
23.6.2015	7:36:46	48	32	2	10,9	+
23.6.2015	7:36:54	41	17	2	7,3	+
23.6.2015	7:37:00	58	40	2	5,1	+
23.6.2015	7:37:06	37	42	2	5,7	+
23.6.2015	7:37:58	40	33	2	25,5	+
23.6.2015	7:38:02	55	46	2	2,8	+
23.6.2015	7:38:45	32	43	2	25,5	+
23.6.2015	7:39:15	33	42	2	25,5	+
23.6.2015	7:39:49	37	42	2	25,5	+
23.6.2015	7:39:51	39	52	2	0,9	+
23.6.2015	7:39:59	37	43	2	7,7	+
23.6.2015	7:41:41	40	37	2	25,5	+
23.6.2015	7:42:26	38	46	2	25,5	+
23.6.2015	7:43:43	49	34	2	25,5	+
23.6.2015	7:43:58	43	24	2	11,9	+
23.6.2015	7:44:00	41	39	2	2,2	+
23.6.2015	7:44:02	37	41	2	0,8	+
23.6.2015	7:44:29	41	24	2	25,5	+
23.6.2015	7:44:32	41	35	2	2,7	+
23.6.2015	7:44:54	45	36	2	20,8	+
23.6.2015	7:45:40	36	45	2	25,5	+
23.6.2015	7:46:10	38	45	2	25,5	+
23.6.2015	7:46:39	31	50	2	25,5	+
23.6.2015	7:46:41	35	48	2	1,2	+
23.6.2015	7:46:53	38	26	2	11	+
23.6.2015	7:46:55	46	35	2	1,4	+
23.6.2015	7:47:07	28	41	2	11,1	+
23.6.2015	7:47:27	31	53	2	19,6	+
23.6.2015	7:47:40	34	50	2	12,4	+
23.6.2015	7:47:53	53	55	2	12,7	+
23.6.2015	7:48:13	42	24	2	8,5	+
23.6.2015	7:48:30	31	16	2	16,4	+
23.6.2015	7:48:47	34	51	2	16,6	+
23.6.2015	7:49:15	46	52	2	25,5	+
23.6.2015	7:49:36	30	54	2	1,5	+
23.6.2015	7:50:02	36	46	2	25,2	+
23.6.2015	7:50:22	31	43	2	19,5	+
23.6.2015	7:50:32	53	34	2	9,5	+
23.6.2015	7:50:39	34	41	2	5,9	+
23.6.2015	7:50:53	35	44	2	14,3	+
23.6.2015	7:51:18	33	46	2	24,2	+
23.6.2015	7:51:29	31	44	2	10,2	+
23.6.2015	7:51:32	40	44	2	2,3	+
23.6.2015	7:51:38	36	45	2	6	+
23.6.2015	7:51:44	34	49	2	5,6	+

Příloha B - měření po instalaci Opb

23.6.2015	7:51:50	40	49	2	4,9	+
23.6.2015	7:52:13	37	52	2	22,4	+
23.6.2015	7:52:47	32	44	2	25,5	+
23.6.2015	7:53:16	35	56	2	25,5	+
23.6.2015	7:53:29	38	15	2	12,4	+
23.6.2015	7:53:49	34	40	2	18,7	+
23.6.2015	7:53:59	37	51	2	10,2	+
23.6.2015	7:54:24	33	49	2	24,4	+
23.6.2015	7:55:19	39	47	2	25,5	+
23.6.2015	7:55:38	46	43	2	18,3	+
23.6.2015	7:55:46	37	48	2	7,6	+
23.6.2015	7:56:08	35	50	2	21,6	+
23.6.2015	7:56:30	55	44	2	21,4	+
23.6.2015	7:56:42	35	50	2	11,6	+
23.6.2015	7:56:50	52	49	2	6,9	+
23.6.2015	7:56:53	38	59	2	3,1	+
23.6.2015	7:57:06	37	28	2	9,7	+
23.6.2015	7:58:42	38	46	2	25,5	+
23.6.2015	7:59:03	35	43	2	20,6	+
23.6.2015	7:59:13	36	41	2	9,1	+
23.6.2015	7:59:15	38	44	2	1,2	+
23.6.2015	8:00:54	44	47	2	25,5	+
23.6.2015	8:00:56	37	54	2	2,3	+
23.6.2015	8:01:00	36	70	2	3,5	+
23.6.2015	8:01:17	33	51	2	16,4	+
23.6.2015	8:01:29	46	34	2	10,8	+
23.6.2015	8:02:28	37	60	2	25,5	+
23.6.2015	8:02:50	48	23	2	20,5	+
23.6.2015	8:03:33	41	34	2	25,5	+
23.6.2015	8:04:33	34	53	2	25,5	+
23.6.2015	8:05:14	36	56	2	25,5	+
23.6.2015	8:05:22	37	52	2	7,3	+
23.6.2015	8:07:34	38	49	2	25,5	+
23.6.2015	8:07:38	31	55	2	3,5	+
23.6.2015	8:07:41	42	52	2	2,3	+
23.6.2015	8:07:47	34	52	2	5,3	+
23.6.2015	8:08:43	58	19	2	25,5	+
23.6.2015	8:10:41	36	50	2	25,5	+
23.6.2015	8:13:06	39	62	2	25,5	+
23.6.2015	8:13:55	35	43	2	25,5	+
23.6.2015	8:14:04	30	37	2	8,2	+
23.6.2015	8:14:20	38	41	2	15,5	+
23.6.2015	8:14:49	46	42	2	25,5	+
23.6.2015	8:15:00	39	59	2	9,9	+
23.6.2015	8:15:22	33	50	2	21,4	+
23.6.2015	8:16:03	35	51	2	25,5	+
23.6.2015	8:17:36	37	58	2	25,5	+
23.6.2015	8:17:51	55	50	2	14,4	+
23.6.2015	8:17:54	45	57	2	2,4	+
23.6.2015	8:18:09	27	46	2	12,8	+

Příloha B - měření po instalaci Opb

23.6.2015	8:18:57	47	30	2	25,5	+
23.6.2015	8:19:59	37	34	2	25,5	+
23.6.2015	8:20:14	33	49	2	14,3	+
23.6.2015	8:20:19	40	49	2	4,9	+
23.6.2015	8:20:42	37	44	2	22,2	+
23.6.2015	8:20:43	39	47	2	1,1	+
23.6.2015	8:21:32	37	58	2	25,5	+
23.6.2015	8:21:58	42	61	2	25,5	+
23.6.2015	8:22:13	47	34	2	13,8	+
23.6.2015	8:22:20	45	20	2	5,9	+
23.6.2015	8:22:28	36	42	2	7,3	+
23.6.2015	8:22:38	41	45	2	10,2	+
23.6.2015	8:22:40	37	44	2	1,5	+
23.6.2015	8:22:53	43	44	2	12	+
23.6.2015	8:22:59	19	55	1	5,5	+
23.6.2015	8:24:01	29	52	2	25,5	+
23.6.2015	8:24:39	41	29	2	25,5	+
23.6.2015	8:24:40	38	38	2	0,6	+
23.6.2015	8:24:48	38	50	2	7,4	+
23.6.2015	8:26:22	38	41	2	25,5	+
23.6.2015	8:26:34	31	13	2	11,2	+
23.6.2015	8:28:14	41	45	2	25,5	+
23.6.2015	8:28:38	62	41	3	23,4	+
23.6.2015	8:28:40	42	40	2	1,9	+
23.6.2015	8:28:42	40	41	2	0,6	+
23.6.2015	8:28:55	26	51	2	13,5	+
23.6.2015	8:29:01	36	41	2	5	+
23.6.2015	8:30:17	29	46	2	25,5	+
23.6.2015	8:30:22	44	52	2	3,4	+
23.6.2015	8:31:03	35	64	2	25,5	+
23.6.2015	8:32:09	53	35	2	25,5	+
23.6.2015	8:32:15	41	45	2	5,4	+
23.6.2015	8:33:04	61	50	3	25,5	+
23.6.2015	8:33:05	36	55	2	0,8	+
23.6.2015	8:34:32	41	32	2	25,5	+
23.6.2015	8:34:54	39	43	2	21,6	+
23.6.2015	8:35:07	40	45	2	12,9	+
23.6.2015	8:35:44	35	50	2	25,5	+
23.6.2015	8:35:53	39	43	2	8,4	+
23.6.2015	8:38:29	42	37	2	25,5	+
23.6.2015	8:39:42	39	32	2	25,5	+
23.6.2015	8:39:50	32	44	2	7,5	+
23.6.2015	8:39:53	26	12	2	1	+
23.6.2015	8:40:29	35	45	2	25,5	+
23.6.2015	8:40:54	38	34	2	23,8	+
23.6.2015	8:41:02	38	52	2	8,3	+
23.6.2015	8:41:06	23	14	2	2,9	+
23.6.2015	8:42:12	46	35	2	25,5	+
23.6.2015	8:43:16	28	69	2	25,5	+
23.6.2015	8:44:15	39	37	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	8:44:33	41	37	2	17,7	+
23.6.2015	8:44:38	44	23	2	3,1	+
23.6.2015	8:44:45	45	27	2	5,4	+
23.6.2015	8:45:18	58	40	2	25,5	+
23.6.2015	8:46:11	35	58	2	25,5	+
23.6.2015	8:46:42	43	28	2	25,5	+
23.6.2015	8:46:57	45	29	2	14,6	+
23.6.2015	8:47:38	34	55	2	25,5	+
23.6.2015	8:48:13	35	39	2	25,5	+
23.6.2015	8:48:17	43	36	2	2,7	+
23.6.2015	8:49:41	30	59	2	25,5	+
23.6.2015	8:49:46	45	33	2	3,4	+
23.6.2015	8:51:17	32	51	2	25,5	+
23.6.2015	8:51:33	108	25	3	13,8	+
23.6.2015	8:53:26	37	49	2	25,5	+
23.6.2015	8:54:08	51	48	2	25,5	+
23.6.2015	8:55:06	63	32	3	25,5	+
23.6.2015	8:55:15	37	38	2	8,8	+
23.6.2015	8:55:19	47	30	2	2,9	+
23.6.2015	8:55:33	59	38	2	12,9	+
23.6.2015	8:56:39	28	10	2	25,5	+
23.6.2015	8:57:12	40	64	2	25,5	+
23.6.2015	8:57:20	48	12	2	5,7	+
23.6.2015	8:58:52	31	44	2	25,5	+
23.6.2015	8:59:44	46	52	2	25,5	+
23.6.2015	9:00:08	43	30	2	22,5	+
23.6.2015	9:00:31	39	58	2	23,1	+
23.6.2015	9:00:39	42	34	2	6,9	+
23.6.2015	9:04:51	48	27	2	25,5	+
23.6.2015	9:04:54	51	42	2	1,8	+
23.6.2015	9:05:03	37	34	2	8,1	+
23.6.2015	9:05:03	11	30	1	0,3	+
23.6.2015	9:05:08	40	50	2	3,7	+
23.6.2015	9:05:22	39	50	2	14,3	+
23.6.2015	9:05:46	37	50	2	22,7	+
23.6.2015	9:06:45	43	25	2	25,5	+
23.6.2015	9:07:49	37	43	2	25,5	+
23.6.2015	9:07:52	34	49	2	3	+
23.6.2015	9:08:02	36	48	2	9,2	+
23.6.2015	9:08:33	44	53	2	25,5	+
23.6.2015	9:08:46	14	10	1	12,3	+
23.6.2015	9:09:49	43	49	2	25,5	+
23.6.2015	9:10:33	41	52	2	25,5	+
23.6.2015	9:11:04	39	48	2	25,5	+
23.6.2015	9:11:57	45	31	2	25,5	+
23.6.2015	9:12:31	38	41	2	25,5	+
23.6.2015	9:17:00	43	32	2	25,5	+
23.6.2015	9:17:39	34	61	2	25,5	+
23.6.2015	9:19:20	51	51	2	25,5	+
23.6.2015	9:19:39	39	45	2	18,3	+

Příloha B - měření po instalaci Opb

23.6.2015	9:19:44	32	13	2	3,5	+
23.6.2015	9:21:26	37	58	2	25,5	+
23.6.2015	9:22:00	36	37	2	25,5	+
23.6.2015	9:22:26	27	55	2	25,1	+
23.6.2015	9:22:28	37	52	2	1,8	+
23.6.2015	9:22:39	49	45	2	10,1	+
23.6.2015	9:22:55	37	54	2	15,8	+
23.6.2015	9:23:20	42	56	2	24,3	+
23.6.2015	9:23:35	64	48	3	13,9	+
23.6.2015	9:24:22	49	45	2	25,5	+
23.6.2015	9:24:39	53	43	2	16,4	+
23.6.2015	9:25:00	47	26	2	20,6	+
23.6.2015	9:25:16	40	42	2	15,4	+
23.6.2015	9:27:46	37	48	2	25,5	+
23.6.2015	9:27:49	39	47	2	2,7	+
23.6.2015	9:28:35	50	50	2	25,5	+
23.6.2015	9:28:37	37	56	2	1,3	+
23.6.2015	9:29:29	36	65	2	25,5	+
23.6.2015	9:29:44	34	46	2	14,6	+
23.6.2015	9:30:34	36	47	2	25,5	+
23.6.2015	9:31:18	55	53	2	25,5	+
23.6.2015	9:32:16	38	49	2	25,5	+
23.6.2015	9:32:28	40	33	2	12,3	+
23.6.2015	9:35:09	42	60	2	25,5	+
23.6.2015	9:36:19	39	49	2	25,5	+
23.6.2015	9:36:41	34	11	2	20,4	+
23.6.2015	9:37:19	34	49	2	25,5	+
23.6.2015	9:37:43	41	47	2	23,9	+
23.6.2015	9:39:13	86	47	3	25,5	+
23.6.2015	9:39:14	11	12	1	0,8	+
23.6.2015	9:39:18	28	13	2	2,7	+
23.6.2015	9:40:25	47	26	2	25,5	+
23.6.2015	9:40:35	49	27	2	9,3	+
23.6.2015	9:42:11	40	19	2	25,5	+
23.6.2015	9:44:45	32	52	2	25,5	+
23.6.2015	9:44:47	34	59	2	1,3	+
23.6.2015	9:44:53	54	11	2	4,1	+
23.6.2015	9:45:51	55	51	2	25,5	+
23.6.2015	9:46:35	42	44	2	25,5	+
23.6.2015	9:47:17	34	62	2	25,5	+
23.6.2015	9:47:17	42	64	2	0,4	+
23.6.2015	9:48:44	44	50	2	25,5	+
23.6.2015	9:49:33	36	50	2	25,5	+
23.6.2015	9:50:14	44	27	2	25,5	+
23.6.2015	9:50:17	36	56	2	2,7	+
23.6.2015	9:50:20	39	53	2	2,9	+
23.6.2015	9:51:12	53	40	2	25,5	+
23.6.2015	9:51:26	50	41	2	12,8	+
23.6.2015	9:52:10	16	17	1	25,5	+
23.6.2015	9:52:25	40	45	2	15,2	+

Příloha B - měření po instalaci Opb

23.6.2015	9:54:30	43	36	2	25,5	+
23.6.2015	9:54:42	42	36	2	11,1	+
23.6.2015	9:55:05	39	44	2	22,5	+
23.6.2015	9:56:19	63	35	3	25,5	+
23.6.2015	9:56:32	59	35	2	11,5	+
23.6.2015	9:58:24	41	41	2	25,5	+
23.6.2015	9:59:44	40	44	2	25,5	+
23.6.2015	9:59:59	69	46	3	14,3	+
23.6.2015	10:00:26	37	41	2	25,5	+
23.6.2015	10:02:23	59	54	2	25,5	+
23.6.2015	10:03:20	54	46	2	21,6	+
23.6.2015	10:06:20	53	28	2	25,5	+
23.6.2015	10:08:37	37	45	2	25,5	+
23.6.2015	10:08:52	70	49	3	14,5	+
23.6.2015	10:09:35	136	36	4	25,5	+
23.6.2015	10:10:28	40	46	2	25,5	+
23.6.2015	10:10:56	47	25	2	25,5	+
23.6.2015	10:12:00	36	56	2	25,5	+
23.6.2015	10:12:06	54	39	2	5,8	+
23.6.2015	10:14:18	34	40	2	25,5	+
23.6.2015	10:15:31	40	58	2	25,5	+
23.6.2015	10:22:58	39	67	2	25,5	+
23.6.2015	10:23:45	43	22	2	25,5	+
23.6.2015	10:24:07	47	28	2	21,5	+
23.6.2015	10:25:54	33	54	2	25,5	+
23.6.2015	10:27:33	58	49	2	25,5	+
23.6.2015	10:27:44	40	52	2	9,6	+
23.6.2015	10:28:35	33	58	2	25,5	+
23.6.2015	10:29:05	39	41	2	25,5	+
23.6.2015	10:30:22	37	62	2	25,5	+
23.6.2015	10:32:07	40	59	2	25,5	+
23.6.2015	10:32:34	32	55	2	25,5	+
23.6.2015	10:34:51	42	40	2	25,5	+
23.6.2015	10:35:05	41	49	2	14,2	+
23.6.2015	10:38:45	59	56	2	25,5	+
23.6.2015	10:42:14	35	53	2	25,5	+
23.6.2015	10:42:48	21	40	2	25,5	+
23.6.2015	10:44:25	43	34	2	25,5	+
23.6.2015	10:46:47	38	47	2	25,5	+
23.6.2015	10:49:23	49	49	2	25,5	+
23.6.2015	10:49:38	36	55	2	13,8	+
23.6.2015	10:51:47	39	36	2	25,5	+
23.6.2015	10:52:06	45	28	2	18,1	+
23.6.2015	10:52:31	11	15	1	25	+
23.6.2015	10:54:19	44	29	2	25,5	+
23.6.2015	10:59:05	47	31	2	25,5	+
23.6.2015	10:59:45	36	48	2	25,5	+
23.6.2015	11:00:16	32	59	2	25,5	+
23.6.2015	11:00:57	44	31	2	25,5	+
23.6.2015	11:01:34	39	51	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	11:02:44	42	40	2	25,5	+
23.6.2015	11:03:18	34	35	2	25,5	+
23.6.2015	11:04:22	37	46	2	25,5	+
23.6.2015	11:05:00	32	55	2	25,5	+
23.6.2015	11:05:38	32	39	2	25,5	+
23.6.2015	11:11:07	54	63	2	25,5	+
23.6.2015	11:13:21	47	24	2	25,5	+
23.6.2015	11:15:29	45	24	2	25,5	+
23.6.2015	11:15:36	39	41	2	6,9	+
23.6.2015	11:15:42	41	30	2	4,4	+
23.6.2015	11:18:46	25	13	2	25,5	+
23.6.2015	11:24:10	34	50	2	25,5	+
23.6.2015	11:29:45	39	36	2	25,5	+
23.6.2015	11:33:57	28	48	2	25,5	+
23.6.2015	11:35:10	47	29	2	25,5	+
23.6.2015	11:35:13	17	15	1	1,4	+
23.6.2015	11:35:31	40	42	2	17,7	+
23.6.2015	11:36:31	40	49	2	25,5	+
23.6.2015	11:36:42	42	34	2	11	+
23.6.2015	11:37:28	36	52	2	25,5	+
23.6.2015	11:38:43	34	62	2	25,5	+
23.6.2015	11:40:54	41	50	2	25,5	+
23.6.2015	11:41:10	38	39	2	15,6	+
23.6.2015	11:42:48	51	49	2	25,5	+
23.6.2015	11:42:53	37	56	2	3,8	+
23.6.2015	11:44:40	21	9	2	25,5	+
23.6.2015	11:45:55	30	14	2	25,5	+
23.6.2015	11:46:20	24	14	2	24	+
23.6.2015	11:48:50	60	37	2	25,5	+
23.6.2015	11:49:59	39	30	2	25,5	+
23.6.2015	11:50:05	32	46	2	5,2	+
23.6.2015	11:50:44	45	28	2	25,5	+
23.6.2015	11:50:58	37	58	2	13,5	+
23.6.2015	11:51:05	34	47	2	7,4	+
23.6.2015	11:52:03	40	26	2	25,5	+
23.6.2015	11:52:51	32	51	2	25,5	+
23.6.2015	11:52:56	44	27	2	4,1	+
23.6.2015	11:56:09	40	45	2	25,5	+
23.6.2015	11:56:33	66	45	3	23,1	+
23.6.2015	11:58:08	60	31	2	25,5	+
23.6.2015	11:59:23	74	11	3	25,5	+
23.6.2015	12:00:34	15	56	1	25,5	+
23.6.2015	12:00:50	38	42	2	15,9	+
23.6.2015	12:01:08	80	54	3	17,2	+
23.6.2015	12:01:40	37	53	2	25,5	+
23.6.2015	12:02:22	43	33	2	25,5	+
23.6.2015	12:03:09	39	32	2	25,5	+
23.6.2015	12:04:43	11	8	1	25,5	+
23.6.2015	12:05:10	13	64	1	25,5	+
23.6.2015	12:06:07	58	8	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	12:06:49	33	10	2	25,5	+
23.6.2015	12:07:47	34	47	2	25,5	+
23.6.2015	12:07:53	15	41	1	5,2	+
23.6.2015	12:09:47	47	44	2	25,5	+
23.6.2015	12:11:47	38	26	2	25,5	+
23.6.2015	12:12:18	27	38	2	25,5	+
23.6.2015	12:14:16	27	48	2	25,5	+
23.6.2015	12:14:31	49	40	2	14,4	+
23.6.2015	12:15:35	12	42	1	25,5	+
23.6.2015	12:16:15	39	39	2	25,5	+
23.6.2015	12:18:29	26	51	2	25,5	+
23.6.2015	12:19:16	34	42	2	25,5	+
23.6.2015	12:19:19	35	52	2	2,5	+
23.6.2015	12:24:44	34	39	2	25,5	+
23.6.2015	12:26:06	43	29	2	25,5	+
23.6.2015	12:28:29	31	41	2	25,5	+
23.6.2015	12:28:37	36	38	2	6,8	+
23.6.2015	12:29:49	43	34	2	25,5	+
23.6.2015	12:30:11	18	12	1	20,4	+
23.6.2015	12:31:23	25	14	2	25,5	+
23.6.2015	12:31:47	26	49	2	24	+
23.6.2015	12:32:49	33	38	2	25,5	+
23.6.2015	12:32:51	31	49	2	1,6	+
23.6.2015	12:34:22	36	49	2	25,5	+
23.6.2015	12:36:33	19	14	1	25,5	+
23.6.2015	12:38:10	36	61	2	25,5	+
23.6.2015	12:39:21	54	52	2	25,5	+
23.6.2015	12:40:09	28	44	2	25,5	+
23.6.2015	12:40:32	38	43	2	22,8	+
23.6.2015	12:41:28	43	42	2	25,5	+
23.6.2015	12:42:18	34	32	2	25,5	+
23.6.2015	12:43:29	76	18	3	25,5	+
23.6.2015	12:44:53	12	8	1	25,5	+
23.6.2015	12:48:05	41	21	2	25,5	+
23.6.2015	12:50:42	42	28	2	25,5	+
23.6.2015	12:50:59	36	42	2	16,4	+
23.6.2015	12:51:12	37	40	2	12,2	+
23.6.2015	12:51:16	35	56	2	3,6	+
23.6.2015	12:51:36	49	22	2	18,4	+
23.6.2015	12:51:40	40	55	2	3,7	+
23.6.2015	12:52:08	43	22	2	25,5	+
23.6.2015	12:52:12	47	43	2	3,2	+
23.6.2015	12:56:06	56	17	2	25,5	+
23.6.2015	12:58:41	36	31	2	25,5	+
23.6.2015	12:59:00	37	34	2	17,7	+
23.6.2015	13:00:24	51	42	2	25,5	+
23.6.2015	13:01:09	47	33	2	25,5	+
23.6.2015	13:08:34	14	9	1	25,5	+
23.6.2015	13:08:51	35	43	2	16,4	+
23.6.2015	13:09:20	41	60	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	13:10:40	47	54	2	24,9	+
23.6.2015	13:10:49	42	25	2	7,7	+
23.6.2015	13:12:00	37	24	2	25,5	+
23.6.2015	13:12:13	38	48	2	13,1	+
23.6.2015	13:12:17	41	46	2	2,9	+
23.6.2015	13:12:30	40	45	2	13,3	+
23.6.2015	13:12:55	63	37	3	23,5	+
23.6.2015	13:14:02	11	10	1	25,5	+
23.6.2015	13:14:07	19	9	1	3,3	+
23.6.2015	13:16:48	33	55	2	25,5	+
23.6.2015	13:18:16	43	39	2	25,5	+
23.6.2015	13:19:34	34	46	2	25,5	+
23.6.2015	13:21:07	41	13	2	25,5	+
23.6.2015	13:21:28	42	30	2	20,4	+
23.6.2015	13:22:59	34	64	2	25,5	+
23.6.2015	13:25:43	35	53	2	25,5	+
23.6.2015	13:25:57	39	36	2	13,2	+
23.6.2015	13:26:18	36	43	2	20,2	+
23.6.2015	13:27:14	54	48	2	25,5	+
23.6.2015	13:28:00	45	24	2	25,5	+
23.6.2015	13:28:14	41	44	2	13,1	+
23.6.2015	13:28:29	40	45	2	14,2	+
23.6.2015	13:28:33	47	42	2	3,9	+
23.6.2015	13:29:44	32	44	2	25,5	+
23.6.2015	13:30:00	35	58	2	15,4	+
23.6.2015	13:30:44	56	31	2	25,5	+
23.6.2015	13:31:19	49	50	2	25,5	+
23.6.2015	13:31:29	62	31	3	9	+
23.6.2015	13:31:35	42	41	2	5,2	+
23.6.2015	13:33:05	51	48	2	25,5	+
23.6.2015	13:33:49	33	46	2	25,5	+
23.6.2015	13:34:21	32	48	2	25,5	+
23.6.2015	13:36:59	34	53	2	25,5	+
23.6.2015	13:37:30	37	52	2	25,5	+
23.6.2015	13:39:05	11	13	1	25,5	+
23.6.2015	13:41:13	39	49	2	25,5	+
23.6.2015	13:41:16	39	45	2	2,7	+
23.6.2015	13:41:29	41	32	2	11,6	+
23.6.2015	13:42:03	68	45	3	25,5	+
23.6.2015	13:42:15	34	53	2	11	+
23.6.2015	13:44:42	34	62	2	25,5	+
23.6.2015	13:44:45	28	15	2	1,5	+
23.6.2015	13:46:07	45	46	2	25,5	+
23.6.2015	13:47:01	32	11	2	25,5	+
23.6.2015	13:48:06	22	13	2	25,5	+
23.6.2015	13:50:04	63	45	3	25,5	+
23.6.2015	13:51:02	47	30	2	25,5	+
23.6.2015	13:52:07	38	27	2	25,5	+
23.6.2015	13:52:18	14	11	1	9,6	+
23.6.2015	13:53:00	57	34	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	13:53:01	46	33	2	0,9	+
23.6.2015	13:53:07	43	33	2	4,5	+
23.6.2015	13:56:38	35	48	2	25,5	+
23.6.2015	13:57:47	33	49	2	25,5	+
23.6.2015	13:58:24	35	24	2	25,5	+
23.6.2015	13:59:43	37	43	2	25,5	+
23.6.2015	14:01:16	14	26	1	25,5	+
23.6.2015	14:01:40	37	45	2	23,7	+
23.6.2015	14:01:41	35	48	2	0,9	+
23.6.2015	14:01:46	40	48	2	3,8	+
23.6.2015	14:03:59	19	55	1	25,5	+
23.6.2015	14:04:00	13	47	1	0,3	+
23.6.2015	14:07:00	17	9	1	25,5	+
23.6.2015	14:07:26	18	27	1	25	+
23.6.2015	14:11:15	35	41	2	25,5	+
23.6.2015	14:11:32	27	51	2	17	+
23.6.2015	14:13:29	48	38	2	25,5	+
23.6.2015	14:13:32	50	42	2	2,8	+
23.6.2015	14:13:42	94	27	3	8,6	+
23.6.2015	14:13:51	78	39	3	8,1	+
23.6.2015	14:20:48	67	37	3	25,5	+
23.6.2015	14:20:52	38	50	2	2,7	+
23.6.2015	14:20:54	35	47	2	1,7	+
23.6.2015	14:20:55	32	47	2	0,9	+
23.6.2015	14:23:03	36	47	2	25,5	+
23.6.2015	14:23:38	35	52	2	25,5	+
23.6.2015	14:23:58	72	55	3	18,8	+
23.6.2015	14:24:19	39	45	2	20,4	+
23.6.2015	14:25:03	33	35	2	25,5	+
23.6.2015	14:25:28	41	37	2	23,7	+
23.6.2015	14:27:01	65	32	3	25,5	+
23.6.2015	14:28:03	47	32	2	25,5	+
23.6.2015	14:28:22	35	50	2	19,3	+
23.6.2015	14:28:38	53	43	2	15,2	+
23.6.2015	14:28:43	41	33	2	3,6	+
23.6.2015	14:30:22	18	14	1	25,5	+
23.6.2015	14:31:01	41	44	2	25,5	+
23.6.2015	14:34:12	53	39	2	25,5	+
23.6.2015	14:36:09	38	55	2	25,5	+
23.6.2015	14:36:22	41	55	2	12,2	+
23.6.2015	14:37:09	34	44	2	25,5	+
23.6.2015	14:38:34	38	27	2	25,5	+
23.6.2015	14:39:16	46	11	2	25,5	+
23.6.2015	14:39:36	40	27	2	19,7	+
23.6.2015	14:40:08	32	45	2	25,5	+
23.6.2015	14:41:50	39	47	2	25,5	+
23.6.2015	14:41:59	36	44	2	7,8	+
23.6.2015	14:42:23	37	46	2	24	+
23.6.2015	14:44:09	20	8	1	25,5	+
23.6.2015	14:45:55	30	51	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	14:46:35	47	47	2	25,5	+
23.6.2015	14:47:18	32	40	2	25,5	+
23.6.2015	14:48:19	32	49	2	25,5	+
23.6.2015	14:49:46	37	49	2	25,5	+
23.6.2015	14:50:52	35	14	2	25,5	+
23.6.2015	14:51:22	38	36	2	25,5	+
23.6.2015	14:53:21	30	24	2	25,5	+
23.6.2015	14:54:02	37	36	2	25,5	+
23.6.2015	14:55:33	152	30	4	25,5	+
23.6.2015	14:55:41	38	39	2	6,9	+
23.6.2015	14:55:47	50	50	2	5,7	+
23.6.2015	14:55:57	42	35	2	8,8	+
23.6.2015	14:56:02	37	41	2	4,9	+
23.6.2015	14:56:38	46	40	2	25,5	+
23.6.2015	14:57:25	37	34	2	25,5	+
23.6.2015	14:57:40	15	20	1	14,4	+
23.6.2015	14:58:50	54	43	2	25,5	+
23.6.2015	14:59:41	44	39	2	25,5	+
23.6.2015	15:01:38	42	45	2	25,5	+
23.6.2015	15:02:05	34	30	2	25,5	+
23.6.2015	15:02:59	41	52	2	25,5	+
23.6.2015	15:03:10	36	30	2	11	+
23.6.2015	15:04:14	31	15	2	25,5	+
23.6.2015	15:04:26	72	35	3	10,9	+
23.6.2015	15:05:41	47	34	2	25,5	+
23.6.2015	15:05:44	30	53	2	2,7	+
23.6.2015	15:06:07	36	39	2	22,1	+
23.6.2015	15:08:14	33	49	2	25,5	+
23.6.2015	15:09:47	38	51	2	25,5	+
23.6.2015	15:09:52	46	34	2	4,5	+
23.6.2015	15:10:02	32	43	2	9,2	+
23.6.2015	15:10:46	28	55	2	25,5	+
23.6.2015	15:12:00	36	31	2	25,5	+
23.6.2015	15:12:04	38	35	2	3,6	+
23.6.2015	15:12:28	42	31	2	22,9	+
23.6.2015	15:13:10	33	49	2	25,5	+
23.6.2015	15:13:13	33	42	2	2,5	+
23.6.2015	15:13:37	61	40	3	23,1	+
23.6.2015	15:14:17	27	11	2	25,5	+
23.6.2015	15:17:46	11	40	1	25,5	+
23.6.2015	15:19:00	14	40	1	25,5	+
23.6.2015	15:19:07	18	45	1	6,8	+
23.6.2015	15:19:35	27	44	2	25,5	+
23.6.2015	15:21:44	20	24	1	25,5	+
23.6.2015	15:21:48	20	28	1	3,7	+
23.6.2015	15:23:16	31	24	2	25,5	+
23.6.2015	15:23:18	26	31	2	1,4	+
23.6.2015	15:23:39	31	23	2	19,8	+
23.6.2015	15:27:07	35	43	2	25,5	+
23.6.2015	15:27:25	39	27	2	16,2	+

Příloha B - měření po instalaci Opb

23.6.2015	15:28:07	44	47	2	25,5	+
23.6.2015	15:29:37	44	34	2	25,5	+
23.6.2015	15:30:12	49	46	2	25,5	+
23.6.2015	15:30:53	36	46	2	25,5	+
23.6.2015	15:31:22	39	32	2	25,5	+
23.6.2015	15:32:31	36	53	2	25,5	+
23.6.2015	15:32:38	47	36	2	6,4	+
23.6.2015	15:35:58	62	43	3	25,5	+
23.6.2015	15:36:14	39	38	2	14,7	+
23.6.2015	15:37:31	39	37	2	25,5	+
23.6.2015	15:38:33	56	40	2	25,5	+
23.6.2015	15:39:05	34	48	2	25,5	+
23.6.2015	15:39:13	52	48	2	7,4	+
23.6.2015	15:41:25	42	29	2	25,5	+
23.6.2015	15:42:39	43	34	2	25,5	+
23.6.2015	15:43:39	69	42	3	25,5	+
23.6.2015	15:44:56	16	8	1	25,5	+
23.6.2015	15:45:42	47	35	2	25,5	+
23.6.2015	15:45:43	39	35	2	0,6	+
23.6.2015	15:46:35	32	50	2	25,5	+
23.6.2015	15:46:36	37	55	2	0,4	+
23.6.2015	15:48:33	31	43	2	25,5	+
23.6.2015	15:48:44	41	57	2	10,7	+
23.6.2015	15:49:17	76	48	3	25,5	+
23.6.2015	15:49:19	41	43	2	1,1	+
23.6.2015	15:52:05	45	28	2	25,5	+
23.6.2015	15:53:57	29	53	2	25,5	+
23.6.2015	15:54:00	35	51	2	2,5	+
23.6.2015	15:55:39	39	38	2	25,5	+
23.6.2015	15:56:23	56	16	2	25,5	+
23.6.2015	15:56:42	36	41	2	18,4	+
23.6.2015	15:57:42	31	55	2	25,5	+
23.6.2015	15:59:04	35	46	2	25,5	+
23.6.2015	16:00:16	12	11	1	25,5	+
23.6.2015	16:00:43	46	20	2	25,5	+
23.6.2015	16:02:19	37	50	2	25,5	+
23.6.2015	16:02:58	34	39	2	25,5	+
23.6.2015	16:03:13	32	57	2	14,2	+
23.6.2015	16:03:25	38	49	2	11,6	+
23.6.2015	16:04:15	26	58	2	25,5	+
23.6.2015	16:04:39	40	34	2	23,5	+
23.6.2015	16:06:07	100	42	3	25,5	+
23.6.2015	16:06:27	43	27	2	19,4	+
23.6.2015	16:06:59	36	49	2	25,5	+
23.6.2015	16:09:32	35	16	2	25,5	+
23.6.2015	16:09:39	38	40	2	6,2	+
23.6.2015	16:10:22	40	52	2	25,5	+
23.6.2015	16:11:26	37	38	2	25,5	+
23.6.2015	16:11:43	40	44	2	16	+
23.6.2015	16:12:46	19	11	1	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	16:13:10	34	48	2	24	+
23.6.2015	16:13:25	42	39	2	14,2	+
23.6.2015	16:13:34	36	38	2	8,6	+
23.6.2015	16:14:19	14	12	1	25,5	+
23.6.2015	16:14:24	29	11	2	3,7	+
23.6.2015	16:15:14	31	68	2	25,5	+
23.6.2015	16:17:08	59	33	2	25,5	+
23.6.2015	16:19:31	35	35	2	25,5	+
23.6.2015	16:19:33	38	40	2	1,6	+
23.6.2015	16:19:35	40	39	2	1,5	+
23.6.2015	16:19:42	47	22	2	6,3	+
23.6.2015	16:20:09	37	42	2	25,5	+
23.6.2015	16:20:58	38	48	2	25,5	+
23.6.2015	16:21:24	12	15	1	25,5	+
23.6.2015	16:21:35	36	44	2	9,9	+
23.6.2015	16:21:57	47	33	2	21	+
23.6.2015	16:22:09	39	33	2	11,2	+
23.6.2015	16:22:31	84	18	3	20,3	+
23.6.2015	16:23:47	46	33	2	25,5	+
23.6.2015	16:24:10	44	14	2	21,5	+
23.6.2015	16:25:35	47	26	2	25,5	+
23.6.2015	16:28:09	32	30	2	25,5	+
23.6.2015	16:28:35	35	60	2	25,5	+
23.6.2015	16:29:20	34	46	2	25,5	+
23.6.2015	16:29:32	43	30	2	10,7	+
23.6.2015	16:29:51	31	42	2	18,6	+
23.6.2015	16:29:53	40	41	2	1,1	+
23.6.2015	16:30:03	30	42	2	9,4	+
23.6.2015	16:30:51	45	41	2	25,5	+
23.6.2015	16:33:00	56	30	2	25,5	+
23.6.2015	16:34:35	41	25	2	25,5	+
23.6.2015	16:34:54	39	42	2	18,6	+
23.6.2015	16:34:56	35	50	2	1,4	+
23.6.2015	16:35:19	50	31	2	21,7	+
23.6.2015	16:36:48	37	43	2	25,5	+
23.6.2015	16:38:00	41	37	2	25,5	+
23.6.2015	16:38:31	34	44	2	25,5	+
23.6.2015	16:38:53	37	45	2	21,5	+
23.6.2015	16:39:40	51	44	2	25,5	+
23.6.2015	16:40:12	44	36	2	25,5	+
23.6.2015	16:40:18	36	46	2	5	+
23.6.2015	16:40:38	39	31	2	19,7	+
23.6.2015	16:41:27	40	38	2	25,5	+
23.6.2015	16:41:29	44	41	2	1,1	+
23.6.2015	16:41:58	40	40	2	25,5	+
23.6.2015	16:42:35	55	35	2	25,5	+
23.6.2015	16:42:44	34	53	2	9,2	+
23.6.2015	16:43:20	38	37	2	25,5	+
23.6.2015	16:44:10	32	9	2	25,5	+
23.6.2015	16:46:48	32	45	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	16:46:51	42	32	2	2,9	+
23.6.2015	16:47:25	39	31	2	25,5	+
23.6.2015	16:47:56	37	38	2	25,5	+
23.6.2015	16:48:02	35	45	2	5,4	+
23.6.2015	16:48:41	44	51	2	25,5	+
23.6.2015	16:49:47	37	39	2	25,5	+
23.6.2015	16:49:52	20	47	1	5,6	+
23.6.2015	16:49:53	14	43	1	0,1	+
23.6.2015	16:51:04	44	37	2	25,5	+
23.6.2015	16:51:54	34	51	2	25,5	+
23.6.2015	16:53:17	44	40	2	25,5	+
23.6.2015	16:53:25	34	40	2	7,6	+
23.6.2015	16:53:28	37	45	2	2,1	+
23.6.2015	16:59:04	34	56	2	25,5	+
23.6.2015	16:59:59	50	22	2	25,5	+
23.6.2015	17:02:48	49	33	2	25,5	+
23.6.2015	17:04:23	36	54	2	25,5	+
23.6.2015	17:04:35	43	41	2	11,3	+
23.6.2015	17:05:11	39	42	2	25,5	+
23.6.2015	17:05:29	49	26	2	17	+
23.6.2015	17:05:33	26	38	2	3,7	+
23.6.2015	17:09:08	45	28	2	25,5	+
23.6.2015	17:10:36	40	48	2	25,5	+
23.6.2015	17:12:04	41	34	2	25,5	+
23.6.2015	17:12:13	39	42	2	8,1	+
23.6.2015	17:12:57	41	49	2	25,5	+
23.6.2015	17:13:06	39	36	2	8,2	+
23.6.2015	17:13:25	44	26	2	18,3	+
23.6.2015	17:14:08	46	18	2	25,5	+
23.6.2015	17:14:13	23	11	2	3,4	+
23.6.2015	17:14:26	50	35	2	12,7	+
23.6.2015	17:14:39	48	36	2	12,3	+
23.6.2015	17:16:35	55	38	2	25,5	+
23.6.2015	17:16:37	45	34	2	1,5	+
23.6.2015	17:17:48	38	60	2	25,5	+
23.6.2015	17:19:57	39	31	2	25,5	+
23.6.2015	17:20:16	86	41	3	17,4	+
23.6.2015	17:20:58	39	43	2	25,5	+
23.6.2015	17:23:24	36	40	2	25,5	+
23.6.2015	17:23:31	27	49	2	6,6	+
23.6.2015	17:26:17	34	51	2	25,5	+
23.6.2015	17:27:59	40	34	2	25,5	+
23.6.2015	17:28:11	38	35	2	11	+
23.6.2015	17:29:09	36	66	2	25,5	+
23.6.2015	17:30:23	38	27	2	25,5	+
23.6.2015	17:30:29	72	41	3	5	+
23.6.2015	17:30:37	38	33	2	7,4	+
23.6.2015	17:30:40	41	32	2	2,2	+
23.6.2015	17:31:08	38	49	2	25,5	+
23.6.2015	17:31:12	31	13	2	2,8	+

Příloha B - měření po instalaci Opb

23.6.2015	17:31:16	37	47	2	4,2	+
23.6.2015	17:32:01	48	34	2	25,5	+
23.6.2015	17:32:51	118	49	3	25,5	+
23.6.2015	17:33:41	24	28	2	25,5	+
23.6.2015	17:33:42	24	24	2	0,6	+
23.6.2015	17:34:00	43	28	2	17	+
23.6.2015	17:34:37	38	34	2	25,5	+
23.6.2015	17:35:01	57	54	2	23,7	+
23.6.2015	17:35:33	21	15	2	25,5	+
23.6.2015	17:35:48	39	32	2	13,9	+
23.6.2015	17:35:52	51	33	2	3,1	+
23.6.2015	17:36:26	39	48	2	25,5	+
23.6.2015	17:36:58	37	42	2	25,5	+
23.6.2015	17:38:36	16	8	1	25,5	+
23.6.2015	17:38:53	12	10	1	16,6	+
23.6.2015	17:39:02	30	32	2	8,1	+
23.6.2015	17:39:05	25	30	2	2,2	+
23.6.2015	17:39:09	28	35	2	3,4	+
23.6.2015	17:40:24	32	33	2	24,1	+
23.6.2015	17:42:06	42	29	2	25,5	+
23.6.2015	17:42:40	14	29	1	25,5	+
23.6.2015	17:42:45	14	46	1	4,8	+
23.6.2015	17:42:46	18	42	1	0,3	+
23.6.2015	17:43:02	36	62	2	16	+
23.6.2015	17:44:22	41	46	2	25,5	+
23.6.2015	17:45:36	12	8	1	25,5	+
23.6.2015	17:45:48	13	45	1	11,6	+
23.6.2015	17:47:21	12	8	1	25,5	+
23.6.2015	17:47:45	17	9	1	22,1	+
23.6.2015	17:47:51	39	9	2	3,2	+
23.6.2015	17:47:55	19	9	1	3,1	+
23.6.2015	17:48:01	37	9	2	2,8	+
23.6.2015	17:48:10	29	10	2	6,7	+
23.6.2015	17:48:32	255	10	4	12,4	+
23.6.2015	17:48:41	70	10	3	4,4	+
23.6.2015	17:48:46	36	10	2	2,6	+
23.6.2015	17:48:53	49	10	2	3,2	+
23.6.2015	17:48:55	16	10	1	1,3	+
23.6.2015	17:48:58	13	9	1	2,3	+
23.6.2015	17:49:08	39	9	2	6,1	+
23.6.2015	17:49:13	31	10	2	2,6	+
23.6.2015	17:49:16	19	9	1	2	+
23.6.2015	17:49:26	78	11	3	5	+
23.6.2015	17:49:36	112	10	3	5,2	+
23.6.2015	17:49:48	150	10	4	5,8	+
23.6.2015	17:49:52	34	10	2	2,1	+
23.6.2015	17:50:16	255	11	4	12	+
23.6.2015	17:50:18	13	10	1	1	+
23.6.2015	17:50:27	18	34	1	8,7	+
23.6.2015	17:50:28	23	31	2	0,4	+

Příloha B - měření po instalaci Opb

23.6.2015	17:50:42	23	52	2	13,8	+
23.6.2015	17:51:16	15	53	1	25,5	+
23.6.2015	17:51:45	25	30	2	25,5	+
23.6.2015	17:51:47	21	15	2	1,7	+
23.6.2015	17:53:39	38	31	2	25,5	+
23.6.2015	17:53:55	27	40	2	15,1	+
23.6.2015	17:54:20	13	40	1	25	+
23.6.2015	17:55:35	11	55	1	25,5	+
23.6.2015	17:55:42	13	28	1	5,9	+
23.6.2015	17:56:20	21	39	2	25,5	+
23.6.2015	17:56:30	12	9	1	8,6	+
23.6.2015	17:56:39	15	31	1	9,2	+
23.6.2015	17:59:05	34	36	2	25,5	+
23.6.2015	17:59:09	31	37	2	3,6	+
23.6.2015	18:01:11	33	57	2	25,5	+
23.6.2015	18:02:21	25	44	2	25,5	+
23.6.2015	18:02:41	31	42	2	19,2	+
23.6.2015	18:02:43	29	44	2	1,1	+
23.6.2015	18:03:56	35	31	2	25,5	+
23.6.2015	18:04:11	33	38	2	14,3	+
23.6.2015	18:04:55	29	40	2	25,5	+
23.6.2015	18:05:15	40	27	2	19,3	+
23.6.2015	18:06:20	49	25	2	25,5	+
23.6.2015	18:07:16	31	35	2	25,5	+
23.6.2015	18:07:19	36	39	2	2,7	+
23.6.2015	18:07:42	30	45	2	22,4	+
23.6.2015	18:09:33	48	27	2	25,5	+
23.6.2015	18:10:00	38	9	2	25	+
23.6.2015	18:10:28	40	25	2	25,5	+
23.6.2015	18:11:02	37	34	2	25,5	+
23.6.2015	18:11:04	35	35	2	1,3	+
23.6.2015	18:11:23	22	39	2	17,9	+
23.6.2015	18:11:51	32	51	2	25,5	+
23.6.2015	18:12:05	42	28	2	12,9	+
23.6.2015	18:12:08	42	32	2	2,3	+
23.6.2015	18:12:10	32	32	2	1,3	+
23.6.2015	18:13:25	36	42	2	25,5	+
23.6.2015	18:14:48	22	59	2	25,5	+
23.6.2015	18:15:00	14	19	1	10,4	+
23.6.2015	18:15:04	19	9	1	3,8	+
23.6.2015	18:16:40	27	13	2	25,5	+
23.6.2015	18:16:43	30	39	2	2,2	+
23.6.2015	18:18:16	36	46	2	25,5	+
23.6.2015	18:18:48	57	33	2	25,5	+
23.6.2015	18:19:51	23	14	2	25,5	+
23.6.2015	18:20:59	37	39	2	25,5	+
23.6.2015	18:23:45	36	41	2	25,5	+
23.6.2015	18:24:06	31	41	2	19,9	+
23.6.2015	18:24:44	34	45	2	25,5	+
23.6.2015	18:24:55	42	29	2	10	+

Příloha B - měření po instalaci Opb

23.6.2015	18:25:14	36	40	2	18,2	+
23.6.2015	18:27:09	48	24	2	25,5	+
23.6.2015	18:27:53	36	46	2	25,5	+
23.6.2015	18:28:23	35	50	2	25,5	+
23.6.2015	18:29:04	34	47	2	25,5	+
23.6.2015	18:29:31	34	61	2	25,5	+
23.6.2015	18:30:01	39	36	2	25,5	+
23.6.2015	18:30:43	39	37	2	25,5	+
23.6.2015	18:30:44	12	34	1	0,3	+
23.6.2015	18:31:21	38	26	2	25,5	+
23.6.2015	18:35:59	32	24	2	25,5	+
23.6.2015	18:36:17	30	50	2	17,4	+
23.6.2015	18:36:51	36	52	2	25,5	+
23.6.2015	18:37:27	31	43	2	25,5	+
23.6.2015	18:38:12	31	32	2	25,5	+
23.6.2015	18:39:42	35	42	2	25,5	+
23.6.2015	18:40:44	24	12	2	25,5	+
23.6.2015	18:41:21	35	38	2	25,5	+
23.6.2015	18:42:28	31	39	2	25,5	+
23.6.2015	18:45:08	16	10	1	25,5	+
23.6.2015	18:45:11	28	9	2	1,9	+
23.6.2015	18:45:59	41	49	2	25,5	+
23.6.2015	18:46:06	35	58	2	6,4	+
23.6.2015	18:49:31	33	31	2	25,5	+
23.6.2015	18:50:25	33	33	2	25,5	+
23.6.2015	18:50:37	24	33	2	11,8	+
23.6.2015	18:50:56	37	50	2	18,5	+
23.6.2015	18:51:00	39	58	2	3,8	+
23.6.2015	18:51:14	40	30	2	12,7	+
23.6.2015	18:51:17	22	13	2	1,7	+
23.6.2015	18:51:55	33	33	2	25,5	+
23.6.2015	18:51:57	38	34	2	1	+
23.6.2015	18:52:08	36	29	2	9,9	+
23.6.2015	18:52:10	40	34	2	1,2	+
23.6.2015	18:52:51	44	26	2	25,5	+
23.6.2015	18:55:03	37	43	2	25,5	+
23.6.2015	18:55:47	30	44	2	25,5	+
23.6.2015	18:56:12	15	56	1	24,8	+
23.6.2015	18:57:12	35	18	2	25,5	+
23.6.2015	18:58:12	22	29	2	25,5	+
23.6.2015	19:02:44	47	30	2	25,5	+
23.6.2015	19:03:50	30	40	2	25,5	+
23.6.2015	19:04:19	64	42	3	25,5	+
23.6.2015	19:06:11	27	51	2	25,5	+
23.6.2015	19:08:01	33	19	2	25,5	+
23.6.2015	19:09:56	106	46	3	25,5	+
23.6.2015	19:11:31	46	46	2	25,5	+
23.6.2015	19:11:34	40	45	2	2,4	+
23.6.2015	19:12:28	42	26	2	25,5	+
23.6.2015	19:12:46	40	43	2	17,6	+

Příloha B - měření po instalaci Opb

23.6.2015	19:12:57	47	30	2	9,9	+
23.6.2015	19:13:17	35	53	2	20,2	+
23.6.2015	19:14:39	33	43	2	25,5	+
23.6.2015	19:15:43	31	36	2	25,5	+
23.6.2015	19:15:51	18	10	1	6,8	+
23.6.2015	19:16:45	28	55	2	25,5	+
23.6.2015	19:16:49	41	20	2	2,6	+
23.6.2015	19:17:52	43	27	2	25,5	+
23.6.2015	19:19:25	43	28	2	25,5	+
23.6.2015	19:19:36	38	55	2	11	+
23.6.2015	19:19:45	38	49	2	8,6	+
23.6.2015	19:20:52	32	48	2	25,5	+
23.6.2015	19:21:11	40	28	2	18,5	+
23.6.2015	19:21:41	39	30	2	25,5	+
23.6.2015	19:25:39	34	44	2	25,5	+
23.6.2015	19:27:14	41	30	2	25,5	+
23.6.2015	19:27:27	44	30	2	11,3	+
23.6.2015	19:28:25	37	50	2	25,5	+
23.6.2015	19:29:09	35	47	2	25,5	+
23.6.2015	19:33:32	24	53	2	0,4	+
23.6.2015	19:35:05	32	46	2	25,5	+
23.6.2015	19:37:12	53	42	2	25,5	+
23.6.2015	19:38:49	42	68	2	25,5	+
23.6.2015	19:44:33	56	38	2	25,5	+
23.6.2015	19:45:05	25	8	2	25,5	+
23.6.2015	19:45:56	33	63	2	25,5	+
23.6.2015	19:49:04	30	47	2	25,5	+
23.6.2015	19:51:01	53	55	2	25,5	+
23.6.2015	19:51:50	54	28	2	25,5	+
23.6.2015	19:53:43	36	48	2	25,5	+
23.6.2015	19:53:47	37	42	2	4,3	+
23.6.2015	19:53:50	38	43	2	1,5	+
23.6.2015	19:55:38	39	30	2	25,5	+
23.6.2015	19:56:17	41	64	2	25,5	+
23.6.2015	19:57:26	47	45	2	25,5	+
23.6.2015	19:59:16	36	39	2	25,5	+
23.6.2015	20:00:43	36	54	2	25,5	+
23.6.2015	20:01:01	35	57	2	18,2	+
23.6.2015	20:06:26	30	49	2	25,5	+
23.6.2015	20:06:27	17	45	1	0,3	+
23.6.2015	20:06:50	39	13	2	20,9	+
23.6.2015	20:10:15	51	22	2	25,5	+
23.6.2015	20:10:45	40	42	2	25,5	+
23.6.2015	20:13:33	31	53	2	25,5	+
23.6.2015	20:14:28	36	44	2	25,5	+
23.6.2015	20:14:33	47	29	2	4,1	+
23.6.2015	20:17:00	43	30	2	25,5	+
23.6.2015	20:17:22	54	47	2	21,9	+
23.6.2015	20:18:36	45	53	2	25,5	+
23.6.2015	20:18:40	32	56	2	4,1	+

Příloha B - měření po instalaci Opb

23.6.2015	20:20:45	48	27	2	25,5	+
23.6.2015	20:25:34	37	47	2	25,5	+
23.6.2015	20:28:59	31	78	2	25,5	+
23.6.2015	20:29:35	39	46	2	25,5	+
23.6.2015	20:32:08	43	42	2	25,5	+
23.6.2015	20:35:40	46	29	2	25,5	+
23.6.2015	20:37:48	40	42	2	25,5	+
23.6.2015	20:38:12	43	31	2	22,4	+
23.6.2015	20:40:34	42	34	2	25,5	+
23.6.2015	20:41:23	39	35	2	25,5	+
23.6.2015	20:42:41	30	40	2	25,5	+
23.6.2015	20:42:42	44	42	2	0,5	+
23.6.2015	20:46:06	24	14	2	25,5	+
23.6.2015	20:46:10	13	8	1	2,7	+
23.6.2015	20:46:44	47	24	2	25,5	+
23.6.2015	20:52:39	45	28	2	25,5	+
23.6.2015	20:54:50	45	28	2	25,5	+
23.6.2015	20:58:02	21	12	2	25,5	+
23.6.2015	20:59:44	47	29	2	25,5	+
23.6.2015	21:06:12	42	43	2	25,5	+
23.6.2015	21:07:32	40	64	2	25,5	+
23.6.2015	21:09:44	69	44	3	25,5	+
23.6.2015	21:14:00	37	55	2	25,5	+
23.6.2015	21:14:39	41	48	2	25,5	+
23.6.2015	21:18:02	33	34	2	25,5	+
23.6.2015	21:22:33	39	52	2	25,5	+
23.6.2015	21:22:50	48	28	2	16,3	+
23.6.2015	21:29:37	38	25	2	25,5	+
23.6.2015	21:34:23	37	47	2	25,5	+
23.6.2015	21:35:34	50	29	2	25,5	+
23.6.2015	21:41:34	46	28	2	25,5	+
23.6.2015	21:41:44	37	47	2	8,9	+
23.6.2015	21:42:02	33	49	2	18,1	+
23.6.2015	21:45:14	44	44	2	25,5	+
23.6.2015	21:47:08	39	41	2	25,5	+
23.6.2015	21:50:56	37	48	2	25,5	+
23.6.2015	21:58:34	36	64	2	25,5	+
23.6.2015	22:02:27	38	29	2	25,5	+
23.6.2015	22:03:08	38	37	2	25,5	+
23.6.2015	22:03:21	39	37	2	12,9	+
23.6.2015	22:03:44	31	18	2	21,6	+
23.6.2015	22:04:01	36	41	2	16,9	+
23.6.2015	22:06:07	35	46	2	25,5	+
23.6.2015	22:06:52	37	31	2	25,5	+
23.6.2015	22:08:55	43	27	2	25,5	+
23.6.2015	22:09:21	57	51	2	24,8	+
23.6.2015	22:14:54	39	55	2	25,5	+
23.6.2015	22:19:26	40	47	2	25,5	+
23.6.2015	22:20:47	39	20	2	25,5	+
23.6.2015	22:23:53	41	45	2	25,5	+

Příloha B - měření po instalaci Opb

23.6.2015	22:29:59	36	40	2	25,5	+
23.6.2015	22:30:25	37	31	2	24,7	+
23.6.2015	22:36:09	43	29	2	25,5	+
23.6.2015	22:38:56	39	57	2	25,5	+
23.6.2015	22:39:28	36	42	2	25,5	+
23.6.2015	22:40:33	36	34	2	25,5	+
23.6.2015	22:42:50	41	38	2	25,5	+
23.6.2015	22:44:11	35	50	2	25,5	+
23.6.2015	22:44:51	42	40	2	25,5	+
23.6.2015	22:46:51	31	10	2	25,5	+
23.6.2015	22:51:48	36	47	2	25,5	+
23.6.2015	22:51:53	23	46	2	4,2	+
23.6.2015	22:51:53	14	41	1	0,2	+
23.6.2015	22:51:55	38	43	2	1,4	+
23.6.2015	22:59:18	39	22	2	25,5	+
23.6.2015	23:05:55	42	25	2	25,5	+
23.6.2015	23:08:32	34	53	2	25,5	+
23.6.2015	23:15:39	27	37	2	25,5	+
23.6.2015	23:16:58	36	47	2	25,5	+
23.6.2015	23:19:00	30	32	2	25,5	+
23.6.2015	23:19:36	43	50	2	25,5	+
23.6.2015	23:19:47	62	39	3	10	+
23.6.2015	23:20:48	37	42	2	25,5	+
23.6.2015	23:24:17	27	59	2	25,5	+
23.6.2015	23:24:47	40	35	2	25,5	+
23.6.2015	23:26:26	35	38	2	25,5	+
23.6.2015	23:32:06	38	36	2	25,5	+
23.6.2015	23:33:24	38	47	2	25,5	+
23.6.2015	23:36:47	38	45	2	25,5	+
23.6.2015	23:36:50	51	35	2	2,3	+
23.6.2015	23:39:56	11	11	1	25,5	+
23.6.2015	23:46:46	39	42	2	25,5	+
23.6.2015	23:47:03	38	59	2	16,7	+
23.6.2015	23:49:42	45	29	2	25,5	+
23.6.2015	23:54:38	39	24	2	25,5	+
24.6.2015	0:01:21	41	42	2	25,5	+
24.6.2015	0:04:08	48	27	2	25,5	+
24.6.2015	0:07:36	34	44	2	25,5	+
24.6.2015	0:08:59	38	38	2	25,5	+
24.6.2015	0:17:49	20	61	1	25,5	+
24.6.2015	0:17:49	13	54	1	0,2	+
24.6.2015	0:27:10	40	35	2	25,5	+
24.6.2015	0:35:21	33	58	2	25,5	+
24.6.2015	0:49:33	49	37	2	25,5	+
24.6.2015	1:08:35	45	42	2	25,5	+
24.6.2015	1:15:04	42	27	2	25,5	+
24.6.2015	1:23:52	35	58	2	25,5	+
24.6.2015	1:33:27	45	19	2	25,5	+
24.6.2015	2:41:16	42	57	2	25,5	+
24.6.2015	2:42:52	42	56	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	2:50:38	41	46	2	25,5	+
24.6.2015	3:10:33	60	52	2	25,5	+
24.6.2015	3:14:44	56	15	2	25,5	+
24.6.2015	3:19:56	35	51	2	25,5	+
24.6.2015	3:40:15	68	49	3	25,5	+
24.6.2015	3:44:26	55	50	2	25,5	+
24.6.2015	3:48:23	47	53	2	25,5	+
24.6.2015	3:49:32	55	45	2	25,5	+
24.6.2015	3:53:30	34	50	2	25,5	+
24.6.2015	3:55:12	66	44	3	25,5	+
24.6.2015	3:59:58	38	55	2	25,5	+
24.6.2015	4:18:54	63	43	3	25,5	+
24.6.2015	4:21:50	37	56	2	25,5	+
24.6.2015	4:31:40	43	31	2	25,5	+
24.6.2015	4:38:08	38	42	2	25,5	+
24.6.2015	4:39:58	36	52	2	25,5	+
24.6.2015	4:46:08	11	17	1	25,5	+
24.6.2015	4:46:13	14	10	1	3,8	+
24.6.2015	4:50:27	35	56	2	25,5	+
24.6.2015	5:03:23	56	57	2	25,5	+
24.6.2015	5:09:15	33	58	2	25,5	+
24.6.2015	5:09:19	32	53	2	3,8	+
24.6.2015	5:16:48	30	8	2	25,5	+
24.6.2015	5:18:31	37	59	2	25,5	+
24.6.2015	5:26:02	54	63	2	25,5	+
24.6.2015	5:27:21	13	15	1	25,5	+
24.6.2015	5:33:50	41	60	2	25,5	+
24.6.2015	5:34:02	37	61	2	10,9	+
24.6.2015	5:34:25	40	51	2	22,7	+
24.6.2015	5:36:19	36	40	2	25,5	+
24.6.2015	5:42:08	53	57	2	25,5	+
24.6.2015	5:44:02	37	38	2	25,5	+
24.6.2015	5:44:48	37	18	2	25,5	+
24.6.2015	5:46:02	37	42	2	25,5	+
24.6.2015	5:48:02	39	38	2	25,5	+
24.6.2015	5:48:22	35	50	2	19,9	+
24.6.2015	5:50:23	30	70	2	25,5	+
24.6.2015	5:53:36	39	51	2	25,5	+
24.6.2015	5:56:51	64	44	3	25,5	+
24.6.2015	5:56:54	59	46	2	2,2	+
24.6.2015	6:01:09	35	37	2	25,5	+
24.6.2015	6:02:22	28	49	2	25,5	+
24.6.2015	6:03:15	39	9	2	25,5	+
24.6.2015	6:03:32	36	43	2	16,2	+
24.6.2015	6:07:11	31	46	2	25,5	+
24.6.2015	6:07:42	39	46	2	25,5	+
24.6.2015	6:08:00	39	52	2	17,3	+
24.6.2015	6:12:25	43	51	2	25,5	+
24.6.2015	6:13:03	35	45	2	25,5	+
24.6.2015	6:13:46	35	55	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	6:14:54	23	16	2	25,5	+
24.6.2015	6:14:59	35	69	2	5,1	+
24.6.2015	6:18:31	55	44	2	25,5	+
24.6.2015	6:19:11	38	55	2	25,5	+
24.6.2015	6:19:21	38	50	2	9,9	+
24.6.2015	6:20:32	38	57	2	25,5	+
24.6.2015	6:21:21	64	57	3	25,5	+
24.6.2015	6:21:45	37	47	2	23,4	+
24.6.2015	6:22:10	53	48	2	23,8	+
24.6.2015	6:23:53	44	34	2	25,5	+
24.6.2015	6:24:33	45	26	2	25,5	+
24.6.2015	6:26:05	43	49	2	25,5	+
24.6.2015	6:26:26	51	41	2	19,9	+
24.6.2015	6:26:28	31	40	2	1,9	+
24.6.2015	6:28:06	54	16	2	25,5	+
24.6.2015	6:28:41	35	51	2	25,5	+
24.6.2015	6:29:44	39	46	2	25,5	+
24.6.2015	6:30:12	40	61	2	25,5	+
24.6.2015	6:32:09	36	53	2	25,5	+
24.6.2015	6:33:41	14	11	1	25,5	+
24.6.2015	6:35:02	39	38	2	25,5	+
24.6.2015	6:36:49	39	59	2	25,5	+
24.6.2015	6:37:23	37	32	2	25,5	+
24.6.2015	6:38:24	36	44	2	25,5	+
24.6.2015	6:40:35	36	44	2	25,5	+
24.6.2015	6:41:08	35	54	2	25,5	+
24.6.2015	6:41:25	48	43	2	16,2	+
24.6.2015	6:43:58	17	10	1	25,5	+
24.6.2015	6:44:02	18	9	1	2,6	+
24.6.2015	6:45:47	45	32	2	25,5	+
24.6.2015	6:46:48	41	49	2	25,5	+
24.6.2015	6:47:19	38	45	2	25,5	+
24.6.2015	6:47:21	39	46	2	0,8	+
24.6.2015	6:48:26	31	54	2	25,5	+
24.6.2015	6:50:11	51	42	2	25,5	+
24.6.2015	6:51:01	38	43	2	25,5	+
24.6.2015	6:51:21	27	55	2	19,2	+
24.6.2015	6:51:28	35	49	2	6,8	+
24.6.2015	6:51:58	48	52	2	25,5	+
24.6.2015	6:52:40	42	44	2	25,5	+
24.6.2015	6:54:04	54	43	2	25,5	+
24.6.2015	6:54:12	68	41	3	6,8	+
24.6.2015	6:54:21	45	39	2	9,1	+
24.6.2015	6:54:22	28	37	2	0,5	+
24.6.2015	6:54:25	36	43	2	2,4	+
24.6.2015	6:54:38	26	15	2	11,3	+
24.6.2015	6:55:09	32	60	2	25,5	+
24.6.2015	6:56:29	11	13	1	25,5	+
24.6.2015	6:57:16	33	33	2	25,5	+
24.6.2015	6:57:38	41	49	2	21,5	+

Příloha B - měření po instalaci Opb

24.6.2015	6:59:04	32	41	2	25,5	+
24.6.2015	6:59:11	51	26	2	5,6	+
24.6.2015	7:00:05	39	20	2	25,5	+
24.6.2015	7:01:04	35	50	2	25,5	+
24.6.2015	7:01:06	34	61	2	2,1	+
24.6.2015	7:01:40	32	14	2	25,5	+
24.6.2015	7:02:34	33	53	2	25,5	+
24.6.2015	7:02:36	42	56	2	2,2	+
24.6.2015	7:02:40	37	55	2	3,1	+
24.6.2015	7:02:51	43	38	2	10,8	+
24.6.2015	7:03:16	38	45	2	24,2	+
24.6.2015	7:03:55	15	10	1	25,5	+
24.6.2015	7:06:48	37	47	2	25,5	+
24.6.2015	7:07:15	38	51	2	25,5	+
24.6.2015	7:07:38	55	40	2	23	+
24.6.2015	7:08:29	60	44	2	25,5	+
24.6.2015	7:08:32	38	55	2	1,8	+
24.6.2015	7:08:36	49	32	2	3,5	+
24.6.2015	7:09:26	14	8	1	25,5	+
24.6.2015	7:09:49	37	57	2	23,3	+
24.6.2015	7:10:43	12	15	1	25,5	+
24.6.2015	7:12:02	37	40	2	25,5	+
24.6.2015	7:12:09	36	42	2	6,3	+
24.6.2015	7:12:13	39	42	2	3,4	+
24.6.2015	7:12:23	38	44	2	9,3	+
24.6.2015	7:12:41	34	50	2	17,5	+
24.6.2015	7:13:03	46	22	2	21,1	+
24.6.2015	7:13:08	39	49	2	4,1	+
24.6.2015	7:13:13	35	49	2	4,7	+
24.6.2015	7:13:16	37	47	2	3,1	+
24.6.2015	7:13:55	60	46	2	25,5	+
24.6.2015	7:13:58	23	12	2	1,6	+
24.6.2015	7:15:04	38	51	2	25,5	+
24.6.2015	7:16:11	39	42	2	25,5	+
24.6.2015	7:16:32	37	47	2	20,2	+
24.6.2015	7:17:02	34	40	2	25,5	+
24.6.2015	7:17:08	50	27	2	5	+
24.6.2015	7:20:50	39	43	2	25,5	+
24.6.2015	7:21:35	47	18	2	25,5	+
24.6.2015	7:21:47	34	48	2	11,5	+
24.6.2015	7:22:24	102	25	3	25,5	+
24.6.2015	7:22:33	38	48	2	8,6	+
24.6.2015	7:22:39	40	51	2	5,6	+
24.6.2015	7:22:41	31	49	2	2,1	+
24.6.2015	7:23:02	37	39	2	19,6	+
24.6.2015	7:23:37	38	39	2	25,5	+
24.6.2015	7:23:50	33	48	2	12,4	+
24.6.2015	7:24:10	41	45	2	19	+
24.6.2015	7:25:06	31	39	2	25,5	+
24.6.2015	7:25:18	37	52	2	11,2	+

Příloha B - měření po instalaci Opb

24.6.2015	7:27:17	36	44	2	25,5	+
24.6.2015	7:29:03	38	61	2	25,5	+
24.6.2015	7:29:35	67	40	3	25,5	+
24.6.2015	7:29:49	48	30	2	12,8	+
24.6.2015	7:29:53	39	47	2	2,7	+
24.6.2015	7:30:09	42	39	2	15,5	+
24.6.2015	7:30:11	35	39	2	1,5	+
24.6.2015	7:30:37	43	47	2	25,5	+
24.6.2015	7:30:51	41	47	2	12,8	+
24.6.2015	7:31:14	30	51	2	22,3	+
24.6.2015	7:31:41	12	14	1	25,5	+
24.6.2015	7:32:04	42	31	2	22	+
24.6.2015	7:32:39	41	28	2	25,5	+
24.6.2015	7:32:40	40	33	2	0,5	+
24.6.2015	7:33:29	40	50	2	25,5	+
24.6.2015	7:33:35	12	17	1	5,1	+
24.6.2015	7:34:31	38	35	2	25,5	+
24.6.2015	7:34:51	54	49	2	19,3	+
24.6.2015	7:34:58	40	53	2	6,8	+
24.6.2015	7:35:33	42	27	2	25,5	+
24.6.2015	7:35:38	39	43	2	4	+
24.6.2015	7:35:43	33	48	2	4,4	+
24.6.2015	7:35:45	27	46	2	2	+
24.6.2015	7:36:08	42	33	2	21,8	+
24.6.2015	7:36:10	36	42	2	1,7	+
24.6.2015	7:36:16	38	45	2	6	+
24.6.2015	7:36:23	35	53	2	6,1	+
24.6.2015	7:36:26	42	35	2	2,5	+
24.6.2015	7:36:42	48	52	2	15,2	+
24.6.2015	7:38:17	14	9	1	25,5	+
24.6.2015	7:38:27	38	50	2	9,9	+
24.6.2015	7:38:51	37	45	2	23,4	+
24.6.2015	7:39:38	40	33	2	25,5	+
24.6.2015	7:39:41	37	44	2	2,4	+
24.6.2015	7:39:50	34	48	2	8,6	+
24.6.2015	7:40:15	12	46	1	25,2	+
24.6.2015	7:40:20	41	44	2	3,6	+
24.6.2015	7:41:53	39	24	2	25,5	+
24.6.2015	7:41:56	37	35	2	2,2	+
24.6.2015	7:42:10	33	42	2	13,3	+
24.6.2015	7:42:36	31	50	2	25,5	+
24.6.2015	7:42:39	37	18	2	1,8	+
24.6.2015	7:42:58	38	39	2	17,5	+
24.6.2015	7:44:07	40	25	2	25,5	+
24.6.2015	7:44:09	35	35	2	1,4	+
24.6.2015	7:44:10	39	34	2	1	+
24.6.2015	7:44:14	36	41	2	3,1	+
24.6.2015	7:44:31	42	23	2	16	+
24.6.2015	7:44:53	26	11	2	20,4	+
24.6.2015	7:45:06	35	42	2	12,3	+

Příloha B - měření po instalaci Opb

24.6.2015	7:45:34	20	13	1	25,5	+
24.6.2015	7:46:32	36	38	2	25,5	+
24.6.2015	7:46:47	38	30	2	14,6	+
24.6.2015	7:47:03	54	29	2	14,7	+
24.6.2015	7:47:14	48	28	2	9,6	+
24.6.2015	7:47:15	43	33	2	0,7	+
24.6.2015	7:47:25	42	31	2	9,2	+
24.6.2015	7:48:01	36	42	2	25,5	+
24.6.2015	7:48:11	37	57	2	9,5	+
24.6.2015	7:48:26	37	56	2	15,4	+
24.6.2015	7:49:22	67	46	3	25,5	+
24.6.2015	7:49:29	35	50	2	6,7	+
24.6.2015	7:49:56	43	30	2	25,5	+
24.6.2015	7:50:04	34	43	2	7,4	+
24.6.2015	7:50:40	36	46	2	25,5	+
24.6.2015	7:50:47	36	46	2	6,8	+
24.6.2015	7:51:09	57	18	2	19,9	+
24.6.2015	7:51:32	33	62	2	23,1	+
24.6.2015	7:51:47	68	25	3	13,7	+
24.6.2015	7:51:49	37	41	2	1,7	+
24.6.2015	7:51:57	52	45	2	6,8	+
24.6.2015	7:52:25	33	49	2	25,5	+
24.6.2015	7:52:33	37	48	2	7,7	+
24.6.2015	7:54:14	38	53	2	25,5	+
24.6.2015	7:54:30	34	47	2	15,8	+
24.6.2015	7:54:35	37	46	2	4,3	+
24.6.2015	7:54:46	35	47	2	11	+
24.6.2015	7:55:05	40	42	2	18,1	+
24.6.2015	7:56:13	59	43	2	25,5	+
24.6.2015	7:56:21	36	57	2	6,9	+
24.6.2015	7:56:30	34	51	2	9,2	+
24.6.2015	7:56:52	38	42	2	20,7	+
24.6.2015	7:56:59	35	47	2	6,8	+
24.6.2015	7:57:12	42	47	2	12,6	+
24.6.2015	7:57:39	41	30	2	25,5	+
24.6.2015	7:57:55	35	45	2	15,5	+
24.6.2015	7:58:06	36	46	2	10,4	+
24.6.2015	7:58:25	39	40	2	18,9	+
24.6.2015	7:58:35	33	38	2	9,5	+
24.6.2015	7:58:49	37	61	2	13,6	+
24.6.2015	7:58:58	37	56	2	8,1	+
24.6.2015	7:59:37	140	41	4	25,5	+
24.6.2015	7:59:40	25	53	2	2,3	+
24.6.2015	8:00:00	23	20	2	19,5	+
24.6.2015	8:00:25	38	53	2	24,2	+
24.6.2015	8:00:30	28	13	2	4,6	+
24.6.2015	8:00:36	19	14	1	4,4	+
24.6.2015	8:00:54	35	60	2	17,3	+
24.6.2015	8:01:55	36	41	2	25,5	+
24.6.2015	8:02:15	22	52	2	20,4	+

Příloha B - měření po instalaci Opb

24.6.2015	8:02:23	33	44	2	6,9	+
24.6.2015	8:02:56	41	25	2	25,5	+
24.6.2015	8:03:03	35	47	2	6,3	+
24.6.2015	8:03:29	23	8	2	24,3	+
24.6.2015	8:03:31	21	11	2	1,3	+
24.6.2015	8:04:08	35	14	2	25,5	+
24.6.2015	8:04:32	36	49	2	23,3	+
24.6.2015	8:05:55	31	26	2	25,5	+
24.6.2015	8:06:18	22	16	2	21,7	+
24.6.2015	8:06:21	11	8	1	2,4	+
24.6.2015	8:06:46	38	49	2	24,4	+
24.6.2015	8:07:54	35	51	2	25,5	+
24.6.2015	8:08:24	37	50	2	25,5	+
24.6.2015	8:09:40	142	31	4	25,5	+
24.6.2015	8:09:43	35	43	2	3,1	+
24.6.2015	8:09:51	34	57	2	7,9	+
24.6.2015	8:10:03	34	42	2	11,5	+
24.6.2015	8:10:29	42	28	2	24,4	+
24.6.2015	8:10:44	34	47	2	14,9	+
24.6.2015	8:11:41	23	14	2	25,5	+
24.6.2015	8:12:24	37	41	2	25,5	+
24.6.2015	8:12:38	29	67	2	13,6	+
24.6.2015	8:15:02	45	27	2	25,5	+
24.6.2015	8:15:07	37	56	2	4,9	+
24.6.2015	8:15:46	36	45	2	25,5	+
24.6.2015	8:15:52	38	48	2	5,7	+
24.6.2015	8:16:53	36	42	2	25,5	+
24.6.2015	8:17:12	36	38	2	18,4	+
24.6.2015	8:17:22	33	50	2	9,2	+
24.6.2015	8:17:59	46	29	2	25,5	+
24.6.2015	8:18:01	40	44	2	1,5	+
24.6.2015	8:18:38	62	45	3	25,5	+
24.6.2015	8:19:11	41	37	2	25,5	+
24.6.2015	8:20:12	35	41	2	25,5	+
24.6.2015	8:20:30	24	12	2	16,8	+
24.6.2015	8:20:38	18	11	1	7,5	+
24.6.2015	8:20:49	38	51	2	9,8	+
24.6.2015	8:21:22	48	77	2	25,5	+
24.6.2015	8:21:47	39	46	2	24	+
24.6.2015	8:22:00	48	44	2	12,4	+
24.6.2015	8:22:22	39	40	2	21,3	+
24.6.2015	8:22:37	31	60	2	14,5	+
24.6.2015	8:22:57	12	12	1	18,6	+
24.6.2015	8:23:01	18	9	1	2,9	+
24.6.2015	8:23:24	40	49	2	22,6	+
24.6.2015	8:23:35	36	50	2	10,5	+
24.6.2015	8:24:44	37	33	2	25,5	+
24.6.2015	8:26:14	53	51	2	25,5	+
24.6.2015	8:26:16	39	46	2	2	+
24.6.2015	8:26:33	29	48	2	16	+

Příloha B - měření po instalaci Opb

24.6.2015	8:26:42	35	50	2	8,4	+
24.6.2015	8:26:44	34	43	2	2,2	+
24.6.2015	8:27:03	72	46	3	17,5	+
24.6.2015	8:27:10	69	45	3	6,6	+
24.6.2015	8:27:20	33	52	2	9,4	+
24.6.2015	8:28:33	22	12	2	25,5	+
24.6.2015	8:29:06	32	45	2	25,5	+
24.6.2015	8:29:08	35	51	2	1,9	+
24.6.2015	8:30:22	34	42	2	25,5	+
24.6.2015	8:31:51	16	21	1	25,5	+
24.6.2015	8:33:12	38	52	2	25,5	+
24.6.2015	8:33:39	41	36	2	25,5	+
24.6.2015	8:35:58	40	38	2	25,5	+
24.6.2015	8:36:02	42	24	2	2,6	+
24.6.2015	8:36:23	13	17	1	20,5	+
24.6.2015	8:36:45	37	44	2	21,8	+
24.6.2015	8:38:34	33	11	2	25,5	+
24.6.2015	8:38:46	35	40	2	11,1	+
24.6.2015	8:38:51	47	46	2	4,7	+
24.6.2015	8:41:16	58	50	2	25,5	+
24.6.2015	8:43:19	35	49	2	25,5	+
24.6.2015	8:43:25	38	61	2	4,8	+
24.6.2015	8:43:36	36	46	2	10,8	+
24.6.2015	8:43:49	43	35	2	11,8	+
24.6.2015	8:44:30	42	47	2	25,5	+
24.6.2015	8:44:42	34	47	2	11	+
24.6.2015	8:44:43	11	10	1	0,6	+
24.6.2015	8:47:17	34	47	2	25,5	+
24.6.2015	8:47:21	33	47	2	3,2	+
24.6.2015	8:49:52	41	31	2	25,5	+
24.6.2015	8:50:46	40	53	2	25,5	+
24.6.2015	8:51:32	35	26	2	25,5	+
24.6.2015	8:52:42	36	40	2	25,5	+
24.6.2015	8:53:44	33	49	2	25,5	+
24.6.2015	8:53:45	38	48	2	1,2	+
24.6.2015	8:54:19	12	11	1	25,5	+
24.6.2015	8:54:29	37	48	2	9,4	+
24.6.2015	8:55:43	19	11	1	25,5	+
24.6.2015	8:56:00	70	43	3	16,1	+
24.6.2015	8:56:57	39	43	2	25,5	+
24.6.2015	8:59:10	38	49	2	25,5	+
24.6.2015	8:59:28	36	49	2	17,8	+
24.6.2015	9:00:35	42	32	2	25,5	+
24.6.2015	9:00:59	38	25	2	22,5	+
24.6.2015	9:03:16	38	59	2	25,5	+
24.6.2015	9:05:06	33	17	2	25,5	+
24.6.2015	9:05:13	39	41	2	6,8	+
24.6.2015	9:05:38	35	43	2	24	+
24.6.2015	9:06:41	58	26	2	25,5	+
24.6.2015	9:07:29	41	44	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	9:08:11	52	45	2	25,5	+
24.6.2015	9:09:15	48	43	2	25,5	+
24.6.2015	9:09:43	33	42	2	25,5	+
24.6.2015	9:09:46	39	43	2	2,1	+
24.6.2015	9:10:51	37	49	2	25,5	+
24.6.2015	9:11:15	36	47	2	23,3	+
24.6.2015	9:11:50	30	40	2	25,5	+
24.6.2015	9:11:51	11	35	1	0,3	+
24.6.2015	9:12:50	52	31	2	25,5	+
24.6.2015	9:14:20	61	41	3	25,5	+
24.6.2015	9:15:16	25	8	2	25,5	+
24.6.2015	9:16:19	36	46	2	25,5	+
24.6.2015	9:16:52	41	28	2	25,5	+
24.6.2015	9:18:00	12	17	1	25,5	+
24.6.2015	9:18:01	13	12	1	1	+
24.6.2015	9:18:05	32	11	2	1,8	+
24.6.2015	9:18:36	40	44	2	25,5	+
24.6.2015	9:19:37	47	45	2	25,5	+
24.6.2015	9:19:39	40	43	2	1,5	+
24.6.2015	9:19:41	43	40	2	1,6	+
24.6.2015	9:19:54	38	48	2	12,6	+
24.6.2015	9:20:00	36	46	2	5,4	+
24.6.2015	9:20:16	43	22	2	14,5	+
24.6.2015	9:21:50	38	36	2	25,5	+
24.6.2015	9:21:56	36	41	2	6,1	+
24.6.2015	9:22:03	34	59	2	6,3	+
24.6.2015	9:24:19	38	33	2	25,5	+
24.6.2015	9:24:28	12	9	1	8,1	+
24.6.2015	9:26:19	40	38	2	25,5	+
24.6.2015	9:28:58	12	12	1	25,5	+
24.6.2015	9:32:24	31	39	2	25,5	+
24.6.2015	9:32:25	39	43	2	0,6	+
24.6.2015	9:34:59	24	44	2	25,5	+
24.6.2015	9:34:59	19	42	1	0,2	+
24.6.2015	9:36:06	15	9	1	25,5	+
24.6.2015	9:38:33	41	48	2	25,5	+
24.6.2015	9:38:34	39	47	2	1	+
24.6.2015	9:38:54	50	21	2	18,2	+
24.6.2015	9:38:56	41	36	2	2	+
24.6.2015	9:39:01	35	41	2	3,7	+
24.6.2015	9:39:28	35	62	2	25,5	+
24.6.2015	9:39:35	18	16	1	6,5	+
24.6.2015	9:40:11	36	58	2	25,5	+
24.6.2015	9:40:26	43	25	2	14	+
24.6.2015	9:40:35	31	10	2	6,8	+
24.6.2015	9:41:39	47	13	2	25,5	+
24.6.2015	9:41:56	40	49	2	16,1	+
24.6.2015	9:42:13	49	30	2	15,8	+
24.6.2015	9:42:29	43	43	2	16,3	+
24.6.2015	9:42:35	62	53	3	4,5	+

Příloha B - měření po instalaci Opb

24.6.2015	9:43:45	66	9	3	25,5	+
24.6.2015	9:45:03	34	50	2	25,5	+
24.6.2015	9:45:27	36	30	2	23,2	+
24.6.2015	9:46:23	60	42	2	25,5	+
24.6.2015	9:46:47	34	47	2	23,7	+
24.6.2015	9:46:54	33	45	2	6,6	+
24.6.2015	9:47:56	42	27	2	25,5	+
24.6.2015	9:48:01	46	39	2	3,7	+
24.6.2015	9:48:12	39	49	2	11,1	+
24.6.2015	9:48:21	40	29	2	8,1	+
24.6.2015	9:48:28	46	29	2	5,7	+
24.6.2015	9:50:20	46	32	2	25,5	+
24.6.2015	9:50:38	32	56	2	17,8	+
24.6.2015	9:51:10	38	42	2	25,5	+
24.6.2015	9:51:16	34	28	2	5,4	+
24.6.2015	9:51:25	49	31	2	8,3	+
24.6.2015	9:51:29	46	36	2	3,5	+
24.6.2015	9:51:53	39	47	2	23,1	+
24.6.2015	9:52:00	84	37	3	5,8	+
24.6.2015	9:52:02	16	12	1	1,2	+
24.6.2015	9:54:16	62	50	3	25,5	+
24.6.2015	9:55:04	45	28	2	25,5	+
24.6.2015	9:55:45	60	35	2	25,5	+
24.6.2015	9:55:49	42	42	2	3	+
24.6.2015	9:57:57	38	13	2	25,5	+
24.6.2015	9:58:01	26	15	2	2,8	+
24.6.2015	9:58:04	37	14	2	1,8	+
24.6.2015	9:58:13	43	32	2	8,5	+
24.6.2015	9:58:35	33	40	2	20,9	+
24.6.2015	10:00:58	36	43	2	25,5	+
24.6.2015	10:01:01	35	52	2	2,9	+
24.6.2015	10:01:20	38	26	2	17,6	+
24.6.2015	10:05:21	35	46	2	25,5	+
24.6.2015	10:06:27	11	18	1	25,5	+
24.6.2015	10:06:41	59	58	2	13,6	+
24.6.2015	10:06:53	39	49	2	11,1	+
24.6.2015	10:07:07	36	46	2	13,5	+
24.6.2015	10:08:00	55	46	2	25,5	+
24.6.2015	10:09:13	16	12	1	25,5	+
24.6.2015	10:11:02	34	48	2	25,5	+
24.6.2015	10:11:04	44	32	2	1,2	+
24.6.2015	10:11:14	38	61	2	8,9	+
24.6.2015	10:12:13	46	42	2	25,5	+
24.6.2015	10:12:34	33	58	2	20,6	+
24.6.2015	10:13:31	45	21	2	25,5	+
24.6.2015	10:14:35	62	26	3	25,5	+
24.6.2015	10:14:46	47	29	2	9,9	+
24.6.2015	10:15:14	38	40	2	25,5	+
24.6.2015	10:15:18	12	12	1	2,9	+
24.6.2015	10:16:31	66	45	3	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	10:17:47	29	14	2	25,5	+
24.6.2015	10:18:02	56	45	2	14,7	+
24.6.2015	10:19:15	44	44	2	25,5	+
24.6.2015	10:20:26	38	11	2	25,5	+
24.6.2015	10:20:42	67	44	3	15,2	+
24.6.2015	10:22:05	33	41	2	25,5	+
24.6.2015	10:22:14	35	39	2	8,7	+
24.6.2015	10:22:38	33	45	2	23,1	+
24.6.2015	10:24:23	39	41	2	25,5	+
24.6.2015	10:24:33	37	30	2	9,2	+
24.6.2015	10:24:35	50	25	2	1	+
24.6.2015	10:24:53	32	41	2	17,2	+
24.6.2015	10:29:10	41	57	2	25,5	+
24.6.2015	10:30:14	32	46	2	25,5	+
24.6.2015	10:31:24	35	41	2	25,5	+
24.6.2015	10:31:39	40	46	2	14,2	+
24.6.2015	10:32:22	38	26	2	25,5	+
24.6.2015	10:33:45	35	39	2	25,5	+
24.6.2015	10:34:10	33	48	2	24,6	+
24.6.2015	10:34:12	21	46	2	1,2	+
24.6.2015	10:34:14	30	45	2	1,2	+
24.6.2015	10:37:01	20	55	1	25,5	+
24.6.2015	10:37:22	55	44	2	19,9	+
24.6.2015	10:38:49	39	33	2	25,5	+
24.6.2015	10:38:51	36	34	2	0,8	+
24.6.2015	10:42:21	57	45	2	25,5	+
24.6.2015	10:45:59	48	44	2	25,5	+
24.6.2015	10:46:53	57	14	2	25,5	+
24.6.2015	10:47:21	32	42	2	25,5	+
24.6.2015	10:47:25	31	43	2	3,5	+
24.6.2015	10:47:41	38	38	2	15,2	+
24.6.2015	10:47:51	48	53	2	9,8	+
24.6.2015	10:49:24	44	13	2	25,5	+
24.6.2015	10:50:04	35	48	2	25,5	+
24.6.2015	10:50:48	54	40	2	25,5	+
24.6.2015	10:54:59	46	28	2	25,5	+
24.6.2015	10:55:01	36	50	2	1,6	+
24.6.2015	10:58:19	12	13	1	25,5	+
24.6.2015	10:59:17	40	54	2	25,5	+
24.6.2015	11:00:17	31	46	2	25,5	+
24.6.2015	11:00:40	45	29	2	22,6	+
24.6.2015	11:04:07	37	46	2	25,5	+
24.6.2015	11:08:56	43	17	2	25,5	+
24.6.2015	11:09:54	27	44	2	11	+
24.6.2015	11:11:25	40	23	2	25,5	+
24.6.2015	11:11:35	53	36	2	9,2	+
24.6.2015	11:12:18	36	37	2	25,5	+
24.6.2015	11:13:49	18	12	1	25,5	+
24.6.2015	11:13:57	44	11	2	5,2	+
24.6.2015	11:16:08	55	45	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	11:19:00	58	22	2	25,5	+
24.6.2015	11:19:30	47	22	2	25,5	+
24.6.2015	11:21:25	40	48	2	25,5	+
24.6.2015	11:24:39	68	30	3	25,5	+
24.6.2015	11:24:42	42	31	2	1,7	+
24.6.2015	11:24:44	39	27	2	1,4	+
24.6.2015	11:24:51	39	56	2	5,9	+
24.6.2015	11:27:57	43	26	2	25,5	+
24.6.2015	11:29:42	36	41	2	25,5	+
24.6.2015	11:29:58	34	54	2	15,5	+
24.6.2015	11:31:42	37	51	2	25,5	+
24.6.2015	11:32:46	39	44	2	25,5	+
24.6.2015	11:34:19	33	43	2	25,5	+
24.6.2015	11:34:25	47	49	2	5,7	+
24.6.2015	11:35:18	36	47	2	25,5	+
24.6.2015	11:35:41	33	50	2	22,3	+
24.6.2015	11:40:28	40	37	2	25,5	+
24.6.2015	11:42:54	38	40	2	25,5	+
24.6.2015	11:43:23	32	37	2	25,5	+
24.6.2015	11:45:17	46	18	2	25,5	+
24.6.2015	11:50:32	11	11	1	25,5	+
24.6.2015	11:53:57	14	14	1	25,5	+
24.6.2015	11:55:20	39	52	2	25,5	+
24.6.2015	11:55:53	35	47	2	25,5	+
24.6.2015	11:57:43	40	29	2	25,5	+
24.6.2015	11:59:49	23	15	2	25,5	+
24.6.2015	12:00:34	64	43	3	25,5	+
24.6.2015	12:02:05	41	57	2	25,5	+
24.6.2015	12:04:23	38	41	2	25,5	+
24.6.2015	12:04:32	34	44	2	8	+
24.6.2015	12:04:51	41	13	2	18	+
24.6.2015	12:05:46	17	12	1	25,5	+
24.6.2015	12:07:21	55	52	2	25,5	+
24.6.2015	12:08:47	34	38	2	25,5	+
24.6.2015	12:11:40	40	47	2	25,5	+
24.6.2015	12:11:47	40	47	2	7,1	+
24.6.2015	12:11:48	37	47	2	0,6	+
24.6.2015	12:12:47	39	38	2	25,5	+
24.6.2015	12:12:54	34	57	2	6	+
24.6.2015	12:13:34	38	46	2	25,5	+
24.6.2015	12:15:22	43	25	2	25,5	+
24.6.2015	12:16:43	47	37	2	25,5	+
24.6.2015	12:16:53	65	38	3	8,7	+
24.6.2015	12:23:39	49	42	2	25,5	+
24.6.2015	12:24:36	47	48	2	25,5	+
24.6.2015	12:28:27	51	32	2	25,5	+
24.6.2015	12:28:35	70	46	3	7,1	+
24.6.2015	12:28:49	22	44	2	13,2	+
24.6.2015	12:30:01	67	15	3	25,5	+
24.6.2015	12:30:10	41	46	2	8,3	+

Příloha B - měření po instalaci Opb

24.6.2015	12:31:07	49	46	2	25,5	+
24.6.2015	12:32:04	43	49	2	25,5	+
24.6.2015	12:32:34	39	40	2	25,5	+
24.6.2015	12:33:37	40	47	2	25,5	+
24.6.2015	12:33:41	34	52	2	3,6	+
24.6.2015	12:33:53	44	37	2	11,3	+
24.6.2015	12:36:44	37	30	2	25,5	+
24.6.2015	12:40:46	35	71	2	25,5	+
24.6.2015	12:44:26	45	48	2	25,5	+
24.6.2015	12:44:57	14	12	1	25,5	+
24.6.2015	12:45:18	43	27	2	20,2	+
24.6.2015	12:46:00	74	36	3	25,5	+
24.6.2015	12:46:56	44	37	2	25,5	+
24.6.2015	12:47:03	41	48	2	6,2	+
24.6.2015	12:47:08	44	29	2	4,5	+
24.6.2015	12:47:20	45	31	2	10,2	+
24.6.2015	12:47:55	44	50	2	25,5	+
24.6.2015	12:48:00	22	16	2	4,1	+
24.6.2015	12:48:19	40	40	2	18	+
24.6.2015	12:49:32	37	51	2	25,5	+
24.6.2015	12:50:11	41	25	2	25,5	+
24.6.2015	12:51:56	30	48	2	25,5	+
24.6.2015	12:52:11	37	32	2	14,4	+
24.6.2015	12:52:14	26	18	2	1,9	+
24.6.2015	12:52:19	39	32	2	4,7	+
24.6.2015	12:53:18	33	46	2	25,5	+
24.6.2015	12:54:45	39	49	2	25,5	+
24.6.2015	12:58:06	40	38	2	25,5	+
24.6.2015	13:01:28	37	43	2	25,5	+
24.6.2015	13:05:51	42	51	2	25,5	+
24.6.2015	13:07:30	32	47	2	25,5	+
24.6.2015	13:09:15	38	38	2	25,5	+
24.6.2015	13:09:27	45	28	2	10,7	+
24.6.2015	13:11:40	43	53	2	25,5	+
24.6.2015	13:13:34	14	12	1	25,5	+
24.6.2015	13:13:38	36	28	2	3	+
24.6.2015	13:14:17	13	14	1	25,5	+
24.6.2015	13:14:28	29	10	2	9,6	+
24.6.2015	13:14:40	42	62	2	11,8	+
24.6.2015	13:15:12	34	57	2	25,5	+
24.6.2015	13:16:48	40	17	2	25,5	+
24.6.2015	13:19:35	39	54	2	25,5	+
24.6.2015	13:20:06	39	22	2	25,5	+
24.6.2015	13:21:06	42	51	2	25,5	+
24.6.2015	13:21:07	37	50	2	0,9	+
24.6.2015	13:21:24	53	33	2	16	+
24.6.2015	13:22:13	57	36	2	25,5	+
24.6.2015	13:24:54	38	30	2	25,5	+
24.6.2015	13:26:15	30	18	2	25,5	+
24.6.2015	13:26:28	74	17	3	10,7	+

Příloha B - měření po instalaci Opb

24.6.2015	13:28:07	37	42	2	25,5	+
24.6.2015	13:29:53	37	42	2	25,5	+
24.6.2015	13:29:56	37	62	2	3,1	+
24.6.2015	13:31:19	39	47	2	25,5	+
24.6.2015	13:31:28	70	49	3	8,1	+
24.6.2015	13:32:06	39	44	2	25,5	+
24.6.2015	13:32:55	40	30	2	25,5	+
24.6.2015	13:32:57	41	28	2	0,8	+
24.6.2015	13:33:06	39	33	2	8,5	+
24.6.2015	13:34:00	31	57	2	25,5	+
24.6.2015	13:36:00	54	29	2	25,5	+
24.6.2015	13:36:03	66	29	3	1,4	+
24.6.2015	13:37:10	34	17	2	25,5	+
24.6.2015	13:39:34	30	58	2	25,5	+
24.6.2015	13:40:30	48	43	2	25,5	+
24.6.2015	13:43:13	40	34	2	25,5	+
24.6.2015	13:44:08	35	22	2	25,5	+
24.6.2015	13:44:21	58	40	2	11,7	+
24.6.2015	13:44:56	14	11	1	25,5	+
24.6.2015	13:45:26	70	32	3	25,5	+
24.6.2015	13:46:48	69	48	3	25,5	+
24.6.2015	13:47:17	64	46	3	25,5	+
24.6.2015	13:49:49	45	34	2	25,5	+
24.6.2015	13:50:02	32	45	2	12	+
24.6.2015	13:50:46	40	57	2	25,5	+
24.6.2015	13:51:04	41	27	2	16,5	+
24.6.2015	13:51:39	63	54	3	25,5	+
24.6.2015	13:51:40	50	51	2	1	+
24.6.2015	13:51:52	38	49	2	10,9	+
24.6.2015	13:52:30	68	50	3	25,5	+
24.6.2015	13:53:20	36	32	2	25,5	+
24.6.2015	13:53:34	70	46	3	12,7	+
24.6.2015	13:53:42	47	30	2	7,1	+
24.6.2015	13:54:15	30	55	2	25,5	+
24.6.2015	13:56:01	39	54	2	25,5	+
24.6.2015	13:57:04	40	47	2	25,5	+
24.6.2015	13:57:23	70	53	3	18,3	+
24.6.2015	13:57:53	40	46	2	25,5	+
24.6.2015	13:59:00	35	52	2	25,5	+
24.6.2015	13:59:27	50	46	2	25,5	+
24.6.2015	13:59:41	33	43	2	13,7	+
24.6.2015	13:59:47	38	34	2	5,3	+
24.6.2015	13:59:48	37	37	2	0,6	+
24.6.2015	14:00:21	21	42	2	25,5	+
24.6.2015	14:00:45	40	55	2	22,8	+
24.6.2015	14:01:12	38	54	2	25,5	+
24.6.2015	14:02:39	32	51	2	25,5	+
24.6.2015	14:02:50	38	46	2	10,7	+
24.6.2015	14:05:54	44	33	2	25,5	+
24.6.2015	14:05:59	41	42	2	4,2	+

Příloha B - měření po instalaci Opb

24.6.2015	14:06:19	34	47	2	19,6	+
24.6.2015	14:07:38	34	34	2	25,5	+
24.6.2015	14:07:52	34	53	2	13,1	+
24.6.2015	14:09:04	72	52	3	25,5	+
24.6.2015	14:09:28	38	54	2	22,8	+
24.6.2015	14:10:52	31	34	2	25,5	+
24.6.2015	14:10:57	39	25	2	4,4	+
24.6.2015	14:11:07	41	29	2	8,8	+
24.6.2015	14:11:10	43	35	2	1,8	+
24.6.2015	14:11:50	40	52	2	25,5	+
24.6.2015	14:12:10	38	49	2	19,6	+
24.6.2015	14:12:28	53	13	2	16,4	+
24.6.2015	14:13:16	54	30	2	25,5	+
24.6.2015	14:15:13	48	35	2	25,5	+
24.6.2015	14:15:16	34	39	2	2,1	+
24.6.2015	14:15:18	40	38	2	1,1	+
24.6.2015	14:15:49	59	45	2	25,5	+
24.6.2015	14:20:05	46	44	2	25,5	+
24.6.2015	14:20:12	37	49	2	5,8	+
24.6.2015	14:21:34	38	34	2	25,5	+
24.6.2015	14:22:57	43	24	2	25,5	+
24.6.2015	14:23:27	33	53	2	25,5	+
24.6.2015	14:23:30	36	53	2	3,1	+
24.6.2015	14:23:58	30	65	2	25,5	+
24.6.2015	14:23:59	29	62	2	0,4	+
24.6.2015	14:24:04	36	45	2	4,6	+
24.6.2015	14:25:33	38	52	2	25,5	+
24.6.2015	14:26:19	70	50	3	25,5	+
24.6.2015	14:29:47	36	43	2	25,5	+
24.6.2015	14:30:52	67	15	3	25,5	+
24.6.2015	14:34:45	43	39	2	25,5	+
24.6.2015	14:34:55	14	12	1	9,1	+
24.6.2015	14:35:02	80	52	3	6,6	+
24.6.2015	14:35:11	31	51	2	8,8	+
24.6.2015	14:36:30	37	59	2	25,5	+
24.6.2015	14:36:50	26	16	2	1,6	+
24.6.2015	14:36:57	45	40	2	6,8	+
24.6.2015	14:38:46	38	43	2	25,5	+
24.6.2015	14:40:57	16	13	1	25,5	+
24.6.2015	14:42:12	38	42	2	25,5	+
24.6.2015	14:42:23	43	43	2	10,4	+
24.6.2015	14:42:36	31	37	2	13,1	+
24.6.2015	14:44:18	13	16	1	25,5	+
24.6.2015	14:44:24	27	11	2	4,3	+
24.6.2015	14:45:08	36	46	2	25,5	+
24.6.2015	14:46:26	41	45	2	25,5	+
24.6.2015	14:46:51	40	32	2	23,7	+
24.6.2015	14:47:22	33	15	2	25,5	+
24.6.2015	14:47:33	31	47	2	10,2	+
24.6.2015	14:48:26	39	33	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	14:48:43	11	13	1	16	+
24.6.2015	14:49:22	50	45	2	25,5	+
24.6.2015	14:49:24	35	45	2	1,8	+
24.6.2015	14:50:04	16	17	1	25,5	+
24.6.2015	14:50:28	48	26	2	22,7	+
24.6.2015	14:51:45	86	43	3	25,5	+
24.6.2015	14:52:12	47	34	2	25,5	+
24.6.2015	14:52:44	43	42	2	25,5	+
24.6.2015	14:54:54	38	43	2	25,5	+
24.6.2015	14:55:45	40	42	2	25,5	+
24.6.2015	14:56:50	67	44	3	25,5	+
24.6.2015	14:57:17	65	41	3	25,5	+
24.6.2015	14:57:55	43	24	2	25,5	+
24.6.2015	14:57:57	35	37	2	2	+
24.6.2015	14:58:38	38	30	2	25,5	+
24.6.2015	14:59:13	36	40	2	25,5	+
24.6.2015	14:59:15	24	14	2	0,9	+
24.6.2015	14:59:38	58	20	2	21,4	+
24.6.2015	14:59:43	38	40	2	4,7	+
24.6.2015	15:00:27	41	51	2	25,5	+
24.6.2015	15:01:25	38	46	2	25,5	+
24.6.2015	15:03:22	38	52	2	25,5	+
24.6.2015	15:04:07	40	29	2	25,5	+
24.6.2015	15:05:20	48	29	2	25,5	+
24.6.2015	15:08:41	42	35	2	25,5	+
24.6.2015	15:08:43	55	32	2	0,9	+
24.6.2015	15:09:20	37	58	2	25,5	+
24.6.2015	15:10:08	57	47	2	25,5	+
24.6.2015	15:10:19	35	46	2	10,1	+
24.6.2015	15:10:24	41	55	2	4,1	+
24.6.2015	15:10:49	34	45	2	24,7	+
24.6.2015	15:11:47	38	28	2	25,5	+
24.6.2015	15:11:51	40	40	2	3,3	+
24.6.2015	15:12:20	52	32	2	25,5	+
24.6.2015	15:12:40	49	34	2	18,7	+
24.6.2015	15:12:52	36	45	2	11,7	+
24.6.2015	15:13:09	37	41	2	16,9	+
24.6.2015	15:14:44	33	36	2	25,5	+
24.6.2015	15:15:08	51	31	2	23,1	+
24.6.2015	15:15:10	63	42	3	1,7	+
24.6.2015	15:20:23	40	35	2	25,5	+
24.6.2015	15:22:43	37	31	2	25,5	+
24.6.2015	15:23:53	35	44	2	25,5	+
24.6.2015	15:25:01	35	63	2	25,5	+
24.6.2015	15:25:26	39	54	2	24,2	+
24.6.2015	15:25:30	45	32	2	3,4	+
24.6.2015	15:25:34	39	48	2	4	+
24.6.2015	15:25:55	66	37	3	19,6	+
24.6.2015	15:27:30	37	31	2	25,5	+
24.6.2015	15:28:25	41	33	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	15:30:40	38	28	2	25,5	+
24.6.2015	15:31:13	31	46	2	25,5	+
24.6.2015	15:32:51	130	26	4	25,5	+
24.6.2015	15:33:16	39	49	2	24,2	+
24.6.2015	15:33:43	29	42	2	25,5	+
24.6.2015	15:34:26	37	44	2	25,5	+
24.6.2015	15:36:15	49	36	2	23,3	+
24.6.2015	15:36:41	35	46	2	25,5	+
24.6.2015	15:37:26	45	21	2	25,5	+
24.6.2015	15:38:20	19	8	1	25,5	+
24.6.2015	15:38:26	41	13	2	4,1	+
24.6.2015	15:38:33	23	9	2	1,5	+
24.6.2015	15:39:22	25	26	2	25,5	+
24.6.2015	15:39:42	36	41	2	20,1	+
24.6.2015	15:39:56	36	43	2	13,2	+
24.6.2015	15:40:29	47	30	2	25,5	+
24.6.2015	15:40:37	56	35	2	6,9	+
24.6.2015	15:42:20	57	24	2	25,5	+
24.6.2015	15:42:42	43	27	2	21,1	+
24.6.2015	15:43:14	43	23	2	25,5	+
24.6.2015	15:44:36	20	12	1	25,5	+
24.6.2015	15:45:29	35	46	2	25,5	+
24.6.2015	15:46:48	146	33	4	25,5	+
24.6.2015	15:47:08	148	23	4	17,5	+
24.6.2015	15:47:17	20	10	1	7,3	+
24.6.2015	15:48:11	39	43	2	25,5	+
24.6.2015	15:48:20	38	48	2	8,8	+
24.6.2015	15:48:23	32	42	2	2	+
24.6.2015	15:49:06	38	43	2	25,5	+
24.6.2015	15:49:27	44	41	2	20,6	+
24.6.2015	15:50:37	34	43	2	25,5	+
24.6.2015	15:51:36	39	50	2	25,5	+
24.6.2015	15:51:42	51	42	2	5,3	+
24.6.2015	15:55:09	42	29	2	25,5	+
24.6.2015	15:55:53	37	45	2	25,5	+
24.6.2015	15:55:57	32	42	2	3,5	+
24.6.2015	15:56:19	35	42	2	21,1	+
24.6.2015	15:56:23	45	35	2	3,3	+
24.6.2015	15:56:59	44	39	2	25,5	+
24.6.2015	15:57:27	24	12	2	25,5	+
24.6.2015	15:57:50	29	25	2	21,9	+
24.6.2015	15:58:11	37	51	2	20,9	+
24.6.2015	15:58:27	32	56	2	15,2	+
24.6.2015	15:59:36	36	65	2	25,5	+
24.6.2015	15:59:51	43	38	2	14,7	+
24.6.2015	16:00:22	43	62	2	25,5	+
24.6.2015	16:00:35	39	63	2	12,7	+
24.6.2015	16:01:30	47	29	2	25,5	+
24.6.2015	16:01:42	31	46	2	12,4	+
24.6.2015	16:01:58	48	30	2	15	+

Příloha B - měření po instalaci Opb

24.6.2015	16:02:04	30	45	2	5,6	+
24.6.2015	16:02:36	38	49	2	25,5	+
24.6.2015	16:04:33	42	42	2	25,5	+
24.6.2015	16:04:56	36	47	2	22,4	+
24.6.2015	16:05:01	47	31	2	3,6	+
24.6.2015	16:05:24	11	32	1	22,8	+
24.6.2015	16:05:25	41	29	2	0,6	+
24.6.2015	16:05:47	39	34	2	21,6	+
24.6.2015	16:06:24	35	43	2	25,5	+
24.6.2015	16:07:17	32	46	2	25,5	+
24.6.2015	16:07:19	36	48	2	1,5	+
24.6.2015	16:08:16	50	35	2	25,5	+
24.6.2015	16:08:26	44	51	2	10	+
24.6.2015	16:08:36	39	39	2	9	+
24.6.2015	16:08:38	39	38	2	1,4	+
24.6.2015	16:08:55	37	16	2	15,7	+
24.6.2015	16:09:36	67	35	3	25,5	+
24.6.2015	16:10:10	26	14	2	25,5	+
24.6.2015	16:11:32	34	51	2	25,5	+
24.6.2015	16:13:57	23	10	2	25,5	+
24.6.2015	16:14:28	38	55	2	25,5	+
24.6.2015	16:15:18	49	27	2	25,5	+
24.6.2015	16:15:34	37	41	2	15,7	+
24.6.2015	16:18:47	38	39	2	25,5	+
24.6.2015	16:18:50	38	44	2	2,1	+
24.6.2015	16:18:57	31	56	2	6,9	+
24.6.2015	16:19:12	36	48	2	14,8	+
24.6.2015	16:20:38	63	32	3	25,5	+
24.6.2015	16:21:02	46	27	2	22,3	+
24.6.2015	16:21:07	36	35	2	5,4	+
24.6.2015	16:22:33	34	50	2	25,5	+
24.6.2015	16:22:51	41	31	2	17,6	+
24.6.2015	16:22:53	38	39	2	1,7	+
24.6.2015	16:23:00	35	38	2	6,1	+
24.6.2015	16:23:04	65	30	3	2,8	+
24.6.2015	16:23:11	44	18	2	5,9	+
24.6.2015	16:24:16	40	38	2	25,5	+
24.6.2015	16:24:49	37	54	2	25,5	+
24.6.2015	16:25:34	43	42	2	25,5	+
24.6.2015	16:25:39	39	27	2	4,2	+
24.6.2015	16:26:17	41	24	2	25,5	+
24.6.2015	16:26:55	21	13	2	25,5	+
24.6.2015	16:27:13	32	67	2	17,9	+
24.6.2015	16:27:18	47	42	2	3,6	+
24.6.2015	16:27:55	41	35	2	25,5	+
24.6.2015	16:28:12	40	25	2	15,5	+
24.6.2015	16:28:25	39	46	2	12,6	+
24.6.2015	16:28:45	35	53	2	20,1	+
24.6.2015	16:28:52	47	15	2	5	+
24.6.2015	16:30:37	13	41	1	0,2	+

Příloha B - měření po instalaci Opb

24.6.2015	16:30:37	26	47	2	25,5	+
24.6.2015	16:30:40	38	56	2	2,6	+
24.6.2015	16:31:36	38	45	2	25,5	+
24.6.2015	16:32:51	38	35	2	25,5	+
24.6.2015	16:33:50	84	39	3	25,5	+
24.6.2015	16:34:12	78	49	3	21,4	+
24.6.2015	16:34:16	45	31	2	3,1	+
24.6.2015	16:34:51	36	53	2	25,5	+
24.6.2015	16:35:35	51	26	2	25,5	+
24.6.2015	16:35:36	37	34	2	0,6	+
24.6.2015	16:36:59	34	48	2	25,5	+
24.6.2015	16:37:24	38	32	2	24,3	+
24.6.2015	16:38:13	30	49	2	25,5	+
24.6.2015	16:39:36	35	36	2	25,5	+
24.6.2015	16:40:12	40	28	2	25,5	+
24.6.2015	16:41:04	13	18	1	25,5	+
24.6.2015	16:41:59	48	25	2	25,5	+
24.6.2015	16:42:19	47	50	2	19,5	+
24.6.2015	16:44:35	26	9	2	25,5	+
24.6.2015	16:44:44	34	49	2	8,4	+
24.6.2015	16:45:33	33	41	2	25,5	+
24.6.2015	16:47:19	12	18	1	25,5	+
24.6.2015	16:47:31	39	42	2	11,3	+
24.6.2015	16:47:33	14	15	1	1,5	+
24.6.2015	16:47:48	49	32	2	14,4	+
24.6.2015	16:47:56	32	47	2	7,2	+
24.6.2015	16:49:00	38	47	2	25,5	+
24.6.2015	16:49:04	35	50	2	4,1	+
24.6.2015	16:49:12	35	41	2	7,7	+
24.6.2015	16:49:46	38	42	2	25,5	+
24.6.2015	16:50:26	34	33	2	25,5	+
24.6.2015	16:51:24	34	52	2	25,5	+
24.6.2015	16:51:54	47	26	2	25,5	+
24.6.2015	16:53:34	48	55	2	25,5	+
24.6.2015	16:55:46	37	34	2	25,5	+
24.6.2015	16:55:52	35	43	2	5,3	+
24.6.2015	16:56:08	55	27	2	15,5	+
24.6.2015	16:57:13	47	32	2	25,5	+
24.6.2015	16:57:32	44	36	2	17,9	+
24.6.2015	16:57:34	50	33	2	1,8	+
24.6.2015	16:57:54	55	45	2	18,8	+
24.6.2015	17:01:57	61	43	3	25,5	+
24.6.2015	17:02:13	41	33	2	14,6	+
24.6.2015	17:02:46	36	53	2	25,5	+
24.6.2015	17:05:21	37	44	2	25,5	+
24.6.2015	17:08:46	47	30	2	25,5	+
24.6.2015	17:09:21	32	57	2	25,5	+
24.6.2015	17:10:00	50	32	2	25,5	+
24.6.2015	17:10:52	33	52	2	25,5	+
24.6.2015	17:11:21	33	52	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	17:11:47	34	44	2	25,5	+
24.6.2015	17:12:56	34	47	2	25,5	+
24.6.2015	17:13:12	39	35	2	15,4	+
24.6.2015	17:13:18	27	34	2	5	+
24.6.2015	17:13:30	43	22	2	10,9	+
24.6.2015	17:15:46	38	36	2	25,5	+
24.6.2015	17:16:24	76	43	3	25,5	+
24.6.2015	17:16:38	37	62	2	12,6	+
24.6.2015	17:17:08	49	46	2	25,5	+
24.6.2015	17:18:05	44	14	2	25,5	+
24.6.2015	17:18:50	34	49	2	25,5	+
24.6.2015	17:19:58	37	36	2	25,5	+
24.6.2015	17:20:21	34	39	2	22,5	+
24.6.2015	17:20:31	50	31	2	9,2	+
24.6.2015	17:21:32	52	35	2	25,5	+
24.6.2015	17:22:38	38	44	2	25,5	+
24.6.2015	17:22:50	41	30	2	11,9	+
24.6.2015	17:23:07	50	31	2	15,4	+
24.6.2015	17:23:37	78	41	3	25,5	+
24.6.2015	17:23:42	39	41	2	3,7	+
24.6.2015	17:23:52	30	26	2	10	+
24.6.2015	17:25:08	36	49	2	25,5	+
24.6.2015	17:25:42	35	49	2	25,5	+
24.6.2015	17:26:01	54	34	2	18,3	+
24.6.2015	17:27:16	39	47	2	25,5	+
24.6.2015	17:28:01	36	41	2	25,5	+
24.6.2015	17:28:16	36	45	2	14,9	+
24.6.2015	17:30:10	39	56	2	25,5	+
24.6.2015	17:30:29	41	28	2	17,8	+
24.6.2015	17:30:39	33	41	2	10,1	+
24.6.2015	17:31:35	39	47	2	25,5	+
24.6.2015	17:31:48	52	29	2	11,7	+
24.6.2015	17:32:27	53	46	2	25,5	+
24.6.2015	17:33:10	39	50	2	25,5	+
24.6.2015	17:33:20	46	24	2	8,6	+
24.6.2015	17:33:54	37	43	2	25,5	+
24.6.2015	17:36:00	20	21	1	25,5	+
24.6.2015	17:36:39	51	24	2	25,5	+
24.6.2015	17:37:27	37	40	2	25,5	+
24.6.2015	17:37:47	42	33	2	20	+
24.6.2015	17:38:10	36	52	2	22,5	+
24.6.2015	17:38:24	45	34	2	12,2	+
24.6.2015	17:39:11	19	14	1	25,5	+
24.6.2015	17:39:24	40	43	2	12,7	+
24.6.2015	17:39:29	37	24	2	4,5	+
24.6.2015	17:39:53	40	49	2	23	+
24.6.2015	17:41:13	49	33	2	25,5	+
24.6.2015	17:41:37	48	20	2	22,9	+
24.6.2015	17:42:20	37	47	2	25,5	+
24.6.2015	17:42:59	48	26	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	17:43:57	40	40	2	25,5	+
24.6.2015	17:44:44	15	9	1	25,5	+
24.6.2015	17:44:53	51	28	2	7,4	+
24.6.2015	17:44:55	48	30	2	1,6	+
24.6.2015	17:44:57	39	29	2	0,7	+
24.6.2015	17:44:59	37	33	2	2	+
24.6.2015	17:45:26	36	41	2	25,5	+
24.6.2015	17:45:45	46	23	2	18,4	+
24.6.2015	17:46:40	40	41	2	25,5	+
24.6.2015	17:48:35	32	42	2	25,5	+
24.6.2015	17:49:22	36	36	2	25,5	+
24.6.2015	17:50:34	36	47	2	25,5	+
24.6.2015	17:51:59	33	51	2	25,5	+
24.6.2015	17:52:04	46	42	2	4,4	+
24.6.2015	17:53:14	45	43	2	25,5	+
24.6.2015	17:53:27	39	47	2	12,6	+
24.6.2015	17:54:11	49	42	2	25,5	+
24.6.2015	17:54:29	67	39	3	17,1	+
24.6.2015	17:56:26	43	29	2	25,5	+
24.6.2015	17:58:31	40	43	2	25,5	+
24.6.2015	18:00:04	53	19	2	25,5	+
24.6.2015	18:00:14	36	28	2	9,8	+
24.6.2015	18:00:29	46	28	2	14,3	+
24.6.2015	18:00:48	37	46	2	17,8	+
24.6.2015	18:01:22	40	25	2	25,5	+
24.6.2015	18:01:48	36	44	2	25,5	+
24.6.2015	18:02:28	40	39	2	25,5	+
24.6.2015	18:03:21	32	15	2	25,5	+
24.6.2015	18:04:14	30	47	2	25,5	+
24.6.2015	18:04:28	39	35	2	12,8	+
24.6.2015	18:05:39	57	28	2	25,5	+
24.6.2015	18:08:15	41	29	2	25,5	+
24.6.2015	18:08:18	43	43	2	2,5	+
24.6.2015	18:08:32	45	31	2	12,9	+
24.6.2015	18:08:43	35	50	2	10,8	+
24.6.2015	18:09:14	42	52	2	25,5	+
24.6.2015	18:09:36	40	54	2	22,1	+
24.6.2015	18:09:56	35	51	2	18,7	+
24.6.2015	18:11:21	57	45	2	25,5	+
24.6.2015	18:12:29	37	41	2	25,5	+
24.6.2015	18:13:41	56	39	2	10,3	+
24.6.2015	18:13:56	33	58	2	14,4	+
24.6.2015	18:14:01	37	54	2	4,7	+
24.6.2015	18:14:16	92	42	3	14	+
24.6.2015	18:15:06	29	14	2	25,5	+
24.6.2015	18:15:10	19	9	1	2,9	+
24.6.2015	18:15:19	39	39	2	7,7	+
24.6.2015	18:16:40	39	25	2	25,5	+
24.6.2015	18:17:59	14	34	1	25,5	+
24.6.2015	18:18:04	34	38	2	4,4	+

Příloha B - měření po instalaci Opb

24.6.2015	18:18:57	40	49	2	25,5	+
24.6.2015	18:19:18	16	14	1	19,8	+
24.6.2015	18:19:33	36	38	2	14,7	+
24.6.2015	18:19:34	30	40	2	0,8	+
24.6.2015	18:21:18	37	10	2	25,5	+
24.6.2015	18:22:44	37	41	2	25,5	+
24.6.2015	18:24:06	41	42	2	25,5	+
24.6.2015	18:24:28	40	24	2	21,2	+
24.6.2015	18:25:29	38	52	2	25,5	+
24.6.2015	18:26:34	42	55	2	25,5	+
24.6.2015	18:27:26	38	48	2	25,5	+
24.6.2015	18:27:50	36	62	2	23,7	+
24.6.2015	18:28:41	30	26	2	25,5	+
24.6.2015	18:29:42	39	50	2	25,5	+
24.6.2015	18:30:19	32	39	2	25,5	+
24.6.2015	18:30:55	43	29	2	25,5	+
24.6.2015	18:33:06	34	31	2	25,5	+
24.6.2015	18:33:37	40	31	2	25,5	+
24.6.2015	18:34:03	49	32	2	25,2	+
24.6.2015	18:34:27	35	40	2	23,9	+
24.6.2015	18:35:00	37	51	2	25,5	+
24.6.2015	18:35:21	24	68	2	20,1	+
24.6.2015	18:35:23	35	47	2	2,4	+
24.6.2015	18:35:55	18	41	1	25,5	+
24.6.2015	18:35:58	43	25	2	1,1	+
24.6.2015	18:36:33	39	43	2	25,5	+
24.6.2015	18:37:01	44	31	2	25,5	+
24.6.2015	18:37:54	78	19	3	25,5	+
24.6.2015	18:38:40	38	20	2	25,5	+
24.6.2015	18:40:21	43	22	2	25,5	+
24.6.2015	18:40:47	37	38	2	25,5	+
24.6.2015	18:40:49	39	33	2	1,3	+
24.6.2015	18:40:57	38	50	2	7	+
24.6.2015	18:41:41	35	35	2	25,5	+
24.6.2015	18:42:15	40	53	2	25,5	+
24.6.2015	18:42:25	35	53	2	9,5	+
24.6.2015	18:42:30	35	50	2	5,4	+
24.6.2015	18:42:56	49	32	2	25,3	+
24.6.2015	18:43:40	40	37	2	25,5	+
24.6.2015	18:45:42	24	10	2	25,5	+
24.6.2015	18:45:50	86	24	3	6,6	+
24.6.2015	18:46:37	43	25	2	25,5	+
24.6.2015	18:49:28	19	17	1	25,5	+
24.6.2015	18:50:05	38	38	2	25,5	+
24.6.2015	18:50:08	47	24	2	1,5	+
24.6.2015	18:51:05	35	44	2	25,5	+
24.6.2015	18:51:17	34	48	2	11,8	+
24.6.2015	18:52:38	37	56	2	25,5	+
24.6.2015	18:53:05	11	14	1	25,5	+
24.6.2015	18:53:36	37	47	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	18:53:52	38	43	2	15,3	+
24.6.2015	18:54:29	41	24	2	25,5	+
24.6.2015	18:54:33	43	29	2	3	+
24.6.2015	18:55:27	30	23	2	25,5	+
24.6.2015	18:55:53	33	49	2	25,5	+
24.6.2015	18:58:07	52	48	2	25,5	+
24.6.2015	18:58:46	34	43	2	25,5	+
24.6.2015	18:59:20	39	30	2	25,5	+
24.6.2015	19:00:05	58	50	2	25,5	+
24.6.2015	19:00:16	46	28	2	10	+
24.6.2015	19:03:14	12	17	1	25,5	+
24.6.2015	19:04:30	39	34	2	25,5	+
24.6.2015	19:05:31	40	41	2	25,5	+
24.6.2015	19:07:28	36	47	2	25,5	+
24.6.2015	19:08:31	38	33	2	25,5	+
24.6.2015	19:08:38	27	13	2	5,8	+
24.6.2015	19:10:47	46	39	2	25,5	+
24.6.2015	19:14:25	51	31	2	25,5	+
24.6.2015	19:16:39	23	14	2	25,5	+
24.6.2015	19:17:04	43	25	2	23,2	+
24.6.2015	19:18:50	25	47	2	25,5	+
24.6.2015	19:19:25	36	40	2	25,5	+
24.6.2015	19:22:27	40	26	2	25,5	+
24.6.2015	19:23:55	53	33	2	25,5	+
24.6.2015	19:25:57	48	31	2	25,5	+
24.6.2015	19:26:17	38	56	2	19,1	+
24.6.2015	19:27:03	46	33	2	25,5	+
24.6.2015	19:27:28	37	46	2	24,8	+
24.6.2015	19:27:37	36	45	2	8,4	+
24.6.2015	19:27:57	30	41	2	19,3	+
24.6.2015	19:30:15	45	35	2	25,5	+
24.6.2015	19:31:43	40	50	2	25,5	+
24.6.2015	19:33:02	40	65	2	25,5	+
24.6.2015	19:35:15	52	40	2	25,5	+
24.6.2015	19:35:49	34	33	2	25,5	+
24.6.2015	19:38:01	35	42	2	25,5	+
24.6.2015	19:40:56	41	43	2	25,5	+
24.6.2015	19:43:06	41	30	2	25,5	+
24.6.2015	19:43:25	35	44	2	18,4	+
24.6.2015	19:43:39	13	14	1	13,5	+
24.6.2015	19:43:51	36	18	2	10,4	+
24.6.2015	19:44:08	42	31	2	16,6	+
24.6.2015	19:44:47	14	15	1	25,5	+
24.6.2015	19:44:53	39	10	2	3,4	+
24.6.2015	19:45:36	21	19	2	25,5	+
24.6.2015	19:46:38	42	59	2	25,5	+
24.6.2015	19:49:09	47	50	2	25,5	+
24.6.2015	19:51:19	42	27	2	25,5	+
24.6.2015	19:51:54	70	54	3	25,5	+
24.6.2015	19:52:24	43	44	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	19:52:48	34	43	2	23,4	+
24.6.2015	19:52:51	42	14	2	1,7	+
24.6.2015	19:53:21	44	38	2	25,5	+
24.6.2015	19:53:23	32	38	2	1,5	+
24.6.2015	19:54:03	34	56	2	25,5	+
24.6.2015	19:55:28	33	46	2	25,5	+
24.6.2015	19:55:39	37	27	2	9,7	+
24.6.2015	19:56:09	35	49	2	25,5	+
24.6.2015	19:57:26	54	21	2	25,5	+
24.6.2015	19:58:11	35	54	2	25,5	+
24.6.2015	19:58:40	37	54	2	25,5	+
24.6.2015	20:02:02	44	46	2	25,5	+
24.6.2015	20:02:15	32	48	2	13,2	+
24.6.2015	20:03:17	70	42	3	25,5	+
24.6.2015	20:03:56	40	41	2	25,5	+
24.6.2015	20:04:16	35	13	2	19,4	+
24.6.2015	20:04:53	39	47	2	25,5	+
24.6.2015	20:06:44	55	48	2	25,5	+
24.6.2015	20:06:52	41	44	2	7,5	+
24.6.2015	20:06:56	44	41	2	3,2	+
24.6.2015	20:07:12	43	19	2	14,6	+
24.6.2015	20:07:58	35	69	2	25,5	+
24.6.2015	20:09:14	13	14	1	25,5	+
24.6.2015	20:09:20	46	23	2	5,1	+
24.6.2015	20:09:27	39	27	2	6,6	+
24.6.2015	20:11:02	27	46	2	25,5	+
24.6.2015	20:11:52	43	35	2	25,5	+
24.6.2015	20:13:30	34	51	2	25,5	+
24.6.2015	20:13:34	51	34	2	3,5	+
24.6.2015	20:18:22	40	47	2	25,5	+
24.6.2015	20:18:28	25	16	2	5,5	+
24.6.2015	20:18:35	44	42	2	6	+
24.6.2015	20:19:12	44	45	2	25,5	+
24.6.2015	20:19:53	44	25	2	25,5	+
24.6.2015	20:20:14	35	41	2	20,7	+
24.6.2015	20:22:40	52	25	2	25,5	+
24.6.2015	20:23:12	43	35	2	25,5	+
24.6.2015	20:24:45	39	27	2	25,5	+
24.6.2015	20:26:12	58	42	2	25,5	+
24.6.2015	20:26:34	40	45	2	21,4	+
24.6.2015	20:26:38	42	41	2	3,8	+
24.6.2015	20:27:12	72	50	3	25,5	+
24.6.2015	20:31:45	31	23	2	25,5	+
24.6.2015	20:32:46	43	33	2	25,5	+
24.6.2015	20:34:02	44	23	2	25,5	+
24.6.2015	20:36:24	42	13	2	25,5	+
24.6.2015	20:36:35	38	30	2	10,1	+
24.6.2015	20:36:37	40	34	2	1	+
24.6.2015	20:39:31	34	48	2	25,5	+
24.6.2015	20:40:07	38	46	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	20:41:51	43	31	2	25,5	+
24.6.2015	20:41:57	44	49	2	5,1	+
24.6.2015	20:42:56	34	52	2	25,5	+
24.6.2015	20:45:10	39	39	2	25,5	+
24.6.2015	20:45:19	13	13	1	8,8	+
24.6.2015	20:45:54	40	30	2	25,5	+
24.6.2015	20:47:57	48	28	2	25,5	+
24.6.2015	20:48:07	53	29	2	9	+
24.6.2015	20:50:16	45	15	2	25,5	+
24.6.2015	20:51:46	41	25	2	25,5	+
24.6.2015	20:55:03	47	45	2	25,5	+
24.6.2015	20:56:29	40	39	2	25,5	+
24.6.2015	20:58:34	40	37	2	25,5	+
24.6.2015	21:00:10	49	32	2	25,5	+
24.6.2015	21:00:53	38	43	2	25,5	+
24.6.2015	21:02:02	37	48	2	25,5	+
24.6.2015	21:03:46	39	45	2	25,5	+
24.6.2015	21:14:29	40	51	2	25,5	+
24.6.2015	21:14:46	38	44	2	16,4	+
24.6.2015	21:14:55	36	46	2	8	+
24.6.2015	21:16:03	37	45	2	25,5	+
24.6.2015	21:17:20	40	49	2	25,5	+
24.6.2015	21:17:26	42	29	2	5	+
24.6.2015	21:20:42	37	31	2	25,5	+
24.6.2015	21:21:18	35	59	2	25,5	+
24.6.2015	21:22:37	43	24	2	25,5	+
24.6.2015	21:22:43	43	47	2	5	+
24.6.2015	21:22:46	57	51	2	2,3	+
24.6.2015	21:23:00	33	48	2	14,1	+
24.6.2015	21:25:54	43	34	2	25,5	+
24.6.2015	21:26:22	42	26	2	25,5	+
24.6.2015	21:28:12	34	57	2	25,5	+
24.6.2015	21:31:17	26	22	2	25,5	+
24.6.2015	21:33:07	20	11	1	25,5	+
24.6.2015	21:34:59	29	68	2	25,5	+
24.6.2015	21:35:38	38	20	2	25,5	+
24.6.2015	21:35:43	34	33	2	4,8	+
24.6.2015	21:39:24	38	55	2	25,5	+
24.6.2015	21:42:46	31	57	2	25,5	+
24.6.2015	21:45:15	39	52	2	25,5	+
24.6.2015	21:47:38	41	29	2	25,5	+
24.6.2015	21:50:52	11	15	1	25,5	+
24.6.2015	21:51:17	37	31	2	24,5	+
24.6.2015	21:55:30	39	57	2	25,5	+
24.6.2015	21:56:41	41	34	2	25,5	+
24.6.2015	21:58:07	43	51	2	25,5	+
24.6.2015	22:05:25	36	44	2	25,5	+
24.6.2015	22:05:27	37	41	2	0,6	+
24.6.2015	22:10:44	39	45	2	25,5	+
24.6.2015	22:14:56	35	60	2	25,5	+

Příloha B - měření po instalaci Opb

24.6.2015	22:18:25	44	31	2	25,5	+
24.6.2015	22:20:29	45	21	2	25,5	+
24.6.2015	22:20:44	41	42	2	14,3	+
24.6.2015	22:21:23	39	42	2	25,5	+
24.6.2015	22:25:29	44	27	2	25,5	+
24.6.2015	22:25:31	41	31	2	0,8	+
24.6.2015	22:28:17	40	33	2	25,5	+
24.6.2015	22:30:27	37	31	2	25,5	+
24.6.2015	22:31:13	37	35	2	25,5	+
24.6.2015	22:36:41	23	11	2	25,5	+
24.6.2015	22:41:18	35	55	2	25,5	+
24.6.2015	22:43:27	48	23	2	25,5	+
24.6.2015	22:46:09	37	12	2	25,5	+
24.6.2015	22:46:26	43	29	2	16,3	+
24.6.2015	22:50:02	48	37	2	25,5	+
24.6.2015	23:04:25	45	27	2	25,5	+
24.6.2015	23:08:30	36	42	2	25,5	+
24.6.2015	23:16:53	35	42	2	25,5	+
24.6.2015	23:26:53	39	38	2	25,5	+
24.6.2015	23:26:55	39	37	2	1,8	+
24.6.2015	23:27:40	43	34	2	25,5	+
24.6.2015	23:28:53	56	27	2	25,5	+
24.6.2015	23:35:13	38	48	2	25,5	+
24.6.2015	23:38:22	37	30	2	25,5	+
24.6.2015	23:38:31	39	38	2	9,2	+
24.6.2015	23:39:22	47	22	2	25,5	+
24.6.2015	23:47:13	33	23	2	25,5	+
25.6.2015	0:01:57	63	61	3	25,5	+
25.6.2015	0:05:07	38	44	2	25,5	+
25.6.2015	0:05:34	33	50	2	25,5	+
25.6.2015	0:18:57	54	41	2	25,5	+
25.6.2015	0:22:33	40	63	2	25,5	+
25.6.2015	0:31:16	46	25	2	25,5	+
25.6.2015	0:37:53	37	38	2	25,5	+
25.6.2015	0:39:59	43	37	2	25,5	+
25.6.2015	0:43:26	42	40	2	25,5	+
25.6.2015	0:57:21	59	51	2	25,5	+
25.6.2015	0:57:23	54	49	2	1,2	+
25.6.2015	0:57:41	60	53	2	17,1	+
25.6.2015	1:24:58	46	26	2	25,5	+
25.6.2015	1:32:17	39	37	2	25,5	+
25.6.2015	2:17:59	36	40	2	25,5	+
25.6.2015	2:27:32	44	50	2	25,5	+
25.6.2015	2:32:15	35	45	2	25,5	+
25.6.2015	2:39:45	52	46	2	25,5	+
25.6.2015	2:46:39	37	52	2	25,5	+
25.6.2015	3:08:07	39	44	2	25,5	+
25.6.2015	3:08:19	39	14	2	10,6	+
25.6.2015	3:43:36	54	59	2	25,5	+
25.6.2015	3:43:38	55	58	2	2,1	+

Příloha B - měření po instalaci Opb

25.6.2015	3:50:11	38	63	2	25,5	+
25.6.2015	3:52:41	34	56	2	25,5	+
25.6.2015	3:56:11	65	49	3	25,5	+
25.6.2015	4:04:53	45	32	2	25,5	+
25.6.2015	4:08:57	41	44	2	25,5	+
25.6.2015	4:11:04	38	42	2	25,5	+
25.6.2015	4:11:06	39	39	2	1	+
25.6.2015	4:15:51	36	68	2	25,5	+
25.6.2015	4:16:30	50	11	2	25,5	+
25.6.2015	4:17:47	40	49	2	25,5	+
25.6.2015	4:33:27	63	61	3	25,5	+
25.6.2015	4:35:07	38	41	2	25,5	+
25.6.2015	4:37:52	33	55	2	25,5	+
25.6.2015	4:45:29	36	51	2	25,5	+
25.6.2015	5:12:15	35	54	2	25,5	+
25.6.2015	5:12:44	38	69	2	25,5	+
25.6.2015	5:13:33	55	42	2	25,5	+
25.6.2015	5:13:33	31	41	2	0,3	+
25.6.2015	5:13:36	35	46	2	1,8	+
25.6.2015	5:14:34	39	45	2	25,5	+
25.6.2015	5:15:48	13	13	1	25,5	+
25.6.2015	5:16:02	19	14	1	13,4	+
25.6.2015	5:21:14	33	63	2	25,5	+
25.6.2015	5:23:56	42	66	2	25,5	+
25.6.2015	5:33:51	37	52	2	25,5	+
25.6.2015	5:35:58	41	43	2	25,5	+
25.6.2015	5:44:49	37	40	2	25,5	+
25.6.2015	5:44:58	32	11	2	7,4	+
25.6.2015	5:45:32	36	43	2	25,5	+
25.6.2015	5:48:16	36	38	2	25,5	+
25.6.2015	5:49:57	39	56	2	25,5	+
25.6.2015	5:51:45	34	74	2	25,5	+
25.6.2015	5:53:44	37	36	2	25,5	+
25.6.2015	5:54:45	33	42	2	25,5	+
25.6.2015	5:57:31	36	49	2	25,5	+
25.6.2015	5:59:51	34	48	2	25,5	+
25.6.2015	6:00:28	35	48	2	25,5	+
25.6.2015	6:00:46	19	8	1	16,4	+
25.6.2015	6:01:37	57	63	2	25,5	+
25.6.2015	6:01:55	38	42	2	17,9	+
25.6.2015	6:02:21	29	39	2	24,7	+
25.6.2015	6:03:44	21	11	2	25,5	+
25.6.2015	6:07:56	53	37	2	25,5	+
25.6.2015	6:12:10	34	48	2	25,5	+
25.6.2015	6:12:25	15	8	1	13,6	+
25.6.2015	6:12:50	33	51	2	24,6	+
25.6.2015	6:13:31	46	30	2	25,5	+
25.6.2015	6:13:56	35	50	2	24,4	+
25.6.2015	6:14:05	34	50	2	8,3	+
25.6.2015	6:14:32	14	11	1	25,5	+

Příloha B - měření po instalaci Opb

25.6.2015	6:14:53	36	61	2	20,5	+
25.6.2015	6:19:20	62	14	3	25,5	+
25.6.2015	6:20:09	90	21	3	25,5	+
25.6.2015	6:23:00	50	54	2	25,5	+
25.6.2015	6:24:33	39	47	2	25,5	+
25.6.2015	6:24:41	29	49	2	7,4	+
25.6.2015	6:26:02	59	39	2	25,5	+
25.6.2015	6:26:12	34	49	2	10,1	+
25.6.2015	6:27:21	34	44	2	25,5	+
25.6.2015	6:29:32	33	75	2	25,5	+
25.6.2015	6:30:56	35	58	2	25,5	+
25.6.2015	6:31:02	39	52	2	6	+
25.6.2015	6:31:50	65	16	3	25,5	+
25.6.2015	6:32:54	16	10	1	25,5	+
25.6.2015	6:34:15	44	54	2	25,5	+
25.6.2015	6:34:30	30	59	2	14,7	+
25.6.2015	6:34:32	12	17	1	1,9	+
25.6.2015	6:43:30	39	56	2	25,5	+
25.6.2015	6:43:45	39	46	2	13,7	+
25.6.2015	6:44:07	29	9	2	20,6	+
25.6.2015	6:45:02	33	50	2	25,5	+
25.6.2015	6:47:20	36	60	2	25,5	+
25.6.2015	6:47:22	19	11	1	1	+
25.6.2015	6:47:53	36	55	2	25,5	+
25.6.2015	6:49:09	106	38	3	25,5	+
25.6.2015	6:49:11	38	35	2	1,3	+
25.6.2015	6:49:28	37	53	2	17	+
25.6.2015	6:49:39	38	43	2	10,5	+
25.6.2015	6:50:45	42	41	2	25,5	+
25.6.2015	6:51:45	38	49	2	25,5	+
25.6.2015	6:52:11	33	12	2	23,7	+
25.6.2015	6:52:19	39	27	2	7,7	+
25.6.2015	6:52:27	44	46	2	7,1	+
25.6.2015	6:52:37	38	55	2	9,9	+
25.6.2015	6:56:15	42	40	2	25,5	+
25.6.2015	6:56:26	41	38	2	10,2	+
25.6.2015	6:57:03	38	50	2	25,5	+
25.6.2015	6:57:10	40	29	2	6,1	+
25.6.2015	6:57:43	39	46	2	25,5	+
25.6.2015	6:57:54	19	14	1	10,5	+
25.6.2015	6:59:21	57	29	2	25,5	+
25.6.2015	6:59:41	35	46	2	19,2	+
25.6.2015	6:59:46	36	59	2	4,9	+
25.6.2015	7:00:24	50	45	2	25,5	+
25.6.2015	7:01:35	46	31	2	25,5	+
25.6.2015	7:02:06	41	42	2	25,5	+
25.6.2015	7:02:26	42	28	2	19,3	+
25.6.2015	7:04:03	41	37	2	25,5	+
25.6.2015	7:04:05	42	36	2	1,2	+
25.6.2015	7:04:20	18	44	1	14,2	+

Příloha B - měření po instalaci Opb

25.6.2015	7:04:22	27	12	2	1,3	+
25.6.2015	7:04:50	33	37	2	25,5	+
25.6.2015	7:05:16	46	58	2	25,5	+
25.6.2015	7:05:19	40	44	2	2,1	+
25.6.2015	7:05:33	37	63	2	13,9	+
25.6.2015	7:06:18	11	10	1	16,3	+
25.6.2015	7:06:33	32	59	2	14,3	+
25.6.2015	7:08:00	37	46	2	25,5	+
25.6.2015	7:08:50	37	54	2	25,5	+
25.6.2015	7:09:26	37	46	2	25,5	+
25.6.2015	7:09:50	20	11	1	22,4	+
25.6.2015	7:11:34	38	29	2	25,5	+
25.6.2015	7:14:25	39	71	2	25,5	+
25.6.2015	7:15:07	25	13	2	25,5	+
25.6.2015	7:15:26	36	36	2	19,1	+
25.6.2015	7:15:48	38	39	2	20,6	+
25.6.2015	7:17:18	47	37	2	25,5	+
25.6.2015	7:18:04	56	44	2	25,5	+
25.6.2015	7:18:30	31	46	2	24,9	+
25.6.2015	7:18:33	35	43	2	3,1	+
25.6.2015	7:19:22	39	65	2	25,5	+
25.6.2015	7:20:46	35	49	2	25,5	+
25.6.2015	7:21:11	30	16	2	23,9	+
25.6.2015	7:21:39	36	54	2	25,5	+
25.6.2015	7:23:11	50	27	2	25,5	+
25.6.2015	7:23:16	21	21	2	4,1	+
25.6.2015	7:24:06	38	44	2	25,5	+
25.6.2015	7:26:14	32	44	2	25,5	+
25.6.2015	7:26:17	16	45	1	1,8	+
25.6.2015	7:26:22	55	15	2	3,7	+
25.6.2015	7:27:31	44	39	2	25,5	+
25.6.2015	7:27:41	36	45	2	9,3	+
25.6.2015	7:29:16	36	54	2	25,5	+
25.6.2015	7:30:05	40	54	2	25,5	+
25.6.2015	7:30:11	104	27	3	5	+
25.6.2015	7:30:13	38	32	2	1,1	+
25.6.2015	7:30:54	35	49	2	25,5	+
25.6.2015	7:32:18	40	27	2	25,5	+
25.6.2015	7:32:46	39	49	2	25,5	+
25.6.2015	7:33:04	38	44	2	17,4	+
25.6.2015	7:33:08	36	56	2	3,2	+
25.6.2015	7:33:13	54	41	2	4,1	+
25.6.2015	7:33:18	42	45	2	5	+
25.6.2015	7:33:20	15	8	1	1,2	+
25.6.2015	7:33:41	35	49	2	20,4	+
25.6.2015	7:33:44	35	57	2	2,6	+
25.6.2015	7:34:01	41	46	2	16	+
25.6.2015	7:34:24	38	49	2	22	+
25.6.2015	7:34:57	23	10	2	25,5	+
25.6.2015	7:35:28	38	42	2	25,5	+

Příloha B - měření po instalaci Opb

25.6.2015	7:35:49	36	53	2	20,8	+
25.6.2015	7:36:31	53	40	2	25,5	+
25.6.2015	7:36:35	38	48	2	3,6	+
25.6.2015	7:36:40	38	47	2	4,5	+
25.6.2015	7:36:48	32	58	2	7,4	+
25.6.2015	7:37:07	45	24	2	18,3	+
25.6.2015	7:37:38	37	51	2	25,5	+
25.6.2015	7:38:01	174	13	4	18	+
25.6.2015	7:38:57	35	48	2	25,5	+
25.6.2015	7:39:06	39	58	2	9,3	+
25.6.2015	7:40:03	35	44	2	25,5	+
25.6.2015	7:40:19	35	42	2	15,8	+
25.6.2015	7:40:44	46	29	2	23,3	+
25.6.2015	7:40:45	39	45	2	1,1	+
25.6.2015	7:40:57	36	53	2	11,1	+
25.6.2015	7:41:11	32	35	2	13,9	+
25.6.2015	7:42:08	40	19	2	25,5	+
25.6.2015	7:42:23	39	39	2	13,9	+
25.6.2015	7:42:45	48	45	2	21,7	+
25.6.2015	7:42:48	42	15	2	1,4	+
25.6.2015	7:42:58	37	36	2	10	+
25.6.2015	7:43:04	42	30	2	5,1	+
25.6.2015	7:43:14	33	35	2	9,1	+
25.6.2015	7:43:29	28	43	2	14,3	+
25.6.2015	7:43:52	39	45	2	22,1	+
25.6.2015	7:43:57	14	9	1	3,9	+
25.6.2015	7:44:01	22	8	2	2,9	+
25.6.2015	7:44:07	17	13	1	5,2	+
25.6.2015	7:44:33	35	53	2	25,5	+
25.6.2015	7:44:36	35	47	2	2,5	+
25.6.2015	7:44:49	35	56	2	12,2	+
25.6.2015	7:45:00	30	50	2	10,7	+
25.6.2015	7:45:12	48	30	2	11	+
25.6.2015	7:45:30	41	20	2	17,7	+
25.6.2015	7:46:13	19	16	1	25,5	+
25.6.2015	7:46:29	39	50	2	15,5	+
25.6.2015	7:46:33	35	51	2	3,4	+
25.6.2015	7:46:48	43	26	2	14,8	+
25.6.2015	7:46:49	33	32	2	0,5	+
25.6.2015	7:46:53	31	45	2	3,6	+
25.6.2015	7:47:07	38	46	2	13,1	+
25.6.2015	7:47:53	43	16	2	25,5	+
25.6.2015	7:48:21	33	77	2	25,5	+
25.6.2015	7:48:24	37	52	2	2,1	+
25.6.2015	7:48:41	43	41	2	16,4	+
25.6.2015	7:48:42	36	44	2	0,8	+
25.6.2015	7:49:49	41	47	2	25,5	+
25.6.2015	7:49:53	40	47	2	3,8	+
25.6.2015	7:50:51	38	53	2	25,5	+
25.6.2015	7:51:14	46	30	2	21,9	+

Příloha B - měření po instalaci Opb

25.6.2015	7:51:16	42	29	2	0,9	+
25.6.2015	7:51:18	41	40	2	1,8	+
25.6.2015	7:51:42	35	51	2	23,2	+
25.6.2015	7:51:49	40	50	2	6	+
25.6.2015	7:53:01	34	45	2	25,5	+
25.6.2015	7:53:04	38	51	2	2,1	+
25.6.2015	7:53:13	37	46	2	9,2	+
25.6.2015	7:53:39	39	41	2	24,5	+
25.6.2015	7:53:43	32	48	2	3,7	+
25.6.2015	7:54:14	48	41	2	25,5	+
25.6.2015	7:54:40	60	56	2	25,5	+
25.6.2015	7:55:02	38	17	2	20,7	+
25.6.2015	7:55:32	37	56	2	25,5	+
25.6.2015	7:55:50	37	42	2	18,4	+
25.6.2015	7:56:15	31	61	2	24,4	+
25.6.2015	7:56:23	43	50	2	7,4	+
25.6.2015	7:56:30	36	44	2	6,3	+
25.6.2015	7:56:42	37	55	2	11,5	+
25.6.2015	7:57:23	35	44	2	25,5	+
25.6.2015	7:57:25	38	45	2	1,3	+
25.6.2015	7:57:36	37	45	2	10,5	+
25.6.2015	7:57:39	33	53	2	2,4	+
25.6.2015	7:58:14	36	52	2	25,5	+
25.6.2015	7:58:51	42	34	2	25,5	+
25.6.2015	7:59:19	38	39	2	25,5	+
25.6.2015	7:59:46	38	62	2	25,5	+
25.6.2015	7:59:52	35	47	2	5,7	+
25.6.2015	7:59:57	44	46	2	4,7	+
25.6.2015	8:00:07	53	52	2	8,8	+
25.6.2015	8:00:31	46	27	2	23,7	+
25.6.2015	8:00:38	45	26	2	5,7	+
25.6.2015	8:00:59	69	34	3	19,7	+
25.6.2015	8:01:01	37	33	2	1,5	+
25.6.2015	8:01:19	37	38	2	17,5	+
25.6.2015	8:01:23	16	22	1	2,5	+
25.6.2015	8:01:33	31	47	2	9,7	+
25.6.2015	8:01:52	37	41	2	18,7	+
25.6.2015	8:02:11	27	14	2	17,7	+
25.6.2015	8:02:14	36	40	2	3,2	+
25.6.2015	8:02:41	26	11	2	25	+
25.6.2015	8:03:07	39	47	2	25,5	+
25.6.2015	8:04:08	33	49	2	25,5	+
25.6.2015	8:04:19	38	55	2	10,2	+
25.6.2015	8:04:30	37	43	2	10,4	+
25.6.2015	8:04:34	13	12	1	3,5	+
25.6.2015	8:06:39	33	46	2	25,5	+
25.6.2015	8:07:47	39	48	2	25,5	+
25.6.2015	8:08:11	47	45	2	23,6	+
25.6.2015	8:08:18	35	57	2	6,7	+
25.6.2015	8:08:44	62	34	3	24,9	+

Příloha B - měření po instalaci Opb

25.6.2015	8:08:45	40	32	2	0,7	+
25.6.2015	8:09:01	41	29	2	14,4	+
25.6.2015	8:09:13	37	45	2	12,1	+
25.6.2015	8:10:13	33	48	2	25,5	+
25.6.2015	8:10:20	38	53	2	6,8	+
25.6.2015	8:11:11	34	50	2	25,5	+
25.6.2015	8:12:05	34	45	2	25,5	+
25.6.2015	8:12:13	34	48	2	7,2	+
25.6.2015	8:12:29	34	37	2	15,7	+
25.6.2015	8:12:46	36	55	2	17	+
25.6.2015	8:12:50	35	48	2	2,7	+
25.6.2015	8:13:35	38	60	2	25,5	+
25.6.2015	8:13:46	36	43	2	9,6	+
25.6.2015	8:13:47	14	15	1	0,5	+
25.6.2015	8:14:06	39	23	2	18,5	+
25.6.2015	8:14:39	33	13	2	25,5	+
25.6.2015	8:15:00	35	53	2	20,9	+
25.6.2015	8:15:30	45	49	2	25,5	+
25.6.2015	8:15:31	32	49	2	0,5	+
25.6.2015	8:15:40	29	11	2	7	+
25.6.2015	8:17:13	27	49	2	25,5	+
25.6.2015	8:18:31	43	34	2	25,5	+
25.6.2015	8:19:19	37	31	2	25,5	+
25.6.2015	8:19:26	39	46	2	6,4	+
25.6.2015	8:20:11	58	40	2	25,5	+
25.6.2015	8:20:30	27	41	2	18,4	+
25.6.2015	8:21:09	44	28	2	25,5	+
25.6.2015	8:21:19	36	54	2	9,5	+
25.6.2015	8:21:22	36	48	2	2,7	+
25.6.2015	8:22:43	45	33	2	25,5	+
25.6.2015	8:22:45	44	28	2	1,1	+
25.6.2015	8:23:23	35	45	2	25,5	+
25.6.2015	8:23:31	35	49	2	7,9	+
25.6.2015	8:23:33	37	53	2	1,1	+
25.6.2015	8:25:14	33	55	2	25,5	+
25.6.2015	8:25:23	36	45	2	8,4	+
25.6.2015	8:25:45	37	49	2	21,1	+
25.6.2015	8:26:01	36	43	2	15,2	+
25.6.2015	8:26:05	37	53	2	4,2	+
25.6.2015	8:26:10	38	61	2	4,4	+
25.6.2015	8:26:16	16	15	1	5	+
25.6.2015	8:26:52	36	44	2	25,5	+
25.6.2015	8:26:53	38	44	2	1	+
25.6.2015	8:27:01	36	54	2	7,7	+
25.6.2015	8:27:02	33	55	2	0,7	+
25.6.2015	8:27:38	40	54	2	25,5	+
25.6.2015	8:27:59	90	35	3	19,5	+
25.6.2015	8:28:06	60	41	2	6,3	+
25.6.2015	8:28:33	37	47	2	25,5	+
25.6.2015	8:28:42	36	54	2	8,5	+

Příloha B - měření po instalaci Opb

25.6.2015	8:28:52	24	13	2	9,4	+
25.6.2015	8:29:42	33	46	2	25,5	+
25.6.2015	8:30:00	35	57	2	17,5	+
25.6.2015	8:30:19	35	45	2	18,1	+
25.6.2015	8:32:01	47	50	2	25,5	+
25.6.2015	8:33:20	30	42	2	25,5	+
25.6.2015	8:33:25	80	53	3	3,6	+
25.6.2015	8:33:41	38	44	2	15,6	+
25.6.2015	8:33:43	45	47	2	1,6	+
25.6.2015	8:33:45	23	15	2	0,8	+
25.6.2015	8:33:56	37	40	2	11	+
25.6.2015	8:33:58	39	42	2	0,9	+
25.6.2015	8:34:21	64	27	3	21,8	+
25.6.2015	8:34:26	15	15	1	4,4	+
25.6.2015	8:36:29	29	44	2	25,5	+
25.6.2015	8:36:34	38	53	2	4,7	+
25.6.2015	8:37:00	59	37	2	25,5	+
25.6.2015	8:37:22	47	47	2	21	+
25.6.2015	8:37:37	38	33	2	13,8	+
25.6.2015	8:37:40	38	46	2	2,5	+
25.6.2015	8:38:05	42	57	2	24,5	+
25.6.2015	8:38:51	37	49	2	25,5	+
25.6.2015	8:38:56	53	38	2	3,9	+
25.6.2015	8:39:49	37	49	2	25,5	+
25.6.2015	8:39:55	42	51	2	5,3	+
25.6.2015	8:41:14	33	46	2	25,5	+
25.6.2015	8:41:32	44	49	2	17,7	+
25.6.2015	8:42:28	34	52	2	25,5	+
25.6.2015	8:44:16	45	50	2	25,5	+
25.6.2015	8:44:35	39	9	2	15,6	+
25.6.2015	8:45:54	46	25	2	25,5	+
25.6.2015	8:46:45	35	34	2	25,5	+
25.6.2015	8:47:28	37	49	2	25,5	+
25.6.2015	8:47:44	21	14	2	15,7	+
25.6.2015	8:48:01	37	39	2	15,9	+
25.6.2015	8:48:30	34	45	2	25,5	+
25.6.2015	8:48:39	38	59	2	9	+
25.6.2015	8:49:22	66	26	3	25,5	+
25.6.2015	8:49:26	41	45	2	3,9	+
25.6.2015	8:49:43	35	50	2	16,3	+
25.6.2015	8:51:17	25	17	2	25,5	+
25.6.2015	8:51:21	34	51	2	3,6	+
25.6.2015	8:52:09	47	44	2	25,5	+
25.6.2015	8:52:29	25	53	2	19,4	+
25.6.2015	8:53:15	84	34	3	25,5	+
25.6.2015	8:53:49	40	29	2	25,5	+
25.6.2015	8:54:00	40	41	2	10,7	+
25.6.2015	8:54:01	39	39	2	0,5	+
25.6.2015	8:54:22	39	43	2	20,1	+
25.6.2015	8:56:24	39	42	2	25,5	+

Příloha B - měření po instalaci Opb

25.6.2015	8:57:05	36	42	2	25,5	+
25.6.2015	8:57:18	34	60	2	12,5	+
25.6.2015	8:58:22	33	58	2	25,5	+
25.6.2015	8:58:31	31	57	2	8,5	+
25.6.2015	9:00:22	41	43	2	25,5	+
25.6.2015	9:00:32	38	41	2	9,7	+
25.6.2015	9:01:04	82	21	3	25,5	+
25.6.2015	9:01:54	35	54	2	25,5	+
25.6.2015	9:04:15	22	14	2	25,5	+
25.6.2015	9:04:37	50	23	2	20	+
25.6.2015	9:05:25	37	39	2	25,5	+
25.6.2015	9:05:38	33	47	2	12,5	+
25.6.2015	9:05:58	32	48	2	20,2	+
25.6.2015	9:06:04	11	10	1	4,5	+
25.6.2015	9:06:06	26	14	2	1,2	+
25.6.2015	9:08:55	45	29	2	25,5	+
25.6.2015	9:09:50	31	36	2	25,5	+
25.6.2015	9:11:20	37	48	2	25,5	+
25.6.2015	9:14:10	52	39	2	25,5	+
25.6.2015	9:14:14	33	10	2	2,2	+
25.6.2015	9:15:36	45	53	2	25,5	+
25.6.2015	9:15:40	48	49	2	3,1	+
25.6.2015	9:15:55	34	43	2	15	+
25.6.2015	9:15:59	43	42	2	2,9	+
25.6.2015	9:16:58	64	46	3	25,5	+
25.6.2015	9:17:54	45	26	2	25,5	+
25.6.2015	9:17:57	35	35	2	1,5	+
25.6.2015	9:18:36	31	40	2	25,5	+
25.6.2015	9:18:56	51	28	2	18,1	+
25.6.2015	9:19:20	35	51	2	23,7	+
25.6.2015	9:20:11	88	45	3	25,5	+
25.6.2015	9:20:13	32	45	2	1,5	+
25.6.2015	9:22:25	27	17	2	25,5	+
25.6.2015	9:23:07	35	37	2	25,5	+
25.6.2015	9:23:45	35	39	2	25,5	+
25.6.2015	9:24:55	45	58	2	25,5	+
25.6.2015	9:25:00	36	57	2	4,2	+
25.6.2015	9:25:52	35	52	2	25,5	+
25.6.2015	9:28:01	33	14	2	25,5	+
25.6.2015	9:29:26	37	54	2	25,5	+
25.6.2015	9:30:28	41	26	2	25,5	+
25.6.2015	9:30:59	40	51	2	25,5	+
25.6.2015	9:31:02	48	56	2	2,3	+
25.6.2015	9:31:33	36	57	2	25,5	+
25.6.2015	9:31:51	29	45	2	17,2	+
25.6.2015	9:32:13	40	25	2	21,4	+
25.6.2015	9:32:21	36	58	2	7,3	+
25.6.2015	9:35:13	42	34	2	25,5	+
25.6.2015	9:35:22	26	14	2	7,4	+
25.6.2015	9:35:35	63	42	3	11,9	+

Příloha B - měření po instalaci Opb

25.6.2015	9:36:02	59	51	2	25,5	+
25.6.2015	9:36:50	34	44	2	25,5	+
25.6.2015	9:37:23	39	42	2	25,5	+
25.6.2015	9:39:20	39	64	2	25,5	+
25.6.2015	9:39:32	100	29	3	10,1	+
25.6.2015	9:40:50	37	66	2	25,5	+
25.6.2015	9:41:03	43	33	2	12,2	+
25.6.2015	9:44:05	36	56	2	25,5	+
25.6.2015	9:44:32	11	8	1	25,5	+
25.6.2015	9:44:35	30	11	2	1,7	+
25.6.2015	9:44:58	46	28	2	22,2	+
25.6.2015	9:45:46	37	33	2	25,5	+
25.6.2015	9:45:47	36	40	2	0,6	+
25.6.2015	9:47:22	51	22	2	25,5	+
25.6.2015	9:47:41	20	12	1	18,7	+
25.6.2015	9:48:48	62	38	3	25,5	+
25.6.2015	9:48:56	12	46	1	7,3	+
25.6.2015	9:48:58	32	45	2	1,2	+
25.6.2015	9:49:04	35	69	2	6	+
25.6.2015	9:49:07	26	50	2	3	+
25.6.2015	9:50:26	59	49	2	25,5	+
25.6.2015	9:51:33	50	41	2	25,5	+
25.6.2015	9:52:15	36	74	2	25,5	+
25.6.2015	9:52:27	53	49	2	10,8	+
25.6.2015	9:52:33	32	44	2	5,9	+
25.6.2015	9:54:26	64	49	3	25,5	+
25.6.2015	9:54:32	35	48	2	6,3	+
25.6.2015	9:55:02	27	45	2	25,5	+
25.6.2015	9:55:02	12	39	1	0,3	+
25.6.2015	9:55:11	46	41	2	7,8	+
25.6.2015	9:55:13	28	17	2	1,2	+
25.6.2015	9:55:43	37	31	2	25,5	+
25.6.2015	9:56:41	25	62	2	25,5	+
25.6.2015	9:58:13	35	63	2	25,5	+
25.6.2015	9:58:20	32	56	2	7	+
25.6.2015	9:58:32	38	45	2	11,7	+
25.6.2015	9:58:54	72	42	3	21,3	+
25.6.2015	9:59:44	34	30	2	25,5	+
25.6.2015	10:00:04	39	28	2	18,3	+
25.6.2015	10:01:34	39	37	2	25,5	+
25.6.2015	10:02:18	44	51	2	25,5	+
25.6.2015	10:02:29	35	39	2	11,2	+
25.6.2015	10:03:15	27	12	2	25,5	+
25.6.2015	10:04:02	58	38	2	25,5	+
25.6.2015	10:04:22	36	28	2	19,5	+
25.6.2015	10:05:03	13	15	1	25,5	+
25.6.2015	10:07:07	28	15	2	25,5	+
25.6.2015	10:08:41	36	36	2	25,5	+
25.6.2015	10:09:33	32	43	2	25,5	+
25.6.2015	10:10:04	31	49	2	25,5	+

Příloha B - měření po instalaci Opb

25.6.2015	10:10:16	52	52	2	12,1	+
25.6.2015	10:10:31	37	51	2	13,9	+
25.6.2015	10:11:20	37	45	2	25,5	+
25.6.2015	10:12:19	49	30	2	25,5	+
25.6.2015	10:13:20	28	44	2	25,5	+
25.6.2015	10:16:37	27	53	2	25,5	+
25.6.2015	10:16:42	33	51	2	4,6	+
25.6.2015	10:18:24	39	49	2	25,5	+
25.6.2015	10:19:25	63	44	3	25,5	+
25.6.2015	10:19:27	36	45	2	1,7	+
25.6.2015	10:19:40	37	52	2	12,2	+
25.6.2015	10:21:09	36	53	2	25,5	+
25.6.2015	10:21:33	32	57	2	23,3	+
25.6.2015	10:21:58	37	36	2	24,3	+
25.6.2015	10:24:53	33	42	2	25,5	+
25.6.2015	10:25:37	34	35	2	25,5	+
25.6.2015	10:25:51	32	51	2	14,3	+
25.6.2015	10:26:30	38	41	2	25,5	+
25.6.2015	10:27:39	41	47	2	25,5	+
25.6.2015	10:28:11	44	36	2	25,5	+
25.6.2015	10:28:16	35	54	2	4,9	+
25.6.2015	10:28:55	38	33	2	25,5	+
25.6.2015	10:29:40	38	20	2	25,5	+
25.6.2015	10:29:59	38	51	2	18,8	+
25.6.2015	10:31:28	35	50	2	25,5	+
25.6.2015	10:31:39	31	55	2	10,4	+
25.6.2015	10:31:42	39	52	2	2,3	+
25.6.2015	10:32:29	52	46	2	25,5	+
25.6.2015	10:33:20	34	35	2	25,5	+
25.6.2015	10:34:32	37	40	2	25,5	+
25.6.2015	10:35:48	43	26	2	25,5	+
25.6.2015	10:35:52	90	29	3	3,3	+
25.6.2015	10:36:36	28	36	2	25,5	+
25.6.2015	10:37:39	23	14	2	25,5	+
25.6.2015	10:38:19	39	41	2	25,5	+
25.6.2015	10:38:37	36	46	2	17,6	+
25.6.2015	10:40:28	43	48	2	25,5	+
25.6.2015	10:41:31	59	43	2	25,5	+
25.6.2015	10:41:37	55	28	2	5,2	+
25.6.2015	10:42:04	38	43	2	25,5	+
25.6.2015	10:43:46	65	44	3	25,5	+
25.6.2015	10:43:48	34	40	2	2,1	+
25.6.2015	10:44:54	37	48	2	9,3	+
25.6.2015	10:47:18	37	34	2	25,5	+
25.6.2015	10:47:23	32	54	2	4	+
25.6.2015	10:49:58	31	53	2	25,5	+
25.6.2015	10:50:12	41	47	2	13,1	+
25.6.2015	10:50:14	11	11	1	1,2	+
25.6.2015	10:50:42	32	41	2	25,5	+
25.6.2015	10:52:09	33	49	2	25,5	+

Příloha B - měření po instalaci Opb

25.6.2015	10:52:53	42	25	2	25,5	+
25.6.2015	10:53:13	38	47	2	19,8	+
25.6.2015	10:54:33	27	43	2	25,5	+
25.6.2015	10:55:15	47	42	2	25,5	+
25.6.2015	10:55:17	31	39	2	2,2	+
25.6.2015	10:55:40	37	45	2	22,5	+
25.6.2015	10:56:41	54	17	2	25,5	+
25.6.2015	10:57:07	46	43	2	24,9	+
25.6.2015	10:57:29	46	50	2	21,2	+
25.6.2015	10:57:41	49	13	2	10,4	+
25.6.2015	10:58:14	43	26	2	25,5	+
25.6.2015	10:58:41	58	38	2	25,5	+
25.6.2015	11:00:14	24	18	2	25,5	+
25.6.2015	11:01:08	31	52	2	25,5	+
25.6.2015	11:01:51	32	51	2	25,5	+
25.6.2015	11:02:48	50	33	2	25,5	+
25.6.2015	11:03:23	38	32	2	25,5	+
25.6.2015	11:03:59	46	45	2	25,5	+
25.6.2015	11:06:48	37	36	2	25,5	+
25.6.2015	11:07:02	40	28	2	13,3	+
25.6.2015	11:07:06	34	40	2	4,1	+
25.6.2015	11:08:19	19	12	1	25,5	+
25.6.2015	11:09:30	36	49	2	25,5	+
25.6.2015	11:10:24	39	33	2	25,5	+
25.6.2015	11:12:10	39	39	2	25,5	+
25.6.2015	11:12:22	55	13	2	10,1	+
25.6.2015	11:12:56	37	45	2	25,5	+
25.6.2015	11:14:22	21	39	2	25,5	+
25.6.2015	11:17:41	70	43	3	25,5	+
25.6.2015	11:18:39	67	43	3	25,5	+
25.6.2015	11:19:40	52	43	2	25,5	+
25.6.2015	11:20:41	38	65	2	25,5	+
25.6.2015	11:21:02	40	56	2	20,8	+
25.6.2015	11:21:28	37	42	2	24,7	+
25.6.2015	11:22:18	41	43	2	25,5	+
25.6.2015	11:22:32	39	29	2	13,2	+
25.6.2015	11:23:12	36	58	2	25,5	+
25.6.2015	11:27:25	22	16	2	25,5	+
25.6.2015	11:28:13	43	29	2	25,5	+
25.6.2015	11:28:38	48	58	2	24,1	+
25.6.2015	11:31:08	39	53	2	25,5	+
25.6.2015	11:31:10	38	55	2	1,4	+
25.6.2015	11:31:31	43	51	2	21,2	+
25.6.2015	11:32:16	30	58	2	25,5	+
25.6.2015	11:32:21	52	48	2	4,5	+
25.6.2015	11:33:05	39	62	2	25,5	+
25.6.2015	11:33:39	94	39	3	25,5	+
25.6.2015	11:33:51	18	13	1	11	+
25.6.2015	11:35:35	48	30	2	25,5	+
25.6.2015	11:36:34	31	19	2	25,5	+

Příloha B - měření po instalaci Opb

25.6.2015	11:36:40	70	37	3	5,1	+
25.6.2015	11:37:21	34	53	2	25,5	+
25.6.2015	11:37:23	37	53	2	1,5	+
25.6.2015	11:38:17	33	53	2	25,5	+
25.6.2015	11:40:02	39	38	2	25,5	+
25.6.2015	11:40:56	39	45	2	25,5	+
25.6.2015	11:41:13	35	48	2	17,2	+
25.6.2015	11:41:28	49	52	2	14	+
25.6.2015	11:41:30	25	14	2	1	+
25.6.2015	11:44:14	26	11	2	25,5	+
25.6.2015	11:45:02	40	15	2	25,5	+
25.6.2015	11:45:46	34	55	2	25,5	+
25.6.2015	11:46:55	40	28	2	25,5	+
25.6.2015	11:47:00	52	38	2	4,1	+
25.6.2015	11:48:00	41	43	2	25,5	+
25.6.2015	11:49:39	39	47	2	25,5	+
25.6.2015	11:49:54	56	36	2	13,8	+
25.6.2015	11:50:10	46	8	2	12,7	+
25.6.2015	11:50:32	39	35	2	21,4	+
25.6.2015	11:55:18	38	51	2	25,5	+
25.6.2015	11:55:37	35	37	2	18,4	+
25.6.2015	11:56:20	32	42	2	25,5	+
25.6.2015	11:57:42	25	14	2	25,5	+
25.6.2015	11:58:21	32	45	2	25,5	+
25.6.2015	11:58:52	24	23	2	25,5	+
25.6.2015	12:00:07	13	54	1	25,5	+
25.6.2015	12:00:08	24	48	2	0,2	+
25.6.2015	12:01:22	39	44	2	25,5	+
25.6.2015	12:01:28	41	53	2	6	+
25.6.2015	12:01:37	35	50	2	7,9	+
25.6.2015	12:01:40	33	47	2	3,2	+
25.6.2015	12:01:44	33	52	2	3,1	+
25.6.2015	12:03:07	41	42	2	25,5	+
25.6.2015	12:03:12	38	42	2	3,8	+
25.6.2015	12:03:29	40	37	2	17,2	+
25.6.2015	12:04:41	49	16	2	25,5	+
25.6.2015	12:08:48	43	35	2	25,5	+
25.6.2015	12:09:20	13	17	1	25,5	+
25.6.2015	12:10:32	55	48	2	25,5	+
25.6.2015	12:12:26	32	47	2	25,5	+
25.6.2015	12:13:41	44	23	2	25,5	+
25.6.2015	12:13:43	38	21	2	1,3	+
25.6.2015	12:14:49	42	22	2	25,5	+
25.6.2015	12:15:12	42	48	2	23,1	+
25.6.2015	12:16:05	40	12	2	25,5	+
25.6.2015	12:16:53	35	109	2	25,5	+
25.6.2015	12:16:55	51	63	2	2	+
25.6.2015	12:17:16	70	41	3	20,5	+
25.6.2015	12:17:18	42	40	2	1	+
25.6.2015	12:17:42	26	58	2	23,8	+

Příloha B - měření po instalaci Opb

25.6.2015	12:18:32	35	30	2	25,5	+
25.6.2015	12:18:35	34	58	2	2,5	+
25.6.2015	12:21:39	39	57	2	25,5	+
25.6.2015	12:23:33	35	44	2	25,5	+
25.6.2015	12:23:53	52	34	2	19,3	+
25.6.2015	12:26:22	34	52	2	25,5	+
25.6.2015	12:27:04	90	38	3	25,5	+
25.6.2015	12:27:13	34	52	2	9,1	+
25.6.2015	12:29:35	28	17	2	25,5	+
25.6.2015	12:30:15	41	27	2	25,5	+
25.6.2015	12:31:10	17	14	1	25,5	+
25.6.2015	12:33:10	15	43	1	25,5	+
25.6.2015	12:34:43	42	48	2	25,5	+
25.6.2015	12:35:24	31	56	2	25,5	+
25.6.2015	12:35:54	72	44	3	25,5	+
25.6.2015	12:36:51	27	53	2	25,5	+
25.6.2015	12:37:34	36	45	2	25,5	+
25.6.2015	12:38:18	32	25	2	25,5	+
25.6.2015	12:38:24	58	16	2	4,6	+
25.6.2015	12:38:43	58	32	2	17,4	+
25.6.2015	12:40:32	43	55	2	25,5	+
25.6.2015	12:40:51	38	48	2	18	+
25.6.2015	12:41:05	37	52	2	13,4	+
25.6.2015	12:41:41	32	49	2	25,5	+
25.6.2015	12:43:42	55	39	2	25,5	+
25.6.2015	12:44:27	39	49	2	25,5	+
25.6.2015	12:44:39	20	14	1	11,6	+
25.6.2015	12:44:53	37	34	2	12,8	+
25.6.2015	12:46:21	67	47	3	25,5	+
25.6.2015	12:46:55	13	31	1	25,5	+
25.6.2015	12:47:04	37	43	2	8	+
25.6.2015	12:48:21	40	51	2	25,5	+
25.6.2015	12:48:53	30	47	2	25,5	+
25.6.2015	12:53:51	52	29	2	25,5	+
25.6.2015	12:54:48	35	42	2	25,5	+
25.6.2015	12:56:15	38	54	2	25,5	+
25.6.2015	12:57:19	39	43	2	25,5	+
25.6.2015	12:57:23	42	46	2	2,5	+
25.6.2015	12:57:28	39	44	2	5,2	+
25.6.2015	13:00:08	42	31	2	25,5	+
25.6.2015	13:00:35	47	43	2	25,5	+
25.6.2015	13:00:42	40	26	2	5,9	+
25.6.2015	13:01:08	38	47	2	25,4	+
25.6.2015	13:01:13	45	15	2	2,9	+
25.6.2015	13:01:21	44	31	2	7,4	+
25.6.2015	13:02:16	33	44	2	25,5	+
25.6.2015	13:03:13	37	54	2	25,5	+
25.6.2015	13:04:42	29	46	2	25,5	+
25.6.2015	13:04:51	38	41	2	8,6	+
25.6.2015	13:04:57	39	10	2	3,2	+

Příloha B - měření po instalaci Opb

25.6.2015	13:06:05	35	40	2	25,5	+
25.6.2015	13:06:13	36	28	2	7,7	+
25.6.2015	13:06:28	36	48	2	14,1	+
25.6.2015	13:06:47	35	41	2	18,9	+
25.6.2015	13:08:45	38	49	2	25,5	+
25.6.2015	13:09:33	32	52	2	25,5	+
25.6.2015	13:09:50	38	38	2	16,7	+
25.6.2015	13:10:09	86	23	3	17,7	+
25.6.2015	13:10:41	11	14	1	25,5	+
25.6.2015	13:11:55	52	54	2	25,5	+
25.6.2015	13:11:59	37	46	2	3,1	+
25.6.2015	13:12:23	40	44	2	23,6	+
25.6.2015	13:14:49	19	10	1	25,5	+
25.6.2015	13:16:58	47	26	2	25,5	+
25.6.2015	13:17:04	35	49	2	6,4	+
25.6.2015	13:17:44	36	53	2	25,5	+
25.6.2015	13:19:05	39	39	2	25,5	+
25.6.2015	13:19:12	32	52	2	6,7	+
25.6.2015	13:19:15	25	16	2	1,4	+
25.6.2015	13:20:05	41	60	2	25,5	+
25.6.2015	13:20:11	30	44	2	6	+
25.6.2015	13:21:01	11	19	1	25,5	+
25.6.2015	13:22:49	23	53	2	25,5	+
25.6.2015	13:23:05	48	30	2	15,1	+
25.6.2015	13:23:31	41	46	2	25,4	+
25.6.2015	13:25:18	36	37	2	25,5	+
25.6.2015	13:25:47	40	29	2	25,5	+
25.6.2015	13:26:25	35	41	2	25,5	+
25.6.2015	13:27:53	16	18	1	25,5	+
25.6.2015	13:28:26	37	46	2	25,5	+
25.6.2015	13:28:43	36	34	2	16,4	+
25.6.2015	13:28:46	33	41	2	2,8	+
25.6.2015	13:29:41	35	40	2	25,5	+
25.6.2015	13:29:43	35	56	2	1,9	+
25.6.2015	13:30:18	41	26	2	25,5	+
25.6.2015	13:30:27	55	58	2	8,5	+
25.6.2015	13:30:29	36	62	2	1,3	+
25.6.2015	13:32:20	36	42	2	25,5	+
25.6.2015	13:33:29	33	56	2	25,5	+
25.6.2015	13:34:10	38	55	2	25,5	+
25.6.2015	13:35:26	65	14	3	25,5	+
25.6.2015	13:36:21	43	30	2	25,5	+
25.6.2015	13:36:25	22	40	2	3,8	+
25.6.2015	13:38:26	49	15	2	25,5	+
25.6.2015	13:39:40	52	31	2	25,5	+
25.6.2015	13:40:20	98	33	3	25,5	+
25.6.2015	13:40:40	60	46	2	19,7	+
25.6.2015	13:40:43	35	41	2	2,1	+
25.6.2015	13:40:46	39	39	2	2,2	+
25.6.2015	13:41:01	62	42	3	14,6	+

Příloha B - měření po instalaci Opb

25.6.2015	13:41:26	96	18	3	22,2	+
25.6.2015	13:42:17	22	13	2	25,5	+
25.6.2015	13:44:04	25	12	2	25,5	+
25.6.2015	13:46:08	52	34	2	25,5	+
25.6.2015	13:46:43	39	32	2	25,5	+
25.6.2015	13:46:47	36	51	2	3,1	+
25.6.2015	13:48:13	34	55	2	25,5	+
25.6.2015	13:48:17	74	52	3	3	+
25.6.2015	13:48:21	41	49	2	3,9	+
25.6.2015	13:48:27	35	45	2	5,1	+
25.6.2015	13:49:02	40	23	2	25,5	+
25.6.2015	13:49:37	47	28	2	25,5	+
25.6.2015	13:50:13	45	35	2	25,5	+
25.6.2015	13:50:15	36	48	2	1	+
25.6.2015	13:50:51	31	55	2	25,5	+
25.6.2015	13:52:10	40	27	2	25,5	+
25.6.2015	13:53:20	37	60	2	25,5	+
25.6.2015	13:53:50	46	30	2	25,5	+
25.6.2015	13:53:57	32	60	2	6,2	+
25.6.2015	13:54:55	34	43	2	25,5	+
25.6.2015	13:55:13	39	45	2	17,2	+
25.6.2015	13:56:27	62	39	3	25,5	+
25.6.2015	13:57:46	46	27	2	25,5	+
25.6.2015	13:58:19	46	32	2	25,5	+
25.6.2015	13:58:56	37	44	2	25,5	+
25.6.2015	13:58:59	32	42	2	2,4	+
25.6.2015	14:01:10	34	47	2	25,5	+
25.6.2015	14:02:08	37	32	2	25,5	+
25.6.2015	14:02:15	44	30	2	5,7	+
25.6.2015	14:02:33	36	45	2	17,4	+
25.6.2015	14:02:35	36	56	2	2,2	+
25.6.2015	14:02:48	26	56	2	12,7	+
25.6.2015	14:04:33	32	56	2	25,5	+
25.6.2015	14:04:46	62	47	3	12,6	+
25.6.2015	14:04:56	36	51	2	8,9	+
25.6.2015	14:06:17	64	43	3	25,5	+
25.6.2015	14:06:21	64	39	3	3,2	+
25.6.2015	14:06:24	48	35	2	2	+
25.6.2015	14:07:03	40	27	2	25,5	+
25.6.2015	14:07:17	37	48	2	13,3	+
25.6.2015	14:07:22	43	25	2	3,8	+
25.6.2015	14:09:31	40	50	2	25,5	+
25.6.2015	14:09:36	34	51	2	5,1	+
25.6.2015	14:09:38	32	47	2	1,4	+
25.6.2015	14:10:22	30	15	2	25,5	+
25.6.2015	14:10:33	39	30	2	10,4	+
25.6.2015	14:11:28	41	53	2	25,5	+
25.6.2015	14:12:41	52	44	2	25,5	+
25.6.2015	14:14:07	30	50	2	25,5	+
25.6.2015	14:14:30	40	48	2	22,6	+

Příloha B - měření po instalaci Opb

25.6.2015	14:14:55	32	52	2	24,7	+
25.6.2015	14:17:07	52	32	2	25,5	+
25.6.2015	14:17:42	40	37	2	25,5	+
25.6.2015	14:17:43	43	37	2	0,5	+
25.6.2015	14:17:51	38	66	2	7,9	+
25.6.2015	14:19:41	40	48	2	25,5	+
25.6.2015	14:21:29	40	19	2	25,5	+
25.6.2015	14:21:34	74	38	3	4	+
25.6.2015	14:24:09	53	28	2	25,5	+
25.6.2015	14:24:24	42	28	2	14,6	+
25.6.2015	14:24:46	35	53	2	21,1	+
25.6.2015	14:27:24	37	44	2	25,5	+
25.6.2015	14:28:22	53	22	2	25,5	+
25.6.2015	14:28:37	61	38	3	14	+
25.6.2015	14:28:51	37	38	2	13,7	+
25.6.2015	14:30:20	38	46	2	25,5	+
25.6.2015	14:30:52	37	48	2	25,5	+
25.6.2015	14:31:23	32	47	2	25,5	+
25.6.2015	14:34:07	50	44	2	25,5	+
25.6.2015	14:34:20	31	40	2	12,6	+
25.6.2015	14:38:11	40	37	2	25,5	+
25.6.2015	14:38:31	42	29	2	19,2	+
25.6.2015	14:38:43	44	27	2	11	+
25.6.2015	14:40:32	47	42	2	25,5	+
25.6.2015	14:40:46	41	47	2	14,4	+
25.6.2015	14:41:51	69	43	3	25,5	+
25.6.2015	14:43:59	42	39	2	25,5	+
25.6.2015	14:44:22	17	11	1	22,4	+
25.6.2015	14:47:46	49	44	2	25,5	+
25.6.2015	14:49:07	32	50	2	25,5	+
25.6.2015	14:49:21	48	37	2	13	+
25.6.2015	14:49:32	26	48	2	10,4	+
25.6.2015	14:50:43	36	41	2	25,5	+
25.6.2015	14:51:11	31	62	2	25,5	+
25.6.2015	14:51:17	47	28	2	4,9	+
25.6.2015	14:52:17	38	37	2	25,5	+
25.6.2015	14:53:12	29	38	2	25,5	+
25.6.2015	14:55:38	37	42	2	25,5	+
25.6.2015	14:57:29	27	56	2	25,5	+
25.6.2015	14:58:08	78	43	3	25,5	+
25.6.2015	14:58:42	48	50	2	25,5	+
25.6.2015	14:59:50	53	39	2	25,5	+
25.6.2015	14:59:56	62	35	3	4,6	+
25.6.2015	15:01:41	43	51	2	25,5	+
25.6.2015	15:02:02	37	50	2	20,6	+
25.6.2015	15:02:32	11	11	1	25,5	+
25.6.2015	15:02:38	47	32	2	5	+
25.6.2015	15:05:30	67	16	3	25,5	+
25.6.2015	15:07:29	34	47	2	25,5	+
25.6.2015	15:07:32	37	48	2	2,7	+

Příloha B - měření po instalaci Opb

25.6.2015	15:08:58	34	50	2	25,5	+
25.6.2015	15:10:30	37	47	2	25,5	+
25.6.2015	15:11:27	35	49	2	25,5	+
25.6.2015	15:12:50	17	10	1	25,5	+
25.6.2015	15:12:57	44	25	2	6,9	+
25.6.2015	15:13:14	62	44	3	15,2	+
25.6.2015	15:13:27	42	61	2	12,7	+
25.6.2015	15:13:49	24	13	2	21,2	+
25.6.2015	15:15:07	44	44	2	25,5	+
25.6.2015	15:15:13	55	46	2	5,3	+
25.6.2015	15:15:31	46	26	2	16,7	+
25.6.2015	15:15:36	40	32	2	5,2	+
25.6.2015	15:16:11	46	21	2	25,5	+
25.6.2015	15:20:32	36	48	2	25,5	+
25.6.2015	15:20:51	26	21	2	17,8	+
25.6.2015	15:23:22	35	54	2	25,5	+
25.6.2015	15:23:35	11	16	1	11,8	+
25.6.2015	15:24:03	32	63	2	25,5	+
25.6.2015	15:24:11	47	35	2	7,7	+
25.6.2015	15:25:20	42	52	2	25,5	+
25.6.2015	15:25:48	37	42	2	25,5	+
25.6.2015	15:26:23	78	49	3	25,5	+
25.6.2015	15:26:55	42	32	2	25,5	+
25.6.2015	15:27:14	42	33	2	18,1	+
25.6.2015	15:29:07	42	49	2	25,5	+
25.6.2015	15:30:57	34	47	2	25,5	+
25.6.2015	15:32:54	35	22	2	25,5	+
25.6.2015	15:35:13	32	55	2	25,5	+
25.6.2015	15:36:00	49	15	2	25,5	+
25.6.2015	15:36:54	42	30	2	25,5	+
25.6.2015	15:37:18	32	61	2	23,3	+
25.6.2015	15:37:44	38	40	2	25,5	+
25.6.2015	15:37:50	30	15	2	4,6	+
25.6.2015	15:39:18	34	36	2	25,5	+
25.6.2015	15:40:58	34	43	2	25,5	+
25.6.2015	15:44:20	21	12	2	25,5	+
25.6.2015	15:44:21	20	35	1	0,5	+
25.6.2015	15:44:22	15	34	1	0,3	+
25.6.2015	15:44:34	37	44	2	12	+
25.6.2015	15:45:41	36	57	2	25,5	+
25.6.2015	15:46:24	53	28	2	25,5	+
25.6.2015	15:46:32	40	49	2	7,6	+
25.6.2015	15:46:40	42	39	2	7,7	+
25.6.2015	15:46:42	36	38	2	1,4	+
25.6.2015	15:47:23	35	28	2	25,5	+
25.6.2015	15:49:25	35	40	2	25,5	+
25.6.2015	15:50:07	43	27	2	25,5	+
25.6.2015	15:50:59	140	45	4	25,5	+
25.6.2015	15:51:01	43	39	2	1,4	+
25.6.2015	15:51:11	190	25	4	7,5	+

Příloha B - měření po instalaci Opb

25.6.2015	15:52:38	26	47	2	25,5	+
25.6.2015	15:52:44	35	55	2	5,1	+
25.6.2015	15:55:04	36	41	2	25,5	+
25.6.2015	15:55:11	40	45	2	6,7	+
25.6.2015	15:56:04	42	22	2	25,5	+
25.6.2015	15:56:28	84	52	3	23,9	+
25.6.2015	15:56:34	26	19	2	5,2	+
25.6.2015	16:01:39	46	44	2	25,5	+
25.6.2015	16:01:54	94	40	3	14,4	+
25.6.2015	16:01:58	47	39	2	2,5	+
25.6.2015	16:02:35	38	39	2	25,5	+
25.6.2015	16:02:45	34	43	2	9,4	+
25.6.2015	16:05:09	41	22	2	25,5	+
25.6.2015	16:05:17	41	31	2	7,8	+
25.6.2015	16:05:27	30	57	2	9,7	+
25.6.2015	16:05:48	72	41	3	19,7	+
25.6.2015	16:07:20	32	50	2	25,5	+
25.6.2015	16:07:52	31	46	2	25,5	+
25.6.2015	16:09:15	38	39	2	25,5	+
25.6.2015	16:10:22	40	44	2	25,5	+
25.6.2015	16:10:26	62	33	3	2,9	+
25.6.2015	16:10:49	35	51	2	23,1	+
25.6.2015	16:11:38	48	44	2	25,5	+
25.6.2015	16:12:18	49	38	2	25,5	+
25.6.2015	16:12:53	43	45	2	25,5	+
25.6.2015	16:13:36	51	42	2	25,5	+
25.6.2015	16:15:23	43	35	2	25,5	+
25.6.2015	16:15:27	43	35	2	3,2	+
25.6.2015	16:16:16	43	50	2	25,5	+
25.6.2015	16:16:17	39	47	2	0,5	+
25.6.2015	16:16:31	27	40	2	14	+
25.6.2015	16:16:32	28	37	2	0,4	+
25.6.2015	16:17:19	41	31	2	25,5	+
25.6.2015	16:17:21	38	30	2	0,7	+
25.6.2015	16:17:55	37	53	2	25,5	+
25.6.2015	16:17:57	16	16	1	1,5	+
25.6.2015	16:19:54	36	42	2	25,5	+
25.6.2015	16:20:08	36	45	2	13,9	+
25.6.2015	16:20:30	34	46	2	21,3	+
25.6.2015	16:22:43	62	30	3	25,5	+
25.6.2015	16:22:52	35	41	2	8,8	+
25.6.2015	16:22:54	29	16	2	1	+
25.6.2015	16:24:44	37	47	2	25,5	+
25.6.2015	16:25:46	92	47	3	25,5	+
25.6.2015	16:26:42	37	41	2	25,5	+