



Kostel sv. Jiljí

Content

Cover page	1
Content	2
Images	4

Site 1 - Building 1

Storey 1

Room List (Energy evaluation)	12
Luminaire list	14

Site 1 - Building 1 - Storey 1

Room 1


Calculation objects	15
O1.1.H - Obětní stůl / Perpendicular illuminance	20
O2.1.H / Perpendicular illuminance	21
O2.2.H - Hlavní oltář / Perpendicular illuminance	22
O2.2.V - Hlavní oltář / Perpendicular illuminance	23
O5.2.V / Perpendicular illuminance	24
O5.1.V / Perpendicular illuminance	25
O5.1.H / Perpendicular illuminance	26
O5.2.H / Perpendicular illuminance	27
O3.1.H / Perpendicular illuminance	28
O4.1.H / Perpendicular illuminance	29
O4.2.H / Perpendicular illuminance	30
O6.1.H / Perpendicular illuminance	31
O6.2.H / Perpendicular illuminance	32
O7.2.H / Perpendicular illuminance	33
O4.4.V / Perpendicular illuminance	34
O4.6.V / Perpendicular illuminance	35
O4.5.V / Perpendicular illuminance	36
O4.3.V / Perpendicular illuminance	37
O4.3.H / Perpendicular illuminance	38
O4.5.H / Perpendicular illuminance	39
O4.6.H / Perpendicular illuminance	40
O4.4.H / Perpendicular illuminance	41
O8.2.H / Perpendicular illuminance	42
O8.1.H / Perpendicular illuminance	43
O8.3.H / Perpendicular illuminance	44
O1.2.H / Perpendicular illuminance	45
O3.2.H - Lavice 1 / Perpendicular illuminance	46
O3.3.H - Lavice 2 / Perpendicular illuminance	47
O7.3.H / Perpendicular illuminance	48
O6.3.V - Obraz nad zádveří / Perpendicular illuminance	49
O6.5.V - Grota / Perpendicular illuminance	50
O6.4.H / Perpendicular illuminance	51

Content

O7.1.H / Perpendicular illuminance	52
O7.4.H / Perpendicular illuminance	53
O2.3.V - Hlavní oltářní obraz / Perpendicular illuminance	54
O6.6.H - Zádveří / Perpendicular illuminance	55
O1.2.V / Perpendicular illuminance	56
O1.3.H - Katedra / Perpendicular illuminance	57



Images

O1 - Obětní stůl




O1.1. - Obětní stůl

Nepravé barvy





Images

O2 - Chór



O2.2 - Chór

Nepravé barvy





Images

O3 - Hlavní loď




O3.3 - Hlavní loď

Nepravé barvy





Images

O4 - Boční loď




O4.4 - Boční loď

Nepravé barvy





Images

O5 - Vedlejší oltáře




O5.5 - Vedlejší oltáře

Nepravé barvy





Images

O6 - Vstup



O6.6 - Vstup

Nepravé barvy





Images

O7 - Kůr



O7.7 - Kůr

Nepravé barvy





Images

O8 - Klenby




O8.8 - Klenby

Nepravé barvy



Building 1 · Storey 1

Room List (Energy evaluation)



Building 1 · Storey 1

Room List (Energy evaluation)

Room 1

P_{total} 5728.0 W	A_{Room} 849.16 m ²	Lighting power density 6.75 W/m ² = 3.16 W/m ² /100 lx (Room)	E_{perpendicular (Workplane)} 213 lx
--------------------------------------	--	---	--

pcs.	Manufacturer	Article No.	Article name	P	Φ _{Luminaire}
6	IGUZZINI	EF49_X305_X303	Palco iNOut - ø153mm 47.3W	47.3 W	3056 lm
8	IGUZZINI	EF49_X309_X303	Palco iNOut - ø153mm 47.3W	47.3 W	2495 lm
2	IGUZZINI	EI69	Palco iNOut - ø137mm 25.7W	25.7 W	2447 lm
1	IGUZZINI	EU32	Agorà - Slim - ø390mm 120W	120.0 W	14262 lm
1	IGUZZINI	EU33	Agorà - Slim - ø390mm 162W	162.0 W	17513 lm
16	IGUZZINI	EV86	Agorà - Compact - ø525mm C.o.B. 252.3W	252.3 W	33611 lm
4	IGUZZINI	P243_MXB9	Palco - ø142mm 56.4W	56.4 W	4413 lm
2	IGUZZINI	QH04	View Opti Beam Lens round ø159mm 29W	29.0 W	2258 lm
3	IGUZZINI	QL65	Isola - suspended / ceiling / recessed 43.1W	43.1 W	5282 lm
1	IGUZZINI	QP09_MY23	Palco Low Voltage - ø62mm 12.8W	12.8 W	601 lm
4	IGUZZINI	R278	Tecnica EVO - ø92mm 19.7W	19.7 W	2443 lm
2	IGUZZINI	R300	Tecnica EVO - ø92mm 28W	28.0 W	3101 lm
2	IGUZZINI	R354	Tecnica EVO - ø117mm 38.1W	38.1 W	3510 lm
1	iGuzzini illuminazione S.p.A	EI75_B17U	Palco: Spotlight with base - Warm White Led - integrated electronic control gear - Spot optic - 53W 7350lm - 3000K	58.9 W	5504 lm


Building 1 · Storey 1

Luminaire list

Φ_{total} 679854 lm		P_{total} 5728.0 W		Luminous efficacy 118.7 lm/W		
pcs.	Manufacturer	Article No.	Article name	P	Φ	Luminous efficacy
6	IGUZZINI	EF49_X305_X303	Palco iNOut - \varnothing 153mm 47.3W	47.3 W	3056 lm	64.6 lm/W
8	IGUZZINI	EF49_X309_X303	Palco iNOut - \varnothing 153mm 47.3W	47.3 W	2495 lm	52.7 lm/W
2	IGUZZINI	EI69	Palco iNOut - \varnothing 137mm 25.7W	25.7 W	2447 lm	95.2 lm/W
1	IGUZZINI	EU32	Agorà - Slim - \varnothing 390mm 120W	120.0 W	14262 lm	118.9 lm/W
1	IGUZZINI	EU33	Agorà - Slim - \varnothing 390mm 162W	162.0 W	17513 lm	108.1 lm/W
16	IGUZZINI	EV86	Agorà - Compact - \varnothing 525mm C.o.B. 252.3W	252.3 W	33611 lm	133.2 lm/W
4	IGUZZINI	P243_MXB9	Palco - \varnothing 142mm 56.4W	56.4 W	4413 lm	78.2 lm/W
2	IGUZZINI	QH04	View Opti Beam Lens round \varnothing 159mm 29W	29.0 W	2258 lm	77.8 lm/W
3	IGUZZINI	QL65	Isola - suspended / ceiling / recessed 43.1W	43.1 W	5282 lm	122.5 lm/W
1	IGUZZINI	QP09_MY23	Palco Low Voltage - \varnothing 62mm 12.8W	12.8 W	601 lm	47.0 lm/W
4	IGUZZINI	R278	Tecnica EVO - \varnothing 92mm 19.7W	19.7 W	2443 lm	124.0 lm/W
2	IGUZZINI	R300	Tecnica EVO - \varnothing 92mm 28W	28.0 W	3101 lm	110.7 lm/W
2	IGUZZINI	R354	Tecnica EVO - \varnothing 117mm 38.1W	38.1 W	3510 lm	92.1 lm/W
1	iGuzzini illuminazione S.p.A	EI75_B17U	Palco: Spotlight with base - Warm White Led - integrated electronic control gear - Spot optic - 53W 7350lm - 3000K	58.9 W	5504 lm	93.4 lm/W

Building 1 · Storey 1 · Room 1

Calculation objects



Building 1 · Storey 1 · Room 1

Calculation objects

Work planes

Properties	\bar{E} (Target)	E_{min}	E_{max}	g_1	g_2	Index
Interiér kostela Perpendicular illuminance (adaptive) Height: 0.000 m, Wall zone: 0.000 m	213 lx (≥ 200 lx) ✓	0.00 lx	526 lx	0.00	0.00	S2

Calculation surfaces

Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O1.1.H - Obětní stůl Perpendicular illuminance Height: 1.530 m	519 lx	451 lx	583 lx	0.87	0.77	S5
O2.1.H Perpendicular illuminance Height: 0.550 m	518 lx	436 lx	578 lx	0.84	0.75	S6
O2.2.H - Hlavní oltář Perpendicular illuminance Height: 2.000 m	425 lx	274 lx	655 lx	0.64	0.42	S7
O2.2.V - Hlavní oltář Perpendicular illuminance Height: 4.974 m	241 lx	55.8 lx	739 lx	0.23	0.076	S8
O5.2.V Perpendicular illuminance Height: 3.300 m	155 lx	110 lx	230 lx	0.71	0.48	S9
O5.1.V Perpendicular illuminance Height: 3.300 m	154 lx	113 lx	227 lx	0.73	0.50	S10
O5.1.H Perpendicular illuminance Height: 0.300 m	331 lx	238 lx	429 lx	0.72	0.55	S11
O5.2.H Perpendicular illuminance Height: 0.300 m	332 lx	240 lx	430 lx	0.72	0.56	S12
O3.1.H Perpendicular illuminance Height: 0.000 m	262 lx	109 lx	477 lx	0.42	0.23	S13

Building 1 · Storey 1 · Room 1

Calculation objects

O4.1.H Perpendicular illuminance Height: 0.000 m	345 lx	29.9 lx	511 lx	0.087	0.059	S14
O4.2.H Perpendicular illuminance Height: 0.000 m	330 lx	30.2 lx	508 lx	0.092	0.059	S15
O6.1.H Perpendicular illuminance Height: 0.000 m	148 lx	49.1 lx	339 lx	0.33	0.14	S16
O6.2.H Perpendicular illuminance Height: 0.000 m	113 lx	35.4 lx	172 lx	0.31	0.21	S17
O7.2.H Perpendicular illuminance Height: 9.500 m	132 lx	0.00 lx	194 lx	0.00	0.00	S18
O4.4.V Perpendicular illuminance Height: 3.300 m	114 lx	90.1 lx	137 lx	0.79	0.66	S19
O4.6.V Perpendicular illuminance Height: 3.300 m	103 lx	75.4 lx	132 lx	0.73	0.57	S20
O4.5.V Perpendicular illuminance Height: 3.300 m	104 lx	80.9 lx	133 lx	0.78	0.61	S21
O4.3.V Perpendicular illuminance Height: 3.300 m	111 lx	90.1 lx	131 lx	0.81	0.69	S22
O4.3.H Perpendicular illuminance Height: 0.300 m	254 lx	187 lx	328 lx	0.74	0.57	S23
O4.5.H Perpendicular illuminance Height: 0.300 m	268 lx	198 lx	342 lx	0.74	0.58	S24
O4.6.H Perpendicular illuminance Height: 0.300 m	251 lx	186 lx	318 lx	0.74	0.58	S25

Building 1 · Storey 1 · Room 1

Calculation objects

O4.4.H Perpendicular illuminance Height: 0.300 m	256 lx	194 lx	320 lx	0.76	0.61	S26
O8.2.H Perpendicular illuminance Height: 23.000 m	317 lx	0.31 lx	557 lx	0.001	0.001	S27
O8.1.H Perpendicular illuminance Height: 23.000 m	292 lx	0.15 lx	567 lx	0.001	0.000	S28
O8.3.H Perpendicular illuminance Height: 23.000 m	277 lx	0.13 lx	559 lx	0.000	0.000	S29
O1.2.H Perpendicular illuminance Height: 0.440 m	400 lx	0.00 lx	549 lx	0.00	0.00	S30
O3.2.H - Lavice 1 Perpendicular illuminance Height: 1.300 m	387 lx	186 lx	601 lx	0.48	0.31	S31
O3.3.H - Lavice 2 Perpendicular illuminance Height: 1.300 m	410 lx	203 lx	618 lx	0.50	0.33	S32
O7.3.H Perpendicular illuminance Height: 11.300 m	234 lx	172 lx	271 lx	0.74	0.63	S33
O6.3.V - Obraz nad zádveří Perpendicular illuminance Height: 5.900 m	179 lx	150 lx	200 lx	0.84	0.75	S34
O6.5.V - Grota Perpendicular illuminance Height: 1.574 m	75.9 lx	12.3 lx	311 lx	0.16	0.040	S35
O6.4.H Perpendicular illuminance Height: 0.000 m	121 lx	0.00 lx	286 lx	0.00	0.00	S36
O7.1.H Perpendicular illuminance Height: 9.500 m	74.8 lx	46.5 lx	100 lx	0.62	0.47	S37



Building 1 · Storey 1 · Room 1

Calculation objects

O7.4.H Perpendicular illuminance Height: 9.500 m	84.8 lx	59.4 lx	104 lx	0.70	0.57	S38
O2.3.V - Hlavní oltářní obraz Perpendicular illuminance Height: 13.037 m	420 lx	124 lx	1406 lx	0.30	0.088	S39
O6.6.H - Zádveří Perpendicular illuminance Height: 0.000 m	130 lx	83.6 lx	160 lx	0.64	0.52	S40
O1.2.V Perpendicular illuminance Height: 3.300 m	189 lx	62.0 lx	435 lx	0.33	0.14	S41
O1.3.H - Katedra Perpendicular illuminance Height: 1.700 m	654 lx	578 lx	712 lx	0.88	0.81	S42

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1
O1.1.H - Obětní stůl





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O1.1.H - Obětní stůl Perpendicular illuminance Height: 1.530 m	519 lx	451 lx	583 lx	0.87	0.77	S5

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O2.1.H




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O2.1.H Perpendicular illuminance Height: 0.550 m	518 lx	436 lx	578 lx	0.84	0.75	S6

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O2.2.H - Hlavní oltář




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O2.2.H - Hlavní oltář Perpendicular illuminance Height: 2.000 m	425 lx	274 lx	655 lx	0.64	0.42	S7

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O2.2.V - Hlavní oltář




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O2.2.V - Hlavní oltář Perpendicular illuminance Height: 4.974 m	241 lx	55.8 lx	739 lx	0.23	0.076	S8

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

05.2.V




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
05.2.V Perpendicular illuminance Height: 3.300 m	155 lx	110 lx	230 lx	0.71	0.48	S9

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1


05.1.V



Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
05.1.V Perpendicular illuminance Height: 3.300 m	154 lx	113 lx	227 lx	0.73	0.50	S10

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1
O5.1.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O5.1.H Perpendicular illuminance Height: 0.300 m	331 lx	238 lx	429 lx	0.72	0.55	S11

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O5.2.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O5.2.H Perpendicular illuminance Height: 0.300 m	332 lx	240 lx	430 lx	0.72	0.56	S12

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O3.1.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O3.1.H Perpendicular illuminance Height: 0.000 m	262 lx	109 lx	477 lx	0.42	0.23	S13

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.1.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.1.H Perpendicular illuminance Height: 0.000 m	345 lx	29.9 lx	511 lx	0.087	0.059	S14

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.2.H




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.2.H Perpendicular illuminance Height: 0.000 m	330 lx	30.2 lx	508 lx	0.092	0.059	S15

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O6.1.H




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O6.1.H Perpendicular illuminance Height: 0.000 m	148 lx	49.1 lx	339 lx	0.33	0.14	S16

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O6.2.H




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O6.2.H Perpendicular illuminance Height: 0.000 m	113 lx	35.4 lx	172 lx	0.31	0.21	S17

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

07.2.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
07.2.H Perpendicular illuminance Height: 9.500 m	132 lx	0.00 lx	194 lx	0.00	0.00	S18

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.4.V



Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.4.V Perpendicular illuminance Height: 3.300 m	114 lx	90.1 lx	137 lx	0.79	0.66	S19


Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.6.V



100000





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.6.V Perpendicular illuminance Height: 3.300 m	103 lx	75.4 lx	132 lx	0.73	0.57	S20

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.5.V





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.5.V Perpendicular illuminance Height: 3.300 m	104 lx	80.9 lx	133 lx	0.78	0.61	S21

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.3.V





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.3.V Perpendicular illuminance Height: 3.300 m	111 lx	90.1 lx	131 lx	0.81	0.69	S22

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.3.H




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.3.H Perpendicular illuminance Height: 0.300 m	254 lx	187 lx	328 lx	0.74	0.57	S23

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.5.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.5.H Perpendicular illuminance Height: 0.300 m	268 lx	198 lx	342 lx	0.74	0.58	S24

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.6.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.6.H Perpendicular illuminance Height: 0.300 m	251 lx	186 lx	318 lx	0.74	0.58	S25

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O4.4.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O4.4.H Perpendicular illuminance Height: 0.300 m	256 lx	194 lx	320 lx	0.76	0.61	S26

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O8.2.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O8.2.H Perpendicular illuminance Height: 23.000 m	317 lx	0.31 lx	557 lx	0.001	0.001	S27

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O8.1.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O8.1.H Perpendicular illuminance Height: 23.000 m	292 lx	0.15 lx	567 lx	0.001	0.000	S28

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1



O8.3.H



Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O8.3.H Perpendicular illuminance Height: 23.000 m	277 lx	0.13 lx	559 lx	0.000	0.000	S29

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1
O1.2.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O1.2.H Perpendicular illuminance Height: 0.440 m	400 lx	0.00 lx	549 lx	0.00	0.00	S30

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O.3.2.H - Lavice 1





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O.3.2.H - Lavice 1 Perpendicular illuminance Height: 1.300 m	387 lx	186 lx	601 lx	0.48	0.31	S31

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O3.3.H - Lavice 2




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O3.3.H - Lavice 2 Perpendicular illuminance Height: 1.300 m	410 lx	203 lx	618 lx	0.50	0.33	S32

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

07.3.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
07.3.H Perpendicular illuminance Height: 11.300 m	234 lx	172 lx	271 lx	0.74	0.63	S33

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1



O6.3.V - Obraz nad zádvěří



Properties	Ē	E _{min}	E _{max}	g ₁	g ₂	Index
O6.3.V - Obraz nad zádvěří Perpendicular illuminance Height: 5.900 m	179 lx	150 lx	200 lx	0.84	0.75	S34

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1
O6.5.V - Grotta




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O6.5.V - Grotta Perpendicular illuminance Height: 1.574 m	75.9 lx	12.3 lx	311 lx	0.16	0.040	S35

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O6.4.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O6.4.H Perpendicular illuminance Height: 0.000 m	121 lx	0.00 lx	286 lx	0.00	0.00	S36

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

07.1.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
07.1.H Perpendicular illuminance Height: 9.500 m	74.8 lx	46.5 lx	100 lx	0.62	0.47	S37

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O7.4.H





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O7.4.H Perpendicular illuminance Height: 9.500 m	84.8 lx	59.4 lx	104 lx	0.70	0.57	S38

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O2.3.V - Hlavní oltářní obraz




Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O2.3.V - Hlavní oltářní obraz Perpendicular illuminance Height: 13.037 m	420 lx	124 lx	1406 lx	0.30	0.088	S39

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1



O6.6.H - Zádveří



Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O6.6.H - Zádveří Perpendicular illuminance Height: 0.000 m	130 lx	83.6 lx	160 lx	0.64	0.52	S40

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1
O1.2.V





Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O1.2.V Perpendicular illuminance Height: 3.300 m	189 lx	62.0 lx	435 lx	0.33	0.14	S41

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning

Building 1 · Storey 1 · Room 1

O1.3.H - Katedra



Properties	\bar{E}	E_{min}	E_{max}	g_1	g_2	Index
O1.3.H - Katedra Perpendicular illuminance Height: 1.700 m	654 lx	578 lx	712 lx	0.88	0.81	S42

Utilisation profile: Places of public assembly - Theatres, concert halls, cinemas, entertainment venues, Seating areas - Maintenance, cleaning