

CZECH TECHNICAL UNIVERSITY IN PRAGUE

Faculty of Civil Engineering
Department of Science and Research
Thákurova 7, 166 29 Praha 6

e-mail: obhajoby@fsv.cvut.cz

tel.: 224 358 736

Opponent's review of the Doctoral Thesis

Candidate Mgr. Yuliia Khmurovska
Title of the doctoral thesis Influence of Neutron and Gamma Irradiation on Concrete Properties and Structural Performance
Branch of study Konstrukce a dopravní stavby (Structural and Transportation Engineering)
Tutor prof. Ing. Petr Štemberk, Ph.D., D.Eng.
Opponent Dr. Kyoungsoo Park
e-mail k-park@yonsei.ac.kr
Topicality of the doctoral thesis theme
Commentary: Investigation on irradiated concrete is essential research area for long-term operation of nuclear power plants.
⊠ excellent □ above average □ average □ below average □ poor
Fulfilment of the doctoral thesis objectives
Commentary: The effect of gamma-ray irradiation on cement mortar creep is experimentally investigated, and concrete biological shield is numerically investigated. The contribution of the thesis is unique.
⊠ excellent □ above average □ average □ below average □ poor
Research methods and procedures
Commentary: The experimental program is well organized to investigate the effect of gamma-ray irradiation on cement mortar creep.
⊠ excellent □ above average □ average □ below average □ poor
Results of the doctoral thesis – dissertant's concrete achievements
Commentary: Although irradiation testing is challenging, the experimental results are consistent. For example, this study identified that gamma-ray slightly affected cement mortar creep although experimental results had relatively large scatter.
⊠ excellent □ above average □ average □ below average □ poor
Importance for practice and for development within a branch of science
Commentary: For the long-term operation of nuclear power plants, degradation mechanisms of concrete is of important issues. Among various degradation mechanisms, irradiation effects on concrete should be throughly investigated.
☑ excellent ☐ above average ☐ average ☐ below average ☐ poor

Formal layout of	f the doctoral thesis and the level of language used
	thesis is well written and organized, and the quality of figures is excellent.
⊠ excellent	above average average below average poor
Remarks	
out potential extens Ms. Khmurovska m numerical methods	tions after finishing PhD, and thus the below suggestion is not the requirement sion for future study. Inay consider to reproduce experimental results in Chapters 4 and 5 using presented in Chapter 2. The comparison between the numerical model and s will strength the validity of the test results and computational modelling.
inal accome	nt of the doctoral thesis
	vell organized, and provides unique contribution to irradiated concrete
ollowing a success	ful defence of the doctoral thesis I recommend the granting of the Ph.D. degree
	yes ⊠ no □
ate: Aug. 28, 20 ²	Opponent's signature: